SOUTH CAROLINA COUNTIES AND HEALTH DISTRICTS


Greenville
Cherokee
APPALACHIA II
APPALACHIA III
York
Spartanburg
Oconee
Pickens
CATAWBA
Chesterfield
Marlboro
Chester
Lancaster
Union
APPALACHIA I
PEE DEE II
Laurens
Anderson
Fairfield
Dillon
UPPER SAVANNAH
Kershaw
Darlington
Newberry
Marion
EAST MIDLANDS
Lee
Abbeville
PEE DEE I
WATEREE
Greenwood
Saluda
WEST MIDLANDS
Florence
Horry
McCormick
Richland
Sumter
Lexington
Edgefield
Calhoun
Aiken
Clarendon
WACCAMAW
Williamsburg
EDISTO
LOWER SAVANNAH
Orangeburg
Georgetown
Barnwell
Berkeley
Bamberg
Dorchester
Allendale
TRIDENT
Colleton
Hampton
Charleston
LOW COUNTRY
Jasper
Beaufort

SOUTH CAROLINA VITAL AND MORBIDITY STATISTICS

1985

VOLUME I
ANNUAL VITAL STATISTICS SERIES

THE DIVISION OF BIOSTATISTICS
OFFICE OF VITAL RECORDS AND PUBLIC HEALTH STATISTICS
SOUTH CAROLINA DEPARTMENT OF HEALTH AND
ENVIRONMENTAL CONTROL

JULY 1987

COMMISSIONER AND STATE REGISTRAR

Michael D. Jarrett

OFFICE OF VITAL RECORDS AND PUBLIC HEALTH STATISTICS

Murray B. Hudson, M.P.H.
Director

James E. Ferguson, M.M., M.A.
Statistics and Research Administrator

PREFACE

The majority of this report contains vital statistics data for South Carolina events that occurred in 1985. Vital Statistics certificates filed with the Office of Vital Records and Public Health Statistics of the South Carolina Department of Health and Environmental Control are the primary source of data presented in this report. These records include certificates of live births, deaths, fetal deaths, marriages, divorces and annulments. Each year, approximately 140,000 vital records are added to the nearly 6.5 million such documents stored in the Office of Vital Records and Public Health Statistics.

The purpose of this report is to provide basic reference data for a variety of users. These statistics provide a useful and quantitative data base for consumers in the public and private sectors in support of a variety of uses and activities--population dynamics, health economics, planning, program development and evaluation, research and surveillance.

Data are presented for South Carolina, its 46 counties, and places of 2,500 or more population. The report is divided into six major sections. The first section is a 20-year summary of selected vital statistics. The second section is devoted to population data. The next three sections contain the core of the publication by presenting data on the major vital events. The last section is devoted to morbidity statistics. This section contains tables showing the number of reported cases of selected communicable diseases by county.

Population estimates for the intercensal years were prepared by the Division of Research and Statistical Services of the South Carolina Budget and Control Board under the Federal-State Cooperative Program of population estimating for local areas. The Division of Communicable Disease of the South Carolina Department of Health and Environmental Control furnished the morbidity data. A table showing reported cases of venereal disease by type by county is included in the Morbidity Section. These data were furnished by the Division of Venereal Disease Control.

The format of this report has changed from year to year as efforts are made to provide and present the data in the most useful and concise manner.

Suggestions and comments concerning this report will be welcomed. More detailed statistical data pertaining to vital events may be obtained by submitting a request to:

Office of Vital Records and Public Health Statistics
South Carolina Department of Health and Environmental Control
2600 Bull Street
Columbia, South Carolina 29201

TABLE OF CONTENTS

Page

Completeness of Registration.. i

Allocation of Events by Residence and Occurrence.................................. ii

Definitions of Terms.. iii

Interpretation of Data.. iv

Vital Statistics Rates and Ratios... vi

Equivalents in Pounds and Ounces of the Gram Weight Intervals and Symbols Used in Tables.. vii

SUMMARY OF VITAL EVENTS

Table 1. Population, Live Births, Deaths, Marriages and Divorces, With Rates per 1,000 Population, by Race: South Carolina, 1966-1985 (Residence Data)...................... 1

Table 2. Out-of-Wedlock Births, Low Weight Births, Fetal Deaths, Deaths Under One Year and Under 28 Days, and Maternal Deaths With Rates, by Race: South Carolina, 1966-1985 (Residence Data)..... 2

Table 3. Mortality From Selected Causes of Death by Race With Rates per 100,000 Population: South Carolina, 1966-1985 (Residence Data).. 3

POPULATION

Summary of Population.. 5

Table 4. Population, Live Births, Deaths and Natural Increase South Carolina, 1965-1985.. 6

Figure 1. Population Growth Due to Natural Increase: South Carolina 1965-1985 (Residence Data)....................... 6

Figure 2. Population Distribution of South Carolina, 1985................. 7

Table 5. Estimates of Population by Race: South Carolina and Each County, 1985... 8

BIRTHS

Page

Summary of Births 9

Figure 3. Live Birth Rate Distribution of South Carolina, 1985 9

Table 6. Live Births and Live Birth Rates by Race South Carolina, 1963-1985 (Residence Data) 10

Figure 4. Live Birth Rates by Race: South Carolina, 1963-1985 (Residence Data) 10

Table 7. Live Births by Attendant by Place of Delivery: South Carolina, 1985 (Residence Data) 11

Table 8. Percentages of Births Occurring in Hospitals by Race: South Carolina, 1976-1985 (Residence Data) 11

Table 9. Percentage Distribution of Out-of-Wedlock Live Births by Age of Mother: South Carolina, 1981-1985 (Residence Data) 12

Table 10. Percentage Distribution of Live Births by Age of Mother: South Carolina, 1981-1985 (Residence Data) 12

Table 11. Live Births by Birth Weight by Race With Percentages of Births in Weight Group: South Carolina, 1985 (Residence Data) 13

Table 12. Percent of Births Less Than 2,500 Grams, by Age of Mother and Race: South Carolina, 1985 (Residence Data) 13

Figure 5. Percent of Births Less Than 2,500 Grams, by Age of Mother and Race: South Carolina, 1985 (Residence Data) 14

Figure 6. Percentage Distribution of Live Births by Birth Weight and Race: South Carolina, 1985 (Residence Data) 14

Table 13. Fertility Rates by Race: South Carolina, 1970-1985 15

Table 14. Population of Females Age 15-44 Years by Race: South Carolina, 1970-1985 15

Table 15. Sex Ratio of Males per 100 Females: South Carolina, 1981-1985 (Residence Data) 16

Table 16. Live Births and Birth Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1985 (Residence Data) 17

Table 17. Live Births and Birth Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1985 (Occurrence Data) 21

BIRTHS

Page

Table 18. Live Births by Race and Sex: South Carolina and Each County 1985, (Residence Data).................................. 25

Table 19. Live Births by Race and Sex: South Carolina and Each County, 1985 (Occurrence Data).................................. 26

Table 20. Live Births by County of Occurrence by County of Residence, South Carolina, 1985... 27

Table 21. Live Births by Number of Prenatal Care Visits: South Carolina and Each County, 1985 (Residence Data).......................... 29

Table 21-A. Live Births by Number of Prenatal Care Visits by Race: South Carolina and Each County, 1985 (Residence Data)................. 30

Table 22. Live Births by Month Prenatal Care Began: South Carolina and Each County, 1985 (Residence Data).......................... 32

Table 22-A. Live Births by Month Prenatal Care Began by Race: South Carolina and Each County, 1985 (Residence Data)................. 33

Table 23. Live Births by Attendant: South Carolina and Each County, 1985 (Residence Data).................................... 35

Table 23-A. Live Births by Attendant by Race: South Carolina and Each County, 1985 (Residence Data)............................. 36

Table 24. Live Births by Attendant: South Carolina and Each County, 1985 (Occurrence Data)................................... 38

Table 24-A. Live Births by Attendant by Race: South Carolina and Each County, 1985 (Occurrence Data)............................ 39

Table 25. Live Births and Percent of Live Births by Marital Status and Race, by Age of Mother: South Carolina, 1985 (Residence Data).. 41

Table 26. Live Births by Age of Mother: South Carolina and Each County, 1985 (Residence Data).................................... 42

Table 26-A. Live Births by Age of Mother and Race: South Carolina and Each County, 1985 (Residence Data)............................. 43

Table 27. Live Births to Mothers Less Than 20 Years Old: South Carolina and Each County, 1985, (Residence Data).......................... 45

Table 28. Live Births by Birth Weight, Age of Mother and Race: South Carolina, 1985 (Residence Data)........................... 46

BIRTHS

Page

Table 29. Low Weight Live Births and Percent of Low Weight Live Births: South Carolina and Each County, 1985 (Residence Data) 47

Table 30. Low Weight Live Births by Age of Mother: South Carolina and Each County, 1985 (Residence Data) 48

Table 30-A Low Weight Live Births by Age of Mother and Race: South Carolina and Each County, 1985 (Residence Data) 49

Table 31. Live Births by Birth Weight and Race: South Carolina and Each County, 1985 (Residence Data) 51

Table 32. Out-of-Wedlock Live Births and Percent of Live Births Out-of-Wedlock: South Carolina and Each County, 1985 (Residence Data) 57

Table 33. Out-of-Wedlock Live Birhs by Age of Mother: South Carolina and Each County, 1985 (Residence Data) 58

Table 34. Live Births With Reported Congenital Malformations: South Carolina and Each County, 1983-1985 (Residence Data) 59

Table 35. Live Births With Reported Congenital Malformations by Type of Malformation: South Carolina, 1983-1985 (Residence Data) 60

DEATHS

Summary of Death 61

Figure 7. Death Rate Map Distribution of South Carolina, 1985 61

Table 36. Death Rates by Race: South Carolina, 1963-1985 (Residence Data) 62

Figure 8. Death Rate Graph by Race: South Carolina, 1963-1985 (Residence Data) 62

Table 37. Percentage Distribution of Deaths by Race, by Age: South Carolina, 1966 and 1985 (Residence Data) 63

Table 38. Leading Causes of Infant Death, by Age at Death: South Carolina, 1985 (Residence Data) 64

Table 39. Maternal Deaths by Cause, Race and Age: South Carolina, 1985 (Residence Data) 65

DEATHS

Page

Table 40. Violent Deaths With Rates by Type: South Carolina, 1981-1985 (Residence Data) 66

Table 41. Types of Accidental Deaths by Sex: South Carolina, 1985 (Residence Data) 66

Table 42. Methods of Suicidal Deaths by Sex: South Carolina, 1985 (Residence Data) 67

Table 43. Methods of Homicidal Deaths by Sex: South Carolina, 1985 (Residence Data) 67

Table 44. Distribution of Malignant Neoplasms by Site: South Carolina, 1985 (Residence Data) 68

Table 45. Deaths From Major Cardiovascular Diseases: South Carolina, 1985 (Residence Data) 69

Table 46. Mortality From Ten Leading Causes of Death by Race: South Carolina, 1985 (Residence Data) 70

Figure 9. Percentage Distribution of the Ten Leading Causes of Death and Deaths From All Causes, by Sex: South Carolina, 1985, (Residence Data) 70

Table 47. Mortality From Five Leading Causes of Death in Specified Age Groups by Race: South Carolina, 1985 (Residence Data) 71

Table 48. Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1985 (Residence Data) 72

Table 49. Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1985 (Occurrence Data) 76

Table 50. Deaths by Race and Sex: South Carolina and Each County, 1985 (Residence Data) 80

Table 51. Deaths by Race and Sex: South Carolina and Each County, 1985 (Occurrence Data) 81

Table 52. Deaths and Death Rates From Selected Causes, by Race and Sex: South Carolina, 1985 (Residence Data) 82

Table 52-A. Deaths From Selected Causes, by Race and Sex: Each County, 1985 (Residence Data) 83

DEATHS

Page

Table 53. Deaths From Selected Causes, by Age, Race, and Sex: South Carolina, 1985 (Residence Data) 106

Table 54. Deaths by Certifier: South Carolina and Each County, 1985 (Occurrence Data) 118

Table 54-A. Deaths by Certifier, by Race: South Carolina and Each County, 1985 (Occurrence Data) 119

Table 55. Deaths by Burial Disposition: South Carolina and Each County, 1985 (Occurrence Data) 121

Table 55-A. Deaths by Burial Disposition by Race: South Carolina and Each County, 1985 (Occurrence Data) 122

Table 56. Major Causes of Accidental Death: South Carolina and Each County, 1985 (Residence Data) 123

Table 57. Major Causes of Accidental Death: South Carolina and Each County, 1985 (Occurrence Data) 124

Table 58. Deaths From Suicide by Method: South Carolina, 1985 (Occurrence Data) 125

Table 59. Deaths From Homicide by Method: South Carolina, 1985 (Occurrence Data) 126

Table 60. Infant Mortality and Infant Mortality Rates by Race: South Carolina and Each County and Place of 2,500 or More Population, 1985 (Residence Data) 127

Table 61. Infant Mortality and Infant Mortality Rates by Race: South Carolina and Each County, 1985 (Residence Data) 131

Table 62. Neonatal Mortality and Neonatal Mortality Rates by Race: South Carolina and Each County, 1985 (Residence Data) 132

Table 63. Postneonatal Mortality and Postneonatal Mortality Rates by Race: South Carolina and Each County, 1985 (Residence Data) 133

Table 64. Fetal Mortality and Fetal Mortality Rates by Race: South Carolina and Each County, 1985 (Residence Data) 134

Table 65. Fetal Deaths by Age of Mother: South Carolina and Each County, 1985 (Residence Data) 135

Table 66. Perinatal Mortality and Perinatal Mortality Rates by Race: South Carolina and Each County, 1985 (Residence Data) 136

DEATHS

Page

Table 67. Maternal Mortality and Maternal Mortality Rates by Race: South Carolina and Each County, 1985 (Residence Data) 137

Table 68. Maternal Mortality and Maternal Mortality Rates by Race: South Carolina and Each County, 1985 (Occurrence Data) 137

MARRIAGES, DIVORCES, AND ANNULMENTS

Summary of Marriages, Divorces and Annulments 138

Figure 10. Percentage of Marriage Licenses Issued to Non-Residents in South Carolina, 1970-1985 138

Table 69. Marriages by Race of Bride and Race of Groom: South Carolina, 1985 (Occurrence Data) 139

Table 70. Marriages by County in Which License Was Issued, by Residential Status: South Carolina and Each County, 1985 140

Table 71. Marriages by Residential Status, by County of Marriage: South Carolina, 1985 (Occurrence Data) 141

Table 72. Marriages by Race, by Residential Status, by Age Groups of Brides: South Carolina, 1985 142

Table 73. Marriages by Race, by Residential Status, by Age Groups of Grooms: South Carolina, 1985 143

Table 74. Marriages by Age of Bride by Age of Groom: South Carolina, 1985 144

Table 75. Divorces and Annulments by Number of Children Involved, by Race: South Carolina and Each County, 1985 145

Table 76. Divorces by Plaintiff, by Legal Grounds For Decree: South Carolina and Each County, 1985 146

Table 77. Divorces by Age Groups, by Race South Carolina, 1985 147

Table 78. Divorces and Annulments by Duration of Marriage, by Race: South Carolina, 1985 148

MORBIDITY

Page

Table 79. Reported Cases of Selected Communicable Diseases: South Carolina and Each County, 1985 149

Table 80. Reported Cases of Venereal Disease: South Carolina and Each County, 1985 151

APPENDIX

Sample Certificates 152

Comparability Ratios 157

COMPLETENESS OF REGISTRATION

Statewide legislation requiring the registration of births and deaths became effective January 1, 1915. South Carolina was admitted into the National Death Registration Area in 1916 and in the National Birth Registration Area in 1919. After failing to meet the completness of registration tests, the state was excluded from both in 1925. On the basis of later tests, South Carolina was readmitted into the National Birth and Death Registration Areas in 1928. Birth registration, tested for completeness in 1950, was found to be 90 percent complete. Death registration is believed to be even more complete, than birth registration since legal requirements must be met.

Marriage records have been filed with the South Carolina Department of Health and Environmental Control since July, 1950. The reporting form prevented the state from being admitted as a Marriage Registration Area (MRA) in the national system until legislation was enacted in 1970 to standardize the reporting form which enabled the state to be admitted as a MRA in 1971.

Reports of divorces and annulments have been filed with the South Carolina Department of Health and Environmental Control since July, 1962. The reporting of these events reached 90 percent completeness in 1971, which enabled the state to qualify as a Divorce Registration Area.

No thorough study of the completeness of fetal death registration in South Carolina has yet been made. While the law requires that the death of any fetus that has advanced beyond the 20th week of gestation or weighs 350 grams or more be registered it is believed that registration is notably incomplete. Fetal death registration will continue to improve in regard to completeness of registration as in increasing amount of attention is directed to the relationship of fetal deaths and early infant deaths.

Delayed registration results in undernumeration of vital events for a specific time period. Frequency counts in this report are based on 1985 events processed in the state office before May 1986. As this publication goes to press, 6 birth, 0 death, and 0 fetal death records for 1985 were processed after the closing date and were not added to the statistical file.

ALLOCATION OF EVENTS BY RESIDENCE OR OCCURRENCE

The user of vital event data must be aware of the methods used in compiling the data if he/she is to make valid interpretations. With respect to geographic allocation of vital events, the data may be compiled either by place of residence or by place of occurrence.

RESIDENCE DATA are allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred. A cooperative system of interstate exchange of transcripts of birth and death records permits events occurring to South Carolina residents in other states to be included in the South Carolina resident tabulations. In these tabulations, births are allocated to the county of the mother's residence and deaths are allocated to the county of residence of the deceased. Since there is no interstate exchange of transcripts of marriage and divorce records, these statistics are limited to those events which occurred in South Carolina.

OCCURRENCE DATA are allocated the the place in South Carolina where the event occurred, regardless of the usual residence of the person involved.

Both residence and occurrence data are useful for different purposes. Occurrence data represent the requirements for hospitals and other health facilities. These types of data may help to determine such needs as maternity services, intensive care facilities for newborn babies, or emergency room facilities. Residence data are more properly utilized in measuring the fertility and the incidence of death in the population living in an area.

PLACE OF RESIDENCE OR OCCURRENCE 1985

	BIRTHS			DEATHS		
	Total	White	Nonwhite	Total	White	Nonwhite
Occurring in S.C.	49,510	29,840	19,670	26,115	17,677	8,438
Residents of S.C.	49,011	29,416	19,595	25,414	17,113	8,301
Non-Residents	499	424	75	701	564	137
Occurring to S.C. Residents	51,846	31,543	20,303	27,077	18,390	8,687
In South Carolina	49,011	29,416	19,595	25,414	17,113	8,301
Out-of-State	2,835	2,127	708	1,663	1,277	386

Note: Events to South Carolina residents on military status outside of the United States are not reflected in these tabulations.

DEFINITIONS OF TERM

RESIDENCE DATA: Data allocated to the place in South Carolina where the person normally resided, regardless of where the event occurred.

OCCURRENCE DATA: Data allocated to the place in South Carolina where the event occurred, regardless of the usual residence of the person involved.

LIVE BIRTH: The complete explusion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition recommeded by World Health Organization in 1950).

LOW BIRTH WEIGHT: Low birth weight is one for which the birth weight is less than 2,500 grams (5 pounds, 8 ounces), regardless of the period of gestation.

OUT-OF-WEDLOCK: A birth which occurs to a woman who has never been legally married or who has been widowed or legally divorced from her husband in excess of 280 days.

FETAL DEATH: Death prior to the complete expulsion of extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. (Definition recommended by World Health Organization in 1950). A fetal death is required to be reported if the fetus has completed or passed the twentieth week of gestation or weighs 350 grams or more. (Weight criteria effective in 1978). Vital Statistics Laws and Regulations 61-19: Vital Statistics, Section 21(a)).

INFANT DEATH: Death of a live born infant under one year of age.

NEONATAL DEATH: Death of a live born infant under 28 days of age.

POSTNEONATAL DEATH: Death of a live born infant 28-364 days of age.

PERINATAL DEATH: Neonatal deaths plus fetal deaths.

MATERNAL DEATH: Death of a woman whose cause of death is assigned to Complications of Pregnancy, Childbirth, and Puerperium (Ninth Revision ICD 630-676).

UNDERLYING CAUSE OF DEATH: The disease or injury which initiated the train of morbid events, leading directly to death. (International Classification of Disease).

NATURAL INCREASE: The increase in the population due to excess of births over deaths for a particular period.

INTERPRETATION OF DATA

SMALL NUMBER FREQUENCIES: There are variations in all statistics which are the results of chance. This characteristic is of particular importance in classifications with small numbers of events where small variations are proportionately large in relation to the base figure. As an example, small changes in the number of deaths or births in small population areas or in the number of deaths from uncommon causes could result in large changes in these rates. For this reason, rates for counties with small populations or other small bases should be used cautiously.

MEDICAL CERTIFICATION OF DEATH: Since the medical certification of death can be made only by a person authorized by law, usually a physician or coroner, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the acumen and ability of the medical attendant to make the proper diagnosis and by the care with which the death certificate is filled out. In addition, mortality statistics represent the underlying cause of death as indicated by the attending physician or coroner. It is recognized that death may not result from a single morbid condition. However, this report does not include multiple cause tabulations.

COMPARABILITY: In order that disease classifications may be consistent with advances in medical science and changes in diagnostic practice, any system for categorizing causes of death must periodically be revised. Major revisions in the International Classification of Diseases (ICD), by which causes of death are classified, occur approximately every ten years, and each decennial revision of the ICD has produced some break in comparability of cause of death statistics. In South Carolina, the Sixth Revision of the ICD was used from 1949-1957; the Seventh Revision for 1958-1968; the Eighth 1969-1978; and the Ninth Revision went into effect in 1979.

Prior to 1949, under the first five revisions, cause of death was selected on the basis of priority tables for multiple causes, as set forth in The Manual For Joint Causes of Death. Under the Sixth, Seventh, Eighth, and Ninth Revisions of the International Lists, the cause selected for tabulation has been the "underlying" cause is defined as the "disease or injury which initiated the train of morbid events, leading directly to death". (ICDA, Eighth Revision, 1968, Vol. 1, page xxix).

The introduction of the concept of "underlying" cause in 1949 with the Sixth Revision resulted in the basic change in classification of death which seriously affects the interpretation of mortality trends before and after 1949. The Seventh Revision was essentially a clarification of the Sixth Revision, but the Eighth Revision introduced some major modifications in classification lists and coding procedures. The Ninth Revision also brought some major changes in classification and coding.

In order to make valid comparisons of mortality by cause for events classified by different revisions of the ICD, comparability ratios are needed. Comparability ratios are computed by the National Center for Health Statistics from the results of dual coding of certificates according to the old and the new procedures. The comparability ratios were derived by taking the number of deaths classified to a given cause by the Ninth Revision and dividing the result by the number of deaths classified to that cause by the Eighth Revision. On a national level, provisional comparability ratios for the United States based on the Eighth and Ninth Revisions have been developed for a limited number of causes in the Monthly Vital Statistics Report, Vol, 28, Number 11 published by the National Center for Health Statistics.

RACE: Information on race of the mother and father is required on birth and fetal death certificates, and the race of the decedent is reported on death certificates. Fetal deaths utilize the race of mother. For statistical purposes, the tables in this report are based on the broad classifications of "white" and "nonwhite".

On live births, the races of father and of mother were coded independently and the race of child was generated for the tables in this report by comparing the two parents' codes and following a set of rules:

(1) When the race of both mother and father are white, the child's race will be white;
(2) When both the mother's and father's race are unknown, the race of the child will be nonwhite;
(3) When the race of one of the parents is white and the other parent's race is unknown, the race of the child will be white;
(4) For all combinations other than the above, the race of the child will be nonwhite.

Below is a cross-classification of race of father by race of mother for resident live births for South Carolina, 1985.

RACE OF FATHER	RACE OF MOTHER							
	White	Black	Indian	Chinese	Japanese	Other	Unk	Total
White	29,038	48	25	5	10	149	-	29,275
Black	132	9,568	2	1	2	28	-	9,733
Indian	37	-	10	-	-	-	-	47
Chinese	3	-	-	10	-	1	-	14
Japanese	4	-	-	-	3	-	-	7
Other	39	2	-	-	-	149	-	190
Unk	2,505	10,056	10	-	1	6	2	12,580
Total	31,758	19,674	47	16	16	333	2	51,846

"Other" includes Hawaiian, Filipino, Other Pacific Islander, and Other nonwhite. The unknown race includes out-of-wedlock births where the father's race is not shown and also actual unknown race.

VITAL STATISTICS RATES AND RATIOS

Vital statistics data provide better measures of health status when they are related to the size of the population and particularly to the age and sex components of the population. These relationships are usually expressed in terms of rates or percentages. During intercensal years, the validity of vital statistics rates depend upon the accuracy of population estimates.

For the most, part rates presented in this report are crude rates, i.e., the number of events per 1,000 total population. Crude rates are limited for purposes of making comparisons among geographic areas and for changes over time because they ignore characteristics of the population, such as age and sex. Age-adjusted rates or further analyses may be necessary in order to make valid comparisons.

Rates used in this report are calculated as follows:

Cause of Death Rate	=	$\frac{\text{Annual number of deaths from a stated cause}}{\text{Population of area}}$	X 100,000
Death Rate (crude)	=	$\frac{\text{Annual number of deaths}}{\text{Population of area}}$	X 1,000
Divorce Rate (crude)	=	$\frac{\text{Annual number of divorces}}{\text{Population of area}}$	X 1,000
Fetal Mortality Rate	=	$\frac{\text{Annual number of fetal deaths}}{\text{Annual number of live births}}$	X 1,000
General Fertility Rate	=	$\frac{\text{Annual number of live births}}{\text{Population of women 15-44 years of age}}$	X 1,000
Out-of-Wedlock Brith Rate	=	$\frac{\text{Annual number of out-of-wedlock births}}{\text{Annual number of live births}}$	X 1,000
Infant Mortality Rate	=	$\frac{\text{Annual number of infant deaths}}{\text{Annual number of live births}}$	X 1,000
Live Birth Rate (Crude)	=	$\frac{\text{Annual number of live births}}{\text{Population of area}}$	X 1,000
Marriage Rate (Crude)	=	$\frac{\text{Annual number of marriages}}{\text{Population of area}}$	X 1,000
Maternal Mortality Rate	=	$\frac{\text{Annual number of maternal deaths}}{\text{Annual number of live births}}$	X 10,000
Neonatal Mortality Rate	=	$\frac{\text{Annual number of neonatal deaths}}{\text{Annual number live births}}$	X 1,000
Postneonatal Mortality Rate	=	$\frac{\text{Annual number of postneonatal deaths}}{\text{Annual number of live births}}$	X 1,000
Perinatal Mortality Rate	=	$\frac{\text{Annual number of fetal deaths plus Annual number of neonatal deaths}}{\text{Annual number of live births plus Annual number of fetal deaths}}$	X 1,000
Low Weight Birth Rate	=	$\frac{\text{Annual number of live births weighing less than 2500 grams}}{\text{Annual number of live births}}$	X 1,000

Equivalents in Pounds and Ounces of the Gram Weight Intervals

500 grams or less = 1 lb. 1 oz. or less
501-1,000 grams = 1 lb. 2 oz. - 2 lb 3 oz.
1,001-1,500 grams = 2 lb. 4 oz. - 3 lb. 4 oz.
1,501-2,000 grams = 3 lb. 5 oz. - 4 lb. 6 oz.
2,001-2,500 grams = 4 lb. 7 oz. - 5 lb. 8 oz.
2,501-3,000 grams = 5 lb. 9 oz. - 6 lb. 9 oz.
3,001-3,500 grams = 6 lb. 10 oz. - 7 lb. 11 oz.
3,501-4,000 grams = 7 lb. 12 oz. - 8 lb. 13 oz.
4,001-4,500 grams = 8 lb. 14 oz. - 9 lb. 14 oz.
4,501-5,000 grams = 9 lb. 15 oz. - 11 lb. 0 oz.
5,001 grams or more = 11 lb. 1 oz. - or more

Symbols used in Tables

Class or item not applicable	...
Data not available	---
Quantity zero in frequency tables	-
Quantity zero in rate or percent tables	0
Rate or percent more than 0 but less than 0.05	0.0
Both frequency and population base zero in rate or percent tables	-
Figures within parentheses not included in totals	( )

SUMMARY OF VITAL EVENTS

Table 1.
Population, Live Births, Deaths, Marriages and Divorces With Rates Per 1,000 Population by Race, South Carolina, 1966-1985
(Residence Data)

Year	Race	Population[1]	Resident Births		Resident Deaths		Marriages[2]		Annulments and Divorces[3]	
			Number	Rate	Number	Rate	Number	Rate	Number	Rate
1966	Total	2,536,800	50,653	20.0	22,081	8.7	49,812	19.6	3,124	1.2
	White	1,702,500	30,118	17.7	13,427	7.9	38,021	22.3	2,695	1.6
	Nonwhite	834,800	20,535	24.6	8,654	10.4	11,791	14.1	429	0.5
1967	Total	2,660,000	49,822	18.7	21,762	8.2	52,148	19.6	3,584[4]	1.3
	White	1,841,424	29,996	16.3	13,611	7.4	39,522	21.5	3,071	1.7
	Nonwhite	818,576	19,826	24.2	8,151	10.0	12,626	15.4	491	0.6
1968	Total	2,669,000	49,158	18.4	23,411	8.8	54,943	20.6	4,518	1.7
	White	1,836,000	30,416	16.6	14,778	8.0	42,091	22.9	3,873	2.1
	Nonwhite	833,000	18,742	22.5	8,633	10.4	12,852	15.4	645	0.8
1969	Total	2,698,000	50,401	18.7	22,820	8.5	57,981	21.5	5,435	2.0
	White	1,856,600	31,626	17.0	14,612	7.9	44,310	23.9	4,567	2.5
	Nonwhite	841,400	18,775	22.3	8,208	9.8	13,671	16.2	868	1.0
1970	Total	2,590,516	52,283	20.2	22,762	8.8	57,887	22.3	5,829	2.3
	White	1,794,430	32,703	18.2	14,752	8.2	44,730	24.9	4,972	2.8
	Nonwhite	796,086	19,580	24.6	8,010	10.1	13,157	16.5	857	1.1
1971	Total	2,626,800	52,984	20.2	23,140	8.8	58,034	22.1	6,657	2.5
	White	1,833,500	32,912	18.0	15,035	8.2	44,485	24.3	5,613	3.1
	Nonwhite	793,300	20,072	25.3	8,105	10.2	13,549	17.1	1,044	1.3
1972	Total	2,665,000	49,951	18.7	23,920	9.0	59,983	22.5	7,646	2.9
	White	1,873,800	30,857	16.5	15,475	8.3	45,039	24.0	6,489	3.5
	Nonwhite	791,200	19,094	24.1	8,445	10.7	14,944	18.9	1,157	1.5
1973	Total	2,726,000	48,922	17.9	24,871	9.1	56,876	20.9	8,266	3.0
	White	1,930,000	29,881	15.5	16,188	8.4	42,198	21.9	6,973	3.6
	Nonwhite	796,000	19,041	23.9	8,683	10.9	14,678	18.4	1,293	1.6
1974	Total	2,784,000	48,432	17.4	24,169	8.7	53,009	19.0	8,816	3.2
	White		29,469	15.0	15,941	8.1	39,731	20.3	7,431	3.8
	Nonwhite		18,963	23.0	8,228	10.0	13,278	16.1	1,385	1.7
1975	Total	2,818,000	46,665	16.6	23,343	8.3	50,249	17.8	9,671	3.4
	White	1,942,000	28,016	14.4	15,464	8.0	38,372	19.8	8,243	4.2
	Nonwhite	876,000	18,649	21.3	7,879	9.0	11,877	13.6	1,428	1.6
1976	Total	2,848,000	47,651	16.7	23,639	8.3	50,698	17.8	10,641	3.7
	White	1,962,000	28,529	14.5	15,652	8.0	38,482	19.6	8,954	4.6
	Nonwhite	886,000	19,122	21.6	7,987	9.0	12,216	13.8	1,687	1.9
1977	Total	2,876,000	49,848	17.3	24,254	8.4	51,306	17.8	10,717	3.7
	White	1,966,700	29,646	15.1	16,088	8.2	38,924	19.8	8,969	4.6
	Nonwhite	909,100	20,202	22.2	8,166	9.0	12,382	13.6	1,748	1.9
1978	Total	2,917,200	49,558	17.0	24,055	8.2	52,960	18.1	11,901	4.1
	White	2,014,100	29,048	14.4	15,993	7.9	40,224	20.0	9,903	4.9
	Nonwhite	903,100	20,510	22.7	8,062	8.9	12,736	14.1	1,998	2.2
1979	Total	2,931,900	50,586	17.3	24,343	8.3	53,505	18.2	13,747	4.7
	White	2,022,600	29,839	14.8	16,207	8.0	40,790	20.2	11,283	5.6
	Nonwhite	909,300	20,747	22.8	8,136	8.9	12,715	14.0	2,464	2.7
1980	Total	3,121,800	51,908	16.6	25,138	8.1	53,915	17.3	13,595	4.4
	White	2,147,224	30,559	14.2	16,781	7.8	40,955	19.1	11,155	5.2
	Nonwhite	974,596	21,349	21.9	8,357	8.6	12,960	13.3	2,440	2.5
1981	Total	3,196,247	51,745	16.2	25,410	7.9	54,415	17.0	13,974	4.4
	White	2,196,957	30,542	13.9	17,199	7.8	41,746	19.0	11,503	5.2
	Nonwhite	999,290	21,203	21.2	8,211	8.2	12,669	12.7	2,471	2.5
1982	Total	3,256,259	51,554	15.8	25,066	7.7	53,496	16.4	13,600	4.2
	White	2,236,690	30,652	13.7	16,823	7.5	40,655	18.2	11,233	5.0
	Nonwhite	1,019,569	20,902	20.5	8,243	8.1	12,841	12.6	2,367	2.3
1983	Total	3,316,306	50,731	15.3	26,130	7.9	53,691	16.2	13,601	4.1
	White	2,276,477	30,448	13.4	17,717	7.8	41,490	18.2	11,060	4.9
	Nonwhite	1,039,829	20,283	19.5	8,413	8.1	12,201	11.7	2,541	2.4
1984	Total	3,300,500	50,561	15.3	26,363	8.0	55,357	16.8	13,674	4.1
	White	2,259,528	30,607	13.5	17,815	7.9	42,557	18.8	11,111	4.9
	Nonwhite	1,040,972	19,954	19.2	8,548	8.2	12,800	12.3	2,563	2.5
1985	Total	3,366,521	51,846	15.4	27,077	8.0	52,805	15.7	13,456	4.0
	White	2,302,246	31,543	13.7	18,390	8.0	40,315	17.5	11,045	4.8
	Nonwhite	1,064,275	20,303	19.1	8,687	8.2	12,490	11.7	2,411	2.3

[1] 1970 and 1980 are actual census counts; estimated population for intercensal years. Estimates by race for 1974 have not been published. See S.C. Vital and Morbidity Statistics, 1974, page 5.

[2] Figures represent all reported marriages where license was issued in South Carolina.

[3] Figures represent all reported divorces and annulments granted in South Carolina by race of husband.

[4] Includes 22 races not stated

Table 2.
Out-of-Wedlock, Low Weight Births, Fetal Deaths, Death Under One Year and Under 28 Days1/, and Maternal Deaths, With Rates2/, by Race: South Carolina, 1966-1985
(Residence Data)

Year	Race	Out-of Wedlock Live Births		Low Weight Live Births		Fetal Deaths		Infant Deaths				Maternal Deaths	
								Under 1 Year		Under 28 Days			
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1966	Total	7,417	146.4	4,933	97.4	937	18.5	1,517	29.9	874	17.3	35	6.9
	White	1,061	35.2	2,271	75.4	377	12.5	641	21.3	482	16.0	7	2.3
	Nonwhite	6,356	309.5	2,662	129.6	560	27.3	876	42.7	392	19.2	28	13.6
1967	Total	7,521	151.0	4,833	97.0	937	18.8	1,384	27.8	891	17.9	24	4.8
	White	1,124	37.5	2,224	74.1	414	13.8	628	20.9	493	16.4	8	2.7
	Nonwhite	6,397	322.7	2,609	131.6	523	26.4	756	38.1	398	20.1	16	8.1
1968	Total	7,353	149.6	4,804	97.7	851	17.3	1,342	27.3	838	17.0	28	5.7
	White	1,117	36.7	2,277	74.9	394	13.0	614	20.2	457	15.0	11	3.6
	Nonwhite	6,236	332.7	2,527	134.8	457	24.4	728	38.8	381	20.3	17	9.1
1969	Total	7,439	147.6	4,828	95.8	845	16.8	1,220	24.2	776	15.4	18	3.6
	White	1,193	37.7	2,203	69.7	381	12.0	599	18.9	439	13.9	6	1.9
	Nonwhite	6,246	332.7	2,625	139.8	464	24.7	621	33.1	337	17.9	12	6.4
1970	Total	7,858	150.3	5,008	95.8	815	15.6	1,199	22.9	798	15.3	23	4.4
	White	1,226	37.5	2,374	72.6	417	12.8	607	18.6	469	14.3	6	1.8
	Nonwhite	6,632	338.7	2,634	134.5	398	20.3	592	30.2	329	16.8	17	8.7
1971	Total	8,218	155.1	4,690	88.5	813 3/	15.3	1,149	21.7	789	14.9	28	5.3
	White	1,[illegible]1	36.2	2,145	65.2	366	11.1	536	16.3	423	12.9	8	2.4
	Nonwhite	7,027	350.1	2,545	126.8	445	22.2	613	30.5	366	18.2	20	10.0
1972	Total	8,387	167.9	4,533	90.7	791	15.8	1,126	22.5	774	15.5	19	3.8
	White	1,249	40.5	2,065	66.9	351	11.4	536	17.4	405	13.1	5	1.6
	Nonwhite	7,138	373.8	2,468	129.3	440	23.0	590	30.9	369	19.3	14	7.3
1973	Total	8,778	179.4	4,404	90.0	809 3/	16.5	1,105	22.6	752	15.4	18	3.7
	White	1,314	44.0	1,989	66.6	354	11.8	527	17.6	395	13.2	4	1.3
	Nonwhite	7,464	392.0	2,415	126.8	453	23.8	578	30.4	357	18.7	14	7.4
1974	Total	8,811	181.9	4,401	90.9	732 4/	15.1	1,031	21.3	727	15.0	10	2.1
	White	1,281	43.5	1,901	64.5	327	11.1	493	16.7	377	12.8	4	1.4
	Nonwhite	7,530	397.1	2,500	131.8	402	21.2	538	28.4	350	18.5	6	3.2
1975	Total	9,242	198.0	4,205	90.1	653 5/	14.0	897	19.2	638	13.7	5	1.1
	White	1,394	49.8	1,840	65.7	282	10.1	431	15.4	318	11.4	1	0.4
	Nonwhite	7,848	420.8	2,365	126.8	370	19.8	466	25.0	320	17.2	4	2.1
1976	Total	9,447	198.3	4,237	88.9	715 6/	15.0	930	19.5	633	13.3	13	2.7
	White	1,404	49.2	1,758	61.6	312	10.9	400	14.0	284	10.0	2	0.7
	Nonwhite	8,043	420.6	2,479	129.6	398	20.8	530	27.7	349	18.3	11	5.8
1977	Total	10,419	209.0	4,442	89.1	685 7/	13.7	876	17.6	607	12.2	10	2.0
	White	1,588	53.6	1,811	61.1	301	10.2	387	13.1	285	9.6	1	0.3
	Nonwhite	8,831	437.1	2,631	130.2	378	18.7	489	24.2	322	15.9	9	4.5
1978	Total	10,822	218.4	4,418	89.1	664	13.4	919	18.5	614	12.4	8	1.6
	White	1,674	57.6	1,749	60.2	284	9.8	386	13.3	274	9.4	5	1.7
	Nonwhite	9,148	446.0	2,669	130.1	380	18.5	533	26.0	340	16.6	3	1.5
1979	Total	10,749	212.5	4,479	88.5	654	12.9	857	17.0	565	11.2	6	1.2
	White	1,571	52.6	1,848	61.9	279	9.4	367	12.3	260	8.7	–	0
	Nonwhite	9,178	442.4	2,631	126.8	375	18.1	490	23.6	305	14.7	6	2.9
1980	Total	11,191	215.6	4,493	86.6	672	12.9	809	15.6	561	10.8	12	2.3
	White	1,747	57.2	1,836	60.1	288	9.4	330	10.8	232	7.6	7	2.3
	Nonwhite	9,444	442.4	2,657	124.5	384	17.9	479	22.4	329	15.4	5	2.3
1981	Total	11,339	219.1	4,582	88.5	669	12.9	836	16.2	562	10.9	3	0.6
	White	1,735	56.8	1,876	61.4	280	9.2	379	12.4	247	8.1	–	0
	Nonwhite	9,604	453.0	2,706	127.6	389	18.3	457	21.6	315	14.9	3	1.4
1982	Total	11,626	225.5	4,580	88.8	684	13.3	832	16.1	552	10.7	6	1.2
	White	2,013	65.7	1,884	61.5	284	9.3	367	12.0	248	8.1	–	0
	Nonwhite	9,613	459.9	2,696	129.0	400	19.1	465	22.2	304	14.5	6	2.9
1983	Total	11,908	234.7	4,395	86.6	645	12.7	760	15.0	497	9.8	4	0.8
	White	2,105	69.1	1,864	61.2	272	8.9	343	11.3	215	7.1	1	0.3
	Nonwhite	9,803	483.3	2,531	124.8	373	18.4	417	20.6	282	13.9	3	1.5
1984	Total	11,916	235.7	4,431	87.6	640	12.7	743	14.7	495	9.8	5	1.0
	White	2,129	69.5	1,916	62.6	292	9.5	339	11.1	239	7.8	3	1.0
	Nonwhite	9,787	490.5	2,515	126.0	348	17.4	404	20.2	256	12.8	2	1.0
1985	Total	12,513	241.3	4,461	86.0	588	11.3	735	14.2	516	10.0	3	0.6
	White	2,464	78.1	1,856	58.8	259	8.2	301	9.5	205	6.5	–	0
	Nonwhite	10,049	495.0	2,605	128.3	329	16.2	434	21.4	311	15.3	3	1.5

1/ Data on infant deaths under 28 days (1966) derived from Vital Statistics of the United States.

2/ Rates for out-of-wedlock births, low weight births, fetal deaths, deaths under one year and under 28 days are calculated per 1,000 live births, rates for maternal deaths are calculated per 10,000 live births.

3/ Includes 2 race not stated

4/ Includes 3 race not stated

5/ Includes 1 race not stated

6/ Includes 5 race not stated

7/ Includes 6 race not stated

Table 3.
Mortality From Selected Causes of Death by Race With Rates 1/ per 100,000 Population
South Carolina, 1976-1985
(Residence Data)

Year	Total		White		Nonwhite		Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
	Malignant Neoplasms 140-209 (140-208), 1.0026						Hypertension 400,401,403, (401,403), 1.2703					
1976	3,979	139.7	2,844	145.0	1,135	128.1	88	3.1	41	2.1	47	5.3
1977	4,272	148.5	3,030	154.1	1,242	136.6	67	2.3	30	1.5	37	4.1
1978	4,278	146.6	3,011	149.5	1,267	140.3	71	2.4	24	1.2	47	5.2
1979	4,563	155.6	3,210	158.7	1,353	148.8	99	3.4	55	2.7	44	4.8
1980	4,890	156.6	3,466	161.4	1,424	146.1	112	3.6	51	2.4	61	6.3
1981	4,904	153.4	3,487	158.7	1,417	141.8	108	3.4	47	2.1	61	6.1
1982	5,059	155.4	3,523	157.5	1,536	150.7	132	4.1	62	2.8	70	6.9
1983	5,255	158.4	3,700	162.5	1,555	149.5	112	3.4	44	1.9	68	6.5
1984	5,524	167.4	3,809	168.6	1,715	164.8	128	3.9	52	2.3	76	7.3
1985	5,643	167.6	3,969	172.4	1,674	157.3	174	5.2	73	3.2	101	9.5
	Malignant Neoplasms of Cervix 180 (180), N.A*						Atherosclerosis 440 (440), 1.0649					
1976	97	3.4	47	2.4	50	5.6	242	8.5	179	9.1	63	7.1
1977	91	3.2	47	2.4	44	4.8	222	7.7	157	8.0	65	7.1
1978	78	2.7	40	2.0	38	4.2	239	8.2	185	9.2	54	6.0
1979	69	2.4	34	1.7	35	3.8	255	8.7	192	9.5	63	6.9
1980	94	3.0	48	2.2	46	4.7	264	8.5	175	8.2	89	9.1
1981	64	2.0	35	1.6	29	2.9	271	8.5	198	9.0	73	7.3
1982	94	2.9	48	2.1	46	4.5	366	8.2	187	8.4	79	7.7
1983	88	2.7	46	2.0	42	4.0	260	7.8	204	9.0	56	5.3
1984	87	2.6	47	2.1	40	3.8	250	7.6	201	8.9	49	4.7
1985	88	2.6	48	2.1	40	3.8	224	6.7	165	7.2	59	5.5
	Cerebrovascular Disease 430-438 (430-438), 1.0049						Ischemic Heart Disease 410-414 (410-414), 0.8784					
1976	2,739	96.2	1,722	87.8	1,017	114.8	7,143	250.8	5,214	265.7	1,929	217.7
1977	2,697	93.8	1,688	85.8	1,009	111.0	7,224	251.2	5,264	267.7	1,960	215.6
1978	2,541	87.1	1,569	77.9	972	107.6	7,067	242.3	5,190	257.7	1,877	207.8
1979	2,513	85.7	1,549	76.6	964	106.0	5,956	203.1	4,460	220.5	1,496	164.5
1980	2,488	79.7	1,532	71.3	956	98.1	6,060	194.1	4,655	216.8	1,405	144.2
1981	2,384	74.6	1,461	66.5	923	92.4	5,978	187.0	4,686	213.3	1,292	129.3
1982	2,378	73.0	1,429	63.9	949	93.1	5,926	182.0	4,543	203.1	1,383	135.6
1983	2,340	70.6	1,419	62.3	921	88.6	6,449	194.5	4,922	216.2	1,527	146.9
1984	2,377	72.0	1,492	93.2	885	85.0	6,163	186.7	4,693	207.7	1,470	141.2
1985	2,433	72.3	1,536	66.7	897	84.3	6,271	186.3	4,810	208.9	1,461	137.3
	Heart Disease 390-398,402,404,410-429 (390-398,402,404-429), 1.0126						Influenza and Pneumonia 470-474,480-486 (480-486,487) 0.9264					
1976	8,392	294.7	5,956	303.6	2,436	274.9	669	23.5	445	22.7	224	25.3
1977	8,636	300.3	6,069	308.6	2,567	282.4	673	23.4	430	21.9	243	26.7
1978	8,550	293.1	6,013	298.6	2,537	280.9	702	24.1	475	23.6	227	25.1
1979	8,640	297.7	6,081	300.7	2,559	281.4	546	18.6	376	18.6	170	18.7
1980	9,047	289.8	6,421	299.0	2,626	269.4	559	17.9	380	17.7	179	18.4
1981	9,151	286.3	6,603	300.6	2,548	255.0	646	20.2	448	20.4	198	19.8
1982	9,083	278.9	6,457	288.7	2,626	257.6	618	19.0	415	18.6	203	19.9
1983	9,662	291.3	6,926	304.2	2,736	263.1	667	20.1	458	20.1	209	20.1
1984	9,343	283.1	6,669	295.2	2,674	256.9	672	20.4	477	21.1	195	18.7
1985	9,524	282.9	6,779	294.5	2,745	257.9	781	23.2	603	26.2	178	16.7

NOTE: 8th revision codes; then 9th revision codes in parentheses and comparability ratios (see comparability explanation under "Interpretation of Data")

1/ Rates in table have not been adjusted

* Not Available

Table 3. (cont.)

Diabetes Mellitus 250 (250), 0.9991

Year	Total Number	Total Rate	White Number	White Rate	Nonwhite Number	Nonwhite Rate
1976	468	16.4	245	12.5	223	25.2
1977	480	16.7	256	13.0	224	24.6
1978	450	15.4	245	12.2	205	22.7
1979	471	16.1	274	13.5	197	21.7
1980	475	15.2	256	11.9	219	22.5
1981	498	15.6	285	13.0	213	21.3
1982	476	14.6	240	10.7	236	23.1
1983	486	14.6	248	10.9	238	22.9
1984	480	14.5	248	11.0	232	22.3
1985	506	15.0	283	12.3	223	21.0

Accidents, All Types
E800-E949 (E800-E949), 0.9970

Year	Total Number	Total Rate	White Number	White Rate	Nonwhite Number	Nonwhite Rate
1976	1,593	55.9	983	50.1	610	68.8
1977	1,749	60.8	1,116	56.7	633	69.6
1978	1,658	56.8	1,052	52.2	606	67.1
1979	1,729	59.0	1,076	53.2	653	71.8
1980	1,700	54.5	1,092	50.9	608	62.4
1981	1,692	52.9	1,070	48.7	622	62.2
1982	1,548	47.5	1,031	46.1	517	50.7
1983	1,728	52.1	1,128	49.5	600	57.7
1984	1,721	52.1	1,113	49.3	608	58.4
1985	1,668	49.5	1,089	47.3	579	54.4

Complications of Pregnancy, Childbirth
and Puerperium 630-678
(630-676), 1.1002/

Year	Total Number	Total Rate	White Number	White Rate	Nonwhite Number	Nonwhite Rate
1976	13	2.7	2	0.7	11	5.8
1977	10	2.0	1	0.3	9	4.5
1978	8	1.6	5	1.7	3	1.5
1979	6	1.2	-	0	6	2.9
1980	12	2.3	7	2.3	5	2.3
1981	3	0.6	-	0	3	1.4
1982	6	1.2	-	0	6	2.9
1983	4	0.8	1	0.3	3	1.5
1984	5	1.0	3	1.0	2	1.0
1985	3	0.6	-	0	3	1.5

Motor Vehicle Accidents
E810-E823 (E810-E825), 1.0117

Year	Total Number	Total Rate	White Number	White Rate	Nonwhite Number	Nonwhite Rate
1976	816	28.7	526	26.8	290	32.7
1977	952	33.1	676	34.4	276	30.4
1978	919	31.5	613	30.4	306	33.9
1979	915	31.2	599	29.6	316	34.8
1980	863	27.6	592	27.6	271	27.8
1981	849	26.6	616	28.0	233	23.3
1982	753	23.1	517	23.1	236	23.1
1983	859	25.9	613	26.9	246	23.6
1984	949	28.8	648	28.7	301	28.9
1985	920	27.3	650	28.2	270	25.4

Congenital Anomalies 740-759
(740-759), 0.9984

Year	Total Number	Total Rate	White Number	White Rate	Nonwhite Number	Nonwhite Rate
1976	204	7.2	132	6.7	72	8.1
1977	207	7.2	122	6.2	85	9.3
1978	185	6.3	112	5.6	73	8.1
1979	229	7.8	143	7.1	86	9.5
1980	196	6.3	118	5.5	78	8.0
1981	213	6.7	125	5.7	88	8.8
1982	219	6.7	127	5.7	92	9.0
1983	208	6.2	117	5.1	91	8.7
1984	186	5.6	128	5.7	58	5.6
1985	198	5.9	104	4.5	94	8.8

Suicide E950-E959
(E950-E959), 1.0032

Year	Total Number	Total Rate	White Number	White Rate	Nonwhite Number	Nonwhite Rate
1976	285	10.0	247	12.6	38	4.3
1977	359	12.5	311	15.8	48	5.3
1978	332	11.4	290	14.4	42	4.7
1979	308	10.5	281	13.9	27	3.0
1980	301	9.6	251	11.7	50	5.1
1981	348	10.9	305	13.9	43	4.3
1982	366	11.2	323	14.4	43	4.2
1983	334	10.1	302	13.3	32	3.1
1984	390	11.8	340	15.1	50	4.8
1985	391	11.6	325	14.1	66	6.2

Certain Conditions Originating In The
Perinatal Period 760-778
(760-779), 1.0765

Year	Total Number	Total Rate	White Number	White Rate	Nonwhite Number	Nonwhite Rate
1976	479	16.8	201	10.2	278	31.4
1977	469	16.3	207	10.5	262	28.8
1978	441	15.1	188	9.3	253	28.0
1979	422	14.4	167	8.3	255	28.0
1980	446	14.3	175	8.2	271	27.8
1981	452	14.1	188	8.6	264	26.4
1982	416	12.8	177	7.9	239	23.4
1983	400	12.1	168	7.4	232	22.3
1984	404	12.2	169	7.5	235	22.6
1985	406	12.1	145	6.3	261	24.5

Homicide E960-E978
(E960-E978), 1.0057

Year	Total Number	Total Rate	White Number	White Rate	Nonwhite Number	Nonwhite Rate
1976	352	12.4	142	7.2	210	23.7
1977	380	13.2	174	8.8	206	22.7
1978	359	12.3	165	8.2	194	21.5
1979	387	13.2	168	8.3	219	24.1
1980	392	12.6	162	7.5	230	23.6
1981	357	11.2	158	7.2	199	19.9
1982	379	11.6	171	7.6	208	20.4
1983	323	9.7	148	6.5	179	16.8
1984	304	9.2	125	5.5	188	17.2
1985	323	9.6	141	6.1	182	17.1

NOTE: 8th revision codes; then 9th revison codes in parentheses and comparability ratios (see comparability explanation under "Interpretation of Data")

1/ Rates in table have not been adjusted

* Not Available

2/ Rates per 10,000 live births

POPULATION

SUMMARY OF POPULATION

The estimated population of South Carolina for 1985 was 3,366,521, an increase of 66,021 (2.0 percent) over the 1984 estimated population of 3,300,500. The 1985 estimate was an increase of 19.5 percent over the 1975 estimated population of 2,818,000. Population figures for 1985 used in this report were prepared by the Division of Research and Statistical Services of the South Carolina Budget and Control Board.

1970 and 1980 CENSUS OF POPULATION

Population Density: In 1970, the population density (number of persons per square mile of land area) of South Carolina was approximately 85.6. Based on the most recent census count, the 1980 population density had increased to 103.4, a 20.8 percent increase. Approximately 70 percent of the 46 counties in South Carolina had population densities less than that of the state in 1980, and ten of these counties actually had less than 40 people per square mile of land area.

Race and Age: In 1970, there were 1,794,430 white and 796,086 nonwhite persons residing in South Carolina. The 1980 census count recorded a 19.7 percent increase in white population and a 22.4 percent increase in nonwhite population. Of the ten year population change from 1970 to 1980, the 25-34 year age group showed the greatest percentage increase. Only two age groups, 5-9 and 10-14, showed a decrease in population from 1970 to 1980. The age distribution and the percent change in number of resident population from 1970 to 1980 are as follows:

	1970		1980		Percent Change
	Total	Percent	Total	Percent	1970-1980
Total	2,590,516	100.0	3,121,820	100.0	+20.5
Under 1 Year	48,675	1.9	50,686	1.6	+ 4.1
1 - 4 Years	187,089	7.2	187,830	6.0	+ 0.4
5 - 9 Years	269,242	10.4	253,643	8.1	- 5.8
10 - 14 Years	282,703	10.9	266,179	8.5	- 5.8
15 - 19 Years	280,881	10.8	317,234	10.2	+12.9
20 - 24 Years	238,202	9.2	313,738	10.1	+31.7
25 - 34 Years	320,245	12.4	516,741	16.6	+61.4
35 - 44 Years	286,000	11.0	350,505	11.2	+22.6
45 - 54 Years	277,119	10.7	299,183	9.6	+ 8.0
55 - 64 Years	209,400	8.1	278,753	8.9	+33.1
65 - 74 Years	125,224	4.8	189,527	6.1	+51.4
75 and Over	65,736	2.5	97,801	3.1	+48.8

Table 4 .
Population, Live Births, Deaths, and Natural Increase
South Carolina 1965-1985
(Residence Data)

YEAR	POPULATION	RESIDENT BIRTHS		RESIDENT DEATHS		NATURAL INCREASE
		Number	Rate	Number	Rate	(Births minus Deaths)
1965	2,512,200	52,853	21.0	21,668	8.6	31,185
1966	2,536,800	50,653	20.0	22,081	8.7	28,572
1967	2,660,000	49,822	18.7	21,762	8.2	28,060
1968	2,669,000	49,158	18.4	23,411	8.8	25,747
1969	2,698,000	50,401	18.7	22,820	8.5	27,581
1970	2,590,516	52,283	20.2	22,762	8.8	29,521
1971	2,626,800	52,984	20.2	23,140	8.8	29,844
1972	2,665,000	49,951	18.7	23,920	9.0	26,031
1973	2,726,000	48,922	17.9	24,871	9.1	24,051
1974	2,784,000	48,432	17.4	24,169	8.7	24,263
1975	2,818,000	46,665	16.6	23,343	8.3	23,322
1976	2,848,000	47,651	16.7	23,639	8.3	24,012
1977	2,876,000	49,848	17.3	24,254	8.4	25,594
1978	2,918,000	49,558	17.0	24,055	8.2	25,503
1979	2,931,900	50,586	17.3	24,343	8.3	26,243
1980	3,121,820	51,908	16.6	25,138	8.1	26,770
1981	3,196,247	51,745	16.2	25,410	7.9	26,335
1982	3,256,259	51,554	15.8	25,066	7.7	26,488
1983	3,316,306	50,731	15.3	26,130	7.9	24,601
1984	3,300,500	50,561	15.3	26,363	8.0	24,198
1985	3,366,521	51,846	15.4	27,077	8.0	24,769

Rate per 1,000 population

Figure 1 .

BIRTH RATES, DEATH RATES, AND NATURAL INCREASE

South Carolina, 1965-1985 (Residence Data)



Figure 2.

POPULATION* DISTRIBUTION OF SOUTH CAROLINA, 1985


1 - 25000
25001 - 50000
50001 - 100000
100001 - 350000

* Based on 1985 estimates of Population

Table 5.

Estimates of South Carolina Population by Race by County
July, 1985

County of Residence	Total	White	Nonwhite
SOUTH CAROLINA	3,366,521	2,302,246	1,064,275
Abbeville	23,917	16,112	7,805
Aiken	113,662	84,428	29,234
Allendale	11,208	3,900	7,308
Anderson	141,932	116,801	25,131
Bamberg	18,433	7,529	10,904
Barnwell	20,725	11,299	9,426
Beaufort	83,804	55,327	28,477
Berkeley	117,743	85,442	32,301
Calhoun	12,255	5,913	6,342
Charleston	294,824	184,603	110,221
Cherokee	42,562	33,849	8,713
Chester	30,747	18,704	12,043
Chesterfield	39,130	25,963	13,167
Clarendon	29,173	12,496	16,677
Colleton	34,337	18,670	15,667
Darlington	64,569	38,492	26,077
Dillon	32,914	17,696	15,218
Dorchester	74,331	55,144	19,187
Edgefield	19,023	9,641	9,382
Fairfield	21,159	8,956	12,203
Florence	115,206	71,932	43,274
Georgetown	47,503	26,363	21,140
Greenville	304,458	247,673	56,785
Greenwood	60,518	41,658	18,860
Hampton	19,169	8,874	10,295
Horry	126,993	98,449	28,544
Jasper	15,707	6,866	8,841
Kershaw	42,146	28,584	13,562
Lancaster	55,803	42,132	13,671
Laurens	53,763	38,059	15,704
Lee	19,107	7,316	11,791
Lexington	157,493	140,647	16,846
McCormick	7,688	2,947	4,741
Marion	34,920	16,198	18,722
Marlboro	32,887	16,911	15,976
Newberry	32,107	22,144	9,963
Oconee	52,425	46,957	5,468
Orangeburg	86,734	36,606	50,128
Pickens	84,454	78,396	6,058
Richland	284,468	160,938	123,530
Saluda	16,902	11,013	5,889
Spartanburg	208,128	164,754	43,374
Sumter	94,286	50,124	44,162
Union	31,236	21,730	9,506
Williamsburg	39,718	14,139	25,579
York	116,254	89,871	26,383

SOURCE: Division of Research and Statistical Services

BIRTHS

SUMMARY OF BIRTHS

In 1985, there were 51,846 live births to South Carolina residents with a crude rate of 15.4 per 1,000 estimated population. Of the total resident live births 31,543 (60.8 percent) were white and 20,303 (39.2 percent) were nonwhite. The white live birth rate was 13.7 per 1,000 estimated population; the nonwhite rate was 19.2.

Figure 3.
RESIDENT BIRTH RATES
South Carolina, 1985



Rate calculated per 1,000 population

In 1973, the resident birth rate in South Carolina dropped to its lowest rate since 1950 and, in 1975, a new record low rate of 16.6 was set. The 1976 rate reflected a stabilization after several years of declining rates and the 1977 rate of 17.3 showed a slight increase (3.6 percent) over the 1976 rate of 16.7. In 1978, the rate fell again slightly to a rate of 17.0, but in 1979, the birth rate again rose slightly to a rate of 17.3. The current birth rate of 15.4 is an increase of less than 1 percent over last year's rate of 15.3.

Table 6 .
Total Live Births and Birth Rate by Race
1963-1985
South Carolina Residents

YEAR	TOTAL		WHITE		NONWHITE	
	NUMBER	RATE	NUMBER	RATE	NUMBER	RATE
1963	58,231	23.7	34,256	21.0	23,975	28.8
1964	56,906	22.9	33,184	20.1	23,722	28.4
1965	52,853	21.0	30,635	18.3	22,218	26.6
1966	50,653	20.0	30,118	17.7	20,535	24.4
1967	49,822	18.7	29,996	16.3	19,826	24.2
1968	49,158	18.4	30,416	16.6	18,742	22.5
1969	50,401	18.7	31,626	17.0	18,775	22.3
1970	52,283	20.2	32,703	18.2	19,580	24.6
1971	52,984	20.2	32,912	18.0	20,072	25.3
1972	49,951	18.7	30,857	16.5	19,094	24.1
1973	48,922	17.9	29,881	15.5	19,041	23.9
1974	48,432	17.4	29,469	15.0	18,963	23.0
1975	46,665	16.6	28,016	14.4	18,649	21.3
1976	47,651	16.7	28,529	14.5	19,122	21.6
1977	49,848	17.3	29,646	15.1	20,202	22.2
1978	49,558	17.0	29,048	14.4	20,510	22.7
1979	50,586	17.3	29,839	14.8	20,747	22.8
1980	51,908	16.6	30,559	14.2	21,349	21.9
1981	51,745	16.2	30,542	13.9	21,203	21.2
1982	51,554	15.8	30,652	13.7	20,902	20.5
1983	50,731	15.3	30,448	13.4	20,283	19.5
1984	50,561	15.3	30,607	13.5	19,954	19.2
1985	51,846	15.4	31,543	13.7	20,303	19.1

Rate per 1,000 population

Figure 4 .
Live Birth Rates by Race
South Carolina, 1963-1985
(Residence Data)



ATTENDANT AT BIRTH

Tables 23 and 24 give the number of births according to attendant at delivery by county of residence and occurrence. Of the total 51,846 resident births, 96.9 percent were attended by a physician. The term "physician" includes osteopaths, residents, interns and externs. Midwives attended 2.5 percent of the total births, 2.3 percent of the white births, and 2.8 percent of the nonwhite births. Other and not stated attendant accounted for less than one percent of total births. The term "other" includes any specified attendant other than physician, midwife or self-attended. Included in the "not stated" category are unknown, not specified or not classifiable attendants.

Table 7 shows resident births by attendant by delivery site. Deliveries by midwives in hospitals represent deliveries by certified nurse midwives. Granny midwife deliveries are reflected as midwife deliveries at residence and other delivery sites.

Table 7.
Live Births by Attendant by Place of Delivery
South Carolina, 1985
(Residence Data)

	Total	Physician	Certified Nurse Midwife	Lay Midwife & Other Midwife	Self	Other Attendant	Unk
Hospital or Clinic	51,498	50,243	1,165	88	1	-	1
Doctors Office	11	10	1	-	-	-	-
Enroute or Born on Arrival	113	13	1	9	17	73	-
Residence	224	2	2	22	70	127	1
Total	51,846	50,268	1,169	119	88	200	2

The percentages of total births which were delivered in hospitals are shown by race in Table 8 for the 10-year period 1976-1985. In 1976, 98.5 percent of the total births occurred in hospitals; 1985 showed a slight increase (0.8 percent). The greatest change has been among nonwhite births for which the frequency of the hospital delivery has increased from 97.0 in 1976 to 98.8 percent in 1985.

Table 8.
Percentages of Births Occurring in Hospitals by Race:
South Carolina, 1976-1985
(Residence Data)

Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1976	98.5	99.6	97.0	1981	99.2	99.5	98.7
1977	98.8	99.8	97.8	1982	99.0	99.2	98.5
1978	99.0	99.5	98.3	1983	99.0	99.9	98.8
1979	99.2	99.5	98.7	1984	98.9	99.0	98.8
1980	99.3	99.5	99.1	1985	99.3	99.6	98.8

OUT-OF-WEDLOCK

In 1985, there were 12,513 out-of-wedlock live births to resident mothers in South Carolina, representing 24.1 percent of all live births. This is an increase of 2.1 percent from the percent of out-of-wedlock reported in 1984. The out-of-wedlock rate (rate per 1,000 total live births) increased from 235.7 in 1984 to 241.3 in 1985. Data for 1985 out-of-wedlock live births and percent of out-of-wedlock live births are given, by county, in Table 32. As in the past, out-of-wedlock births occurred more frequently among young mothers. Females under age 20 accounted for 41.3 percent of all out-of-wedlock live births in 1985. However, this percentage has decreased 13.1 percent since 1981.

Table 9.
Percentage Distribution of Out-of-Wedlock Live Births
By Age of Mother: South Carolina, 1981-1985
(Residence Data)

AGE	1981	1982	1983	1984	1985
All Ages...............	100.0	100.0	100.0	100.0	100.0
Under 15 Years.........	1.9	2.0	2.0	1.8	2.0
15-19 Years............	45.6	43.5	41.7	40.3	39.3
20-24 Years............	33.9	34.7	34.8	35.9	36.4
25-29 Years............	12.6	13.3	14.3	14.4	14.8
30 Years and Over......	6.0	6.5	7.2	7.5	7.6

AGE OF MOTHER

In 1985, there were 273 resident live births to mothers under 15 years of age and only 12 live births to mothers 45 years of age and over. Women aged 15-44 years were responsible for 99.4 percent of all live births. The median age of resident mothers giving birth in 1985 was 24 years. The youngest resident mother giving birth in 1985 was 11 years old and the oldest was 47 years old.

Table 10.
Percentage Distribution of Live Births by Age of Mother:
South Carolina, 1981-1985
(Residence Data)

AGE	1981	1982	1983	1984	1985
All Ages...............	100.0	100.0	100.0	100.0	100.0
Under 15 Years.........	0.4	0.5	0.5	0.5	0.5
15-19 Years............	18.5	18.0	17.4	16.7	16.4
20-24 Years............	34.6	34.0	33.8	33.6	33.4
25-29 Years............	28.9	29.2	29.4	29.2	29.3
30-34 Years............	13.9	14.0	14.5	15.5	15.4
35-39 Years............	3.2	3.7	3.9	4.1	4.4
40-44 Years............	0.5	4.2	0.5	0.6	0.5
45 Years and Over......	0.0	0.0	0.0	0.0	0.0

BIRTH WEIGHT

Birth weights of less than 5 pounds 8 ounces (Low Birth Weight) were reported for 8.6 percent of 51,846 resident births in 1985. A greater proportion of the nonwhite children were born at the low birth weights than were the white children. The nonwhite low birth weight rate was 128.3 per 1,000 live births; the white rate, 58.8.

Table 11.
Live Births by Birth Weight by Race
With Percentages of Births in Weight Group:
South Carolina, 1985
(Residence Data)

Weight Group	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Total....................	51,846	100.0	31,543	100.0	20,303	100.0
Less Than 2,500 grams....	4461	8.6	1,856	5.9	2,605	12.8
Under 500 grams.......	120	0.2	36	0.1	84	0.4
500-999 grams.........	349	0.7	123	0.4	226	1.1
1,000-1,499 grams.....	407	0.8	166	0.5	241	1.2
1,500-1,999 grams.....	894	1.7	359	1.1	535	2.6
2,000-2,499 grams.....	2,691	5.2	1,172	3.7	1,519	7.5
2,500 or More grams......	47,382	91.4	29,686	94.1	17,696	87.2
Unknown Weight...........	3	0.0	1	0.0	2	0.0

The live birth of an infant weighing 1,499 grams or less was a very infrequent event (1.7 percent of all live births). The gram weight group of 2,000-2,499 grams represented only 5.3 percent of all live births, but accounted for 60.3 percent of all of the low birth weight babies.

In relation to age of mother, low weight births were comparatively frequent among very young mothers; 11.2 percent of all births to mother age 15-19 were low weight. Only 7.4 percent of all live births to mothers age 25-34 were low weight. The percent of births that were low weight, by age of mother and race, is shown in Table 12 and Figure 5.

Table 12.
Percent* of Births Less Than 2,500 Grams
By Age of Mother and Race:
South Carolina, 1985
(Residence Data)

	Under 15	15-19	20-24	25-34	35-44	45 & Over
Total	13.2	11.2	8.8	7.4	9.1	0
White	13.0	7.2	6.3	5.2	5.7	0
Nonwhite	13.2	14.7	12.6	11.7	14.3	0

Low weight birth percentages are based on total live births within each age group.

Figure 5.
Percent of Births Less Than 2,500 Grams
by Age of Mother and Race
South Carolina, 1985 (Residence Data)



Eighty-two percent of all resident live births in 1985 occurred in the weight interval 2,500-3,999 grams. The first group in this interval (2,500-2,999 grams) contained 18.1 percent of all live births. The second gram weight group (3,000-3,499) contained 32.3 percent and the third (3,500-3,999 grams), 27.1 percent. Only a comparatively small proportion of births (1.7 percent) occurred in the upper weight interval of 4,500 grams or more.

Comparison of the percentages of white and nonwhite births at weights around the modal group for the distribution reveals some variation (see Figure 6). For both, the highest proportion of births occurred at 3,000-3,499 grams, but the mean white live birth weight was higher than the nonwhite mean weight.

Figure 6.
PERCENTAGE DISTRIBUTION OF LIVE BIRTHS
By Birthweight and Race:
South Carolina, 1985
(Residence Data)



FERTILITY PATTERNS

Though the crude birth rate relates the event of birth to the entire population, it does not measure the proper population exposed to the chance of having a birth, since it is based on both sexes in the population. However, the crude birth rate is an index to the relative speed at which additions are being made to a population through childbirth. If the event of birth were to be related to the population exposed to risk, that is, to females of the childbearing ages 15-44, a more specific rate could be computed. This fertility rate per 1,000 females in the age group 15-44 has decreased 14.8 percent from 74.5 in 1976 to 63.5 in 1985, even though the female population between these ages has increased by 28.3 percent. By race, this 1976 to 1985 pattern shows a 10.2 percent decrease in the white fertility rate and a 23.1 percent decrease occurring to nonwhites.

Table 13.
Fertility Rates1/ by Race:
South Carolina, 1970-1985

YEAR	TOTAL	WHITE	NONWHITE
1970	93.7	83.4	117.9
1971	92.1	82.6	113.7
1972	84.8	75.7	105.3
1973	81.1	71.6	102.6
1974	78.5	69.0	100.0
1975	73.3	63.4	95.9
1976	74.5	64.7	96.4
1977	76.5	66.0	100.1
1978	74.2	63.2	98.7
1979	72.1	62.1	94.2
1980	69.1	60.4	87.4
1981	67.2	58.8	84.6
1982	65.4	57.9	81.0
1983	63.0	56.4	76.3
1984	62.8	57.0	74.4
1985	63.5	58.1	74.2

1/ Rate per 1,000 census population of females aged 15-44 years (1970, 1980)
Rate per 1,000 projected female population aged 15-44 years (1971-1979, 1985)
Rate per 1,000 estimated population aged 15-44 years (1981-1984)

Table 14.
Population of Females Age 15-44, by Race:
South Carolina, 1970-1985

YEAR	TOTAL	WHITE	NONWHITE
1970	558,052	392,021	166,031
1971	575,207	398,639	176,568
1972	589,015	407,756	181,259
1973	602,886	417,291	185,595
1974	616,927	427,272	189,655
1975	636,469	442,097	194,372
1976	639,264	440,857	198,407
1977	651,320	449,482	201,838
1978	663,289	458,227	205,062
1979*	697,351	479,583	217,768
1980	746,625	505,229	241,396
1981	769,799	519,118	250,681
1982	787,720	529,546	258,174
1983	805,657	539,988	265,669
1984	804,807	536,698	268,109
1985	816,620	542,860	273,760

* revised

SEX RATIO

Out of the total 51,846 live births occurring to South Carolina residents in 1985, male births numbered 26,612 and female births numbered 25,231, giving a ratio of 105.5 males per 100 females. Of the total live births 3 were of unknown sex.

Table 15.
Sex Ratio of Males Per 100 Females:
South Carolina, 1981-1985
(Residence Data)

Year	Total	White	Nonwhite
1981	102.8	104.8	99.9
1982	103.1	103.2	102.9
1983	103.4	105.2	100.7
1984	102.9	104.8	100.0
1985	105.5	106.6	103.8

MULTIPLE BIRTHS

During 1985, a total of 1,157 live births occurred as a result of multiple births. Of that number, there were 562 sets of twins and 11 sets of triplets. The 1,157 multiple births resulted in a ratio of 1 multiple birth per 44.8 live births.

CONGENITAL MALFORMATIONS

Congenital malformations were reported on 421 birth records in 1985. This corresponds to a rate to 8.1 per 1,000 live births. The three major malformations reported in 1985 were 1) Other Anomalies of Limbs, 2) Other, Unspecified or Multiple Anomalies, and 3) Certain Musculoskeletal Deformities. Table 34 shows live births with reported congenital malformations for residents of South Carolina and each county.

Table 16.
Live Births and Birth Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1985
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
South Carolina........	51,846	15.4	31,543	13.7	20,303	19.1
Abbeville.............	315	13.2	176	10.9	139	17.8
Abbeville............	103	---	45	---	58	---
Honea Path (Part)....	3	---	1	---	2	---
Balance of County....	209	---	130	---	79	---
Aiken.................	1,837	16.2	1,248	14.8	589	20.1
New Ellenton.........	38	---	28	---	10	---
Aiken................	272	---	129	---	143	---
N. Augusta...........	285	---	199	---	86	---
Balance of County....	1,242	---	892	---	350	---
Allendale.............	171	15.3	35	9.0	136	18.6
Allendale............	79	---	16	---	63	---
Balance of County....	92	---	19	---	73	---
Anderson..............	1,880	13.2	1,453	12.4	427	17.0
Belton...............	64	---	49	---	15	---
Honea Path (Part)....	45	---	37	---	8	---
Williamston..........	38	---	31	---	7	---
Clemson Vill (Part)..	-	---	-	---	-	---
Pendleton............	36	---	22	---	14	---
Anderson.............	382	---	198	---	184	---
Balance of County....	1,315	---	1,116	---	199	---
Bamberg...............	248	13.5	68	9.0	180	16.5
Bamberg..............	53	---	20	---	33	---
Denmark..............	81	---	10	---	71	---
Balance of County....	114	---	38	---	76	---
Barnwell..............	323	15.6	153	13.5	170	18.0
Barnwell.............	88	---	41	---	47	---
Williston............	44	---	17	---	27	---
Blackville...........	46	---	8	---	38	---
Balance of County....	145	---	87	---	58	---
Beaufort..............	1,511	18.0	929	16.8	582	20.4
Beaufort.............	225	---	157	---	68	---
Port Royal...........	73	---	45	---	28	---
Hilton Head..........	195	---	171	---	24	---
Balance of County....	1,018	---	556	---	462	---
Berkeley..............	2,238	19.0	1,615	18.9	623	19.3
Goose Creek..........	356	---	297	---	59	---
Hanahan..............	184	---	151	---	33	---
Moncks Corner........	102	---	65	---	37	---
Balance of County....	1,596	---	1,102	---	494	---
Calhoun...............	183	14.9	71	12.0	112	17.7
Balance of County....	183	---	71	---	112	---
Charleston............	5,582	18.9	3,076	16.7	2,506	22.7
Mt. Pleasant.........	437	---	359	---	78	---
Summerville (Part)...	5	---	4	---	1	---
Isle of Palms........	56	---	56	---	-	---
Charleston...........	1,893	---	802	---	1,091	---
N. Charleston........	1,108	---	606	---	502	---
Balance of County....	2,083	---	1,249	---	834	---

Table 16. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Cherokee..............	597	14.0	396	11.7	201	23.1
Gaffney..............	255	---	117	---	138	---
Balance of County....	342	---	279	---	63	---
Chester...............	500	16.3	242	12.9	258	21.4
Chester..............	154	---	55	---	99	---
Great Falls..........	40	---	23	---	17	---
Balance of County....	306	---	164	---	142	---
Chesterfield..........	564	14.4	325	12.5	239	18.2
Cheraw...............	88	---	37	---	51	---
Pageland.............	49	---	28	---	21	---
Balance of County....	427	---	260	---	167	---
Clarendon.............	459	15.7	160	12.8	299	17.9
Manning..............	102	---	36	---	66	---
Balance of County....	357	---	124	---	233	---
Colleton..............	560	16.3	236	12.6	324	20.7
Walterboro...........	146	---	75	---	71	---
Balance of County....	414	---	161	---	253	---
Darlington............	846	13.1	404	10.5	442	16.9
Darlington...........	133	---	47	---	86	---
Hartsville...........	119	---	50	---	69	---
Balance of County....	594	---	307	---	287	---
Dillon................	530	16.1	235	13.3	295	19.4
Dillon...............	158	---	61	---	97	---
Balance of County....	372	---	174	---	198	---
Dorchester............	1,327	17.9	975	17.7	352	18.3
Summerville (Part)...	455	---	352	---	103	---
Balance of County....	872	---	623	---	249	---
Edgefield.............	284	14.9	116	12.0	168	17.9
Edgefield............	48	---	17	---	31	---
Johnston.............	42	---	14	---	28	---
Balance of County....	194	---	85	---	109	---
Fairfield.............	311	14.7	88	9.8	223	18.3
Winnsboro............	88	---	21	---	67	---
Balance of County....	223	---	67	---	156	---
Florence..............	1,751	15.2	895	12.4	856	19.8
Lake City............	112	---	33	---	79	---
Florence.............	485	---	195	---	290	---
Balance of County....	1,154	---	667	---	487	---
Georgetown............	748	15.7	281	10.7	467	22.1
Andrews (Part).......	53	---	16	---	37	---
Georgetown...........	192	---	61	---	131	---
Balance of County....	503	---	204	---	299	---
Greenville............	4,345	14.3	3,323	13.4	1,022	18.0
Travelers Rest.......	16	---	15	---	1	---
Simpsonville.........	76	---	60	---	16	---
Fountain Inn (Part)..	34	---	21	---	13	---
Mauldin..............	37	---	31	---	6	---
Greenville...........	1,214	---	701	---	513	---
Greer (Part).........	49	---	40	---	9	---
Balance of County....	2,919	---	2,455	---	464	---

Table 16. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenwood.............	824	13.6	491	11.8	333	17.7
Greenwood............	354	---	155	---	199	---
Balance of County....	470	---	336	---	134	---
Hampton...............	330	17.2	99	11.2	231	22.4
Hampton..............	41	---	17	---	24	---
Balance of County....	289	---	82	---	207	---
Horry.................	2,124	16.7	1,539	15.6	585	20.5
Conway...............	225	---	122	---	103	---
Myrtle Beach.........	524	---	436	---	88	---
N. Myrtle Beach......	105	---	85	---	20	---
Surfside Beach.......	51	---	50	---	1	---
Balance of County....	1,219	---	846	---	373	---
Jasper................	280	17.8	92	13.4	188	21.3
Balance of County....	280	---	92	---	188	---
Kershaw...............	592	14.0	393	13.7	199	14.7
Camden...............	103	---	47	---	56	---
Balance of County....	489	---	346	---	143	---
Lancaster.............	741	13.3	475	11.3	266	19.5
Lancaster............	186	---	70	---	116	---
Balance of County....	555	---	405	---	150	---
Laurens...............	740	13.8	460	12.1	280	17.8
Clinton..............	123	---	62	---	61	---
Fountain Inn (Part)..	10	---	1	---	9	---
Laurens..............	146	---	64	---	82	---
Balance of County....	461	---	333	---	128	---
Lee...................	297	15.5	66	9.0	231	19.6
Bishopville..........	58	---	14	---	44	---
Balance of County....	239	---	52	---	187	---
Lexington.............	2,266	14.4	1,912	13.6	354	21.0
Batesburg (Part).....	58	---	23	---	35	---
Cayce................	155	---	110	---	45	---
Springdale...........	1	---	1	---	-	---
W. Columbia..........	378	---	313	---	65	---
Irmo (Part)..........	56	---	51	---	5	---
Balance of County....	1,618	---	1,414	---	204	---
McCormick.............	107	13.9	31	10.5	76	16.0
Balance of County....	107	---	31	---	76	---
Marion................	499	14.3	191	11.8	308	16.5
Marion...............	101	---	29	---	72	---
Mullins..............	97	---	29	---	68	---
Balance of County....	301	---	133	---	168	---
Marlboro..............	523	15.9	215	12.7	308	19.3
Bennettsville........	216	---	66	---	150	---
McColl...............	38	---	29	---	9	---
Balance of County....	269	---	120	---	149	---
Newberry..............	442	13.8	232	10.5	210	21.1
Newberry.............	168	---	65	---	103	---
Balance of County....	274	---	167	---	107	---

Table 20. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Oconee................	669	12.8	583	12.4	86	15.7
Seneca...............	114	---	64	---	50	---
Walhalla.............	47	---	42	---	5	---
Westminster..........	43	---	36	---	7	---
Balance of County....	465	---	441	---	24	---
Orangeburg............	1,397	16.1	490	13.4	907	18.1
Orangeburg...........	320	---	78	---	242	---
Balance of County....	1,077	---	412	---	665	---
Pickens...............	1,007	11.9	912	11.6	95	15.7
Liberty..............	30	---	28	---	2	---
Pickens..............	38	---	33	---	5	---
Clemson Vill (Part)..	59	---	43	---	16	---
Easley...............	247	---	210	---	37	---
Balance of County....	633	---	598	---	35	---
Richland..............	4,237	14.9	2,086	13.0	2,151	17.4
Forest Acres.........	3	---	3	---	-	---
Irmo (Part)..........	131	---	112	---	19	---
Columbia.............	2,065	---	830	---	1,235	---
Balance of County....	2,038	---	1,141	---	897	---
Saluda................	235	13.9	134	12.2	101	17.2
Batesburg (Part).....	7	---	3	---	4	---
Saluda...............	52	---	20	---	32	---
Balance of County....	176	---	111	---	65	---
Spartanburg...........	3,003	14.4	2,146	13.0	857	19.8
Woodruff.............	19	---	15	---	4	---
Spartanburg..........	732	---	320	---	412	---
Greer (Part).........	18	---	11	---	7	---
Balance of County....	2,234	---	1,800	---	434	---
Sumter................	1,699	18.0	848	16.9	851	19.3
Sumter...............	567	---	208	---	359	---
Balance of County....	1,132	---	640	---	492	---
Union.................	355	11.4	221	10.2	134	14.1
Union................	106	---	47	---	59	---
Balance of County....	249	---	174	---	75	---
Williamsburg..........	600	15.1	152	10.8	448	17.5
Andrews (Part).......	1	---	-	---	1	---
Kingstree............	98	---	18	---	80	---
Balance of County....	501	---	134	---	367	---
York..................	1,769	15.2	1,275	14.2	494	18.7
Clover...............	54	---	36	---	18	---
Fort Mill............	67	---	56	---	11	---
York.................	115	---	73	---	42	---
Rock Hill............	620	---	336	---	284	---
Balance of County....	913	---	774	---	139	---

Rate per 1,000 estimated population

Table 17.
Live Births and Birth Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1985
(Occurrence Data)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
South Carolina........	49,510	14.7	29,840	13.0	19,670	18.5
Abbeville.............	187	7.8	68	4.2	119	15.2
Abbeville............	187	---	68	---	119	---
Honea Path (Part)....	-	---	-	---	-	---
Balance of County....	-	---	-	---	-	---
Aiken.................	519	4.6	249	2.9	270	9.2
New Ellenton.........	1	---	-	---	1	---
Aiken................	511	---	247	---	264	---
N. Augusta...........	1	---	-	---	1	---
Balance of County....	6	---	2	---	4	---
Allendale.............	29	2.6	2	0.5	27	3.7
Allendale............	-	---	-	---	-	---
Balance of County....	29	---	2	---	27	---
Anderson..............	1,866	13.1	1,436	12.3	430	17.1
Belton...............	-	---	-	---	-	---
Honea Path (Part)....	-	---	-	---	-	---
Williamston..........	-	---	-	---	-	---
Clemson Vill (Part)..	-	---	-	---	-	---
Pendleton............	-	---	-	---	-	---
Anderson.............	1,863	---	1,434	---	429	---
Balance of County....	3	---	2	---	1	---
Bamberg...............	315	17.1	144	19.1	171	15.7
Bamberg..............	314	---	144	---	170	---
Denmark..............	1	---	-	---	1	---
Balance of County....	-	---	-	---	-	---
Barnwell..............	174	8.4	43	3.8	131	13.9
Barnwell.............	174	---	43	---	131	---
Williston............	-	---	-	---	-	---
Blackville...........	-	---	-	---	-	---
Balance of County....	-	---	-	---	-	---
Beaufort..............	1,685	20.1	943	17.0	742	26.1
Beaufort.............	928	---	355	---	573	---
Port Royal...........	-	---	-	---	-	---
Hilton Head..........	188	---	170	---	18	---
Balance of County....	569	---	418	---	151	---
Berkeley..............	8	0.1	4	0.0	4	0.1
Goose Creek..........	3	---	2	---	1	---
Hanahan..............	-	---	-	---	-	---
Moncks Corner........	-	---	-	---	-	---
Balance of County....	5	---	2	---	3	---
Calhoun...............	2	0.2	-	0	2	0.3
Balance of County....	2	---	-	---	2	---
Charleston............	9,470	32.1	5,808	31.5	3,662	33.2
Mt. Pleasant.........	2	---	1	---	1	---
Summerville (Part)...	-	---	-	---	-	---
Isle of Palms........	1	---	1	---	-	---
Charleston...........	6,388	---	3,373	---	3,015	---
N. Charleston........	1,850	---	1,469	---	381	---
Balance of County....	1,229	---	964	---	265	---

Table 17.(Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Cherokee..............	351	8.2	177	5.2	174	20.0
Gaffney.............	1	---	-	---	1	---
Balance of County....	350	---	177	---	173	---
Chester...............	396	12.9	176	9.4	220	18.3
Chester.............	-	---	-	---	-	---
Great Falls..........	-	---	-	---	-	---
Balance of County....	396	---	176	---	220	---
Chesterfield..........	449	11.5	163	6.3	286	21.7
Cheraw..............	444	---	160	---	284	---
Pageland............	1	---	1	---	-	---
Balance of County....	4	---	2	---	2	---
Clarendon.............	334	11.4	88	7.0	246	14.8
Manning.............	332	---	88	---	244	---
Balance of County....	2	---	-	---	2	---
Colleton..............	334	9.7	125	6.7	209	13.3
Walterboro...........	329	---	121	---	208	---
Balance of County....	5	---	4	---	1	---
Darlington............	669	10.4	283	7.4	386	14.8
Darlington...........	455	---	156	---	299	---
Hartsville...........	213	---	127	---	86	---
Balance of County....	1	---	-	---	1	---
Dillon................	304	9.2	119	6.7	185	12.2
Dillon..............	302	---	119	---	183	---
Balance of County....	2	---	-	---	2	---
Dorchester............	4	0.1	1	0.0	3	0.2
Summerville (Part)...	1	---	-	---	1	---
Balance of County....	3	---	1	---	2	---
Edgefield.............	82	4.3	15	1.6	67	7.1
Edgefield...........	80	---	14	---	66	---
Johnston............	-	---	-	---	-	---
Balance of County....	2	---	1	---	1	---
Fairfield.............	136	6.4	26	2.9	110	9.0
Winnsboro...........	1	---	-	---	1	---
Balance of County....	135	---	26	---	109	---
Florence..............	2,544	22.1	1,357	18.9	1,187	27.4
Lake City...........	-	---	-	---	-	---
Florence............	2,540	---	1,355	---	1,185	---
Balance of County....	4	---	2	---	2	---
Georgetown............	711	15.0	244	9.3	467	22.1
Andrews (Part).......	-	---	-	---	-	---
Georgetown..........	709	---	244	---	465	---
Balance of County....	2	---	-	---	2	---
Greenville............	5,393	17.7	4,246	17.1	1,147	20.2
Travelers Rest.......	-	---	-	---	-	---
Simpsonville.........	174	---	111	---	63	---
Fountain Inn (Part)..	4	---	3	---	1	---
Mauldin..............	-	---	-	---	-	---
Greenville...........	4,937	---	3,883	---	1,054	---
Greer (Part).........	271	---	243	---	28	---
Balance of County....	7	---	6	---	1	---

Table 17. (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenwood............	1,717	28.4	977	23.5	740	39.2
Greenwood............	1,717	---	977	---	740	---
Balance of County....	-	---	-	---	-	---
Hampton...............	249	13.0	51	5.7	198	19.2
Hampton..............	1	---	-	---	1	---
Balance of County....	248	---	51	---	197	---
Horry.................	2,093	16.5	1,527	15.5	566	19.8
Conway...............	2	---	1	---	1	---
Myrtle Beach.........	1,029	---	848	---	181	---
N. Myrtle Beach......	1	---	1	---	-	---
Surfside Beach.......	-	---	-	---	-	---
Balance of County....	1,061	---	677	---	384	---
Jasper................	7	0.4	1	0.1	6	0.7
Balance of County....	7	---	1	---	6	---
Kershaw...............	482	11.4	296	10.4	186	13.7
Camden...............	481	---	295	---	186	---
Balance of County....	1	---	1	---	-	---
Lancaster.............	531	9.5	287	6.8	244	17.8
Lancaster............	530	---	287	---	243	---
Balance of County....	1	---	-	---	1	---
Laurens...............	136	2.5	77	2.0	59	3.8
Clinton..............	131	---	74	---	57	---
Fountain Inn (Part)..	-	---	-	---	-	---
Laurens..............	1	---	-	---	1	---
Balance of County....	4	---	3	---	1	---
Lee...................	149	7.8	18	2.5	131	11.1
Bishopville..........	149	---	18	---	131	---
Balance of County....	-	---	-	---	-	---
Lexington.............	2,068	13.1	1,730	12.3	338	20.1
Batesburg (Part).....	1	---	-	---	1	---
Cayce................	-	---	-	---	-	---
Springdale...........	-	---	-	---	-	---
W. Columbia..........	1	---	-	---	1	---
Irmo (Part)..........	-	---	-	---	-	---
Balance of County....	2,066	---	1,730	---	336	---
McCormick.............	-	---	-	---	-	---
Balance of County....	-	---	-	---	-	---
Marion................	674	19.3	261	16.1	413	22.1
Marion...............	560	---	206	---	354	---
Mullins..............	112	---	55	---	57	---
Balance of County....	2	---	-	---	2	---
Marlboro..............	143	4.3	53	3.1	90	5.6
Bennettsville........	143	---	53	---	90	---
McColl...............	-	---	-	---	-	---
Balance of County....	-	---	-	---	-	---
Newberry..............	382	11.9	184	8.3	198	19.9
Newberry.............	382	---	184	---	198	---
Balance of County....	-	---	-	---	-	---

Table 17.(Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Oconee................	555	10.6	481	10.2	74	13.5
Seneca...............	-	---	-	---	-	---
Walhalla.............	-	---	-	---	-	---
Westminster..........	-	---	-	---	-	---
Balance of County....	555	---	481	---	74	---
Orangeburg............	1,499	17.3	499	13.6	1,000	19.9
Orangeburg...........	2	---	2	---	-	---
Balance of County....	1,497	---	497	---	1,000	---
Pickens...............	569	6.7	525	6.7	44	7.3
Liberty..............	-	---	-	---	-	---
Pickens..............	-	---	-	---	-	---
Clemson Vill (Part)..	-	---	-	---	-	---
Easley...............	569	---	525	---	44	---
Balance of County....	-	---	-	---	-	---
Richland..............	5,225	18.4	2,739	17.0	2,486	20.1
Forest Acres.........	-	---	-	---	-	---
Irmo (Part)..........	-	---	-	---	-	---
Columbia.............	5,213	---	2,730	---	2,483	---
Balance of County....	12	---	9	---	3	---
Saluda................	2	0.1	-	0	2	0.3
Batesburg (Part).....	-	---	-	---	-	---
Saluda...............	-	---	-	---	-	---
Balance of County....	2	---	-	---	2	---
Spartanburg...........	3,080	14.8	2,208	13.4	872	20.1
Woodruff.............	-	---	-	---	-	---
Spartanburg..........	2,129	---	1,354	---	775	---
Greer (Part).........	-	---	-	---	-	---
Balance of County....	951	---	854	---	97	---
Sumter................	1,825	19.4	909	18.1	916	20.7
Sumter...............	1,374	---	604	---	770	---
Balance of County....	451	---	305	---	146	---
Union.................	258	8.3	138	6.4	120	12.6
Union................	257	---	137	---	120	---
Balance of County....	1	---	1	---	-	---
Williamsburg..........	307	7.7	45	3.2	262	10.2
Andrews (Part).......	-	---	-	---	-	---
Kingstree............	301	---	45	---	256	---
Balance of County....	6	---	-	---	6	---
York..................	1,597	13.7	1,117	12.4	480	18.2
Clover...............	-	---	-	---	-	---
Fort Mill............	-	---	-	---	-	---
York.................	39	---	23	---	16	---
Rock Hill............	1,556	---	1,092	---	464	---
Balance of County....	2	---	2	---	-	---

Rate per 1,000 estimated population

Table 18.
Live Births by Race and Sex: South Carolina and Each County, 1985
(Residence Data)

County of Residence	TOTAL			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	51,846*	26,612	25,231	31,543	16,275	15,268	20,303*	10,337	9,963
Abbeville	315	150	165	176	91	85	139	59	80
Aiken	1,837	951	886	1,248	664	584	589	287	302
Allendale	171	87	84	35	21	14	136	66	70
Anderson	1,880	950	930	1,453	723	730	427	227	200
Bamberg	248	120	128	68	29	39	180	91	89
Barnwell	323	148	175	153	71	82	170	77	93
Beaufort	1,511	780	731	929	500	429	582	280	302
Berkeley	2,238	1,148	1,089	1,615	834	781	623	314	308
Calhoun	183	97	86	71	40	31	112	57	55
Charleston	5,582	2,903	2,678	3,076	1,592	1,484	2,506	1,311	1,194
Cherokee	597	294	303	396	201	195	201	93	108
Chester	500	255	245	242	128	114	258	127	131
Chesterfield	564	285	279	325	162	163	239	123	116
Clarendon	459	209	250	160	74	86	299	135	164
Colleton	560	292	268	236	126	110	324	166	158
Darlington	846	422	424	404	187	217	442	235	207
Dillon	530	281	249	235	120	115	295	161	134
Dorchester	1,327	729	598	975	533	442	352	196	156
Edgefield	284	161	123	116	60	56	168	101	67
Fairfield	311	153	158	88	46	42	223	107	116
Florence	1,751	930	821	895	466	429	856	464	392
Georgetown	748	391	357	281	140	141	467	251	216
Greenville	4,345	2,269	2,076	3,323	1,732	1,591	1,022	537	485
Greenwood	824	393	431	491	232	259	333	161	172
Hampton	330	178	152	99	51	48	231	127	104
Horry	2,124	1,089	1,035	1,539	808	731	585	281	304
Jasper	280	150	130	92	47	45	188	103	85
Kershaw	592	301	291	393	196	197	199	105	94
Lancaster	741	388	353	475	255	220	266	133	133
Laurens	740	388	352	460	238	222	280	150	130
Lee	297	144	153	66	35	31	231	109	122
Lexington	2,266	1,116	1,150	1,912	952	960	354	164	190
McCormick	107	57	50	31	19	12	76	38	38
Marion	499	245	254	191	98	93	308	147	161
Marlboro	523	257	266	215	106	109	308	151	157
Newberry	442	230	212	232	121	111	210	109	101
Oconee	669	374	295	583	332	251	86	42	44
Orangeburg	1,397	684	713	490	254	236	907	430	477
Pickens	1,007	515	492	912	464	448	95	51	44
Richland	4,237	2,178	2,058	2,086	1,076	1,010	2,151	1,102	1,048
Saluda	235	114	121	134	69	65	101	45	56
Spartanburg	3,003	1,489	1,514	2,146	1,062	1,084	857	427	430
Sumter	1,699	860	839	848	439	409	851	421	430
Union	355	190	165	221	119	102	134	71	63
Williamsburg	600	329	271	152	79	73	448	250	198
York	1,769	938	831	1,275	683	592	494	255	239

* Totals include 3 unknown sex

Table 19.
Live Births by Race and Sex: South Carolina and Each County, 1985
(Occurrence Data)

County of Occurrence	TOTAL			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	49,510 *	25,401	24,106	29,840	15,390	14,450	19,670 *	10,011	9,656
Abbeville	187	85	102	68	34	34	119	51	68
Aiken	519	260	259	249	138	111	270	122	148
Allendale	29	15	14	2	-	2	27	15	12
Anderson	1,866	978	888	1,436	748	688	430	230	200
Bamberg	315	148	167	144	72	72	171	76	95
Barnwell	174	86	88	43	23	20	131	63	68
Beaufort	1,685	872	813	943	505	438	742	367	375
Berkeley	8	1	7	4	1	3	4	-	4
Calhoun	2	2	-	-	-	-	2	2	-
Charleston	9,470	4,948	4,520	5,808	3,043	2,765	3,662	1,905	1,755
Cherokee	351	187	164	177	98	79	174	89	85
Chester	396	200	196	176	92	84	220	108	112
Chesterfield	449	221	228	163	78	85	286	143	143
Clarendon	334	150	184	88	39	49	246	111	135
Colleton	334	173	161	125	65	60	209	108	101
Darlington	669	345	324	283	137	146	386	208	178
Dillon	304	166	138	119	61	58	185	105	80
Dorchester	4	3	1	1	1	-	3	2	1
Edgefield	82	47	35	15	8	7	67	39	28
Fairfield	136	65	71	26	11	15	110	54	56
Florence	2,544	1,323	1,221	1,357	693	664	1,187	630	557
Georgetown	711	376	335	244	129	115	467	247	220
Greenville	5,393	2,780	2,613	4,246	2,186	2,060	1,147	594	553
Greenwood	1,717	853	864	977	477	500	740	376	364
Hampton	249	125	124	51	23	28	198	102	96
Horry	2,093	1,064	1,029	1,527	792	735	566	272	294
Jasper	7	4	3	1	1	-	6	3	3
Kershaw	482	247	235	296	152	144	186	95	91
Lancaster	531	272	259	287	151	136	244	121	123
Laurens	136	71	65	77	40	37	59	31	28
Lee	149	75	74	18	10	8	131	65	66
Lexington	2,068	1,045	1,023	1,730	881	849	338	164	174
McCormick	-	-	-	-	-	-	-	-	-
Marion	674	347	327	261	141	120	413	206	207
Marlboro	143	70	73	53	27	26	90	43	47
Newberry	382	197	185	184	98	86	198	99	99
Oconee	555	311	244	481	272	209	74	39	35
Orangeburg	1,499	745	754	499	249	250	1,000	496	504
Pickens	569	276	293	525	254	271	44	22	22
Richland	5,225	2,654	2,570	2,739	1,388	1,351	2,486	1,266	1,219
Saluda	2	-	2	-	-	-	2	-	2
Spartanburg	3,080	1,543	1,537	2,208	1,108	1,100	872	435	437
Sumter	1,825	919	906	909	471	438	916	448	468
Union	258	131	127	138	67	71	120	64	56
Williamsburg	307	176	131	45	25	20	262	151	111
York	1,597	845	752	1,117	601	516	480	244	236

* Totals include 3 unknown sex

Table 20.
Live Births by County of Occurrence by County of Residence
South Carolina, 1985

County of Occurrence	County of Residence																							
	Abbeville	Aiken	Allendale	Anderson	Bamberg	Barnwell	Beaufort	Berkeley	Calhoun	Charleston	Cherokee	Chester	Chesterfield	Clarendon	Colleton	Darlington	Dillon	Dorchester	Edgefield	Fairfield	Florence	Georgetown	Greenville	Greenwood
Abbeville	140	-	-	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Aiken	-	414	1	-	3	68	1	-	-	-	-	-	-	-	-	-	-	-	20	-	-	-	-	-
Allendale	-	-	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anderson	33	-	-	1509	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	2
Bamberg	-	8	3	-	132	11	4	6	4	18	-	-	-	-	9	-	-	33	-	-	-	-	-	-
Barnwell	-	1	34	-	9	124	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Beaufort	-	-	1	-	-	1	1412	-	-	1	-	-	-	-	14	-	-	-	-	-	-	-	-	-
Berkeley	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calhoun	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Charleston	-	-	18	-	3	3	38	2204	-	5531	-	-	-	3	195	-	1	1245	-	-	3	51	1	1
Cherokee	-	-	-	-	-	-	-	-	-	-	339	-	-	-	-	-	-	-	-	-	-	-	-	-
Chester	-	-	-	-	-	-	-	-	-	-	-	363	-	-	-	-	-	-	-	7	-	-	-	-
Chesterfield	-	-	-	-	-	-	-	-	-	-	-	-	256	-	-	1	-	-	-	-	-	-	-	-
Clarendon	-	-	-	-	-	-	1	-	1	-	-	-	-	260	-	-	-	-	-	-	5	-	-	-
Colleton	-	-	-	-	-	-	-	-	-	1	-	-	-	1	320	-	-	10	-	-	-	-	-	-
Darlington	-	-	-	-	-	-	-	-	-	-	-	-	57	-	-	534	1	-	-	-	41	-	-	-
Dillon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	276	-	-	-	-	-	-	-
Dorchester	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-
Edgefield	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59	-	-	-	-	2
Fairfield	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	134	-	-	-	-
Florence	-	-	-	-	1	-	-	1	-	-	-	-	93	24	-	292	65	-	-	-	1656	24	-	-
Georgetown	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	5	602	-	-
Greenville	-	1	-	305	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1	4252	2
Greenwood	137	4	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80	-	-	-	4	801
Hampton	-	-	37	-	-	-	1	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-
Horry	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	47	-	-
Jasper	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kershaw	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	1	-	-	-	-
Lancaster	-	-	-	-	-	-	-	-	-	-	-	28	16	-	-	-	-	-	-	1	-	-	-	-
Laurens	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Lee	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-
Lexington	-	15	1	-	1	5	-	-	15	2	-	-	2	1	3	1	-	-	1	10	-	-	1	-
McCormick	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	181	-	-	-	5	3	-	1
Marlboro	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
Newberry	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	-	-	-	-
Oconee	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Orangeburg	2	1	29	-	87	41	-	1	133	1	-	-	-	1	12	1	-	20	-	-	-	-	-	-
Pickens	-	-	-	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21	-
Richland	-	20	4	-	9	15	1	2	27	5	1	12	1	8	-	1	-	1	2	142	5	-	3	-
Saluda	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Spartanburg	-	-	-	3	-	-	-	-	-	-	181	1	-	1	-	-	-	-	-	1	-	-	29	1
Sumter	-	-	-	1	-	-	-	1	-	-	-	-	-	157	-	8	-	1	-	-	8	-	-	-
Union	-	-	-	-	-	-	-	-	-	-	1	8	-	-	-	-	-	-	-	-	-	-	-	-
Williamsburg	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-	-	17	19	-	-
York	-	-	-	-	-	-	-	-	-	-	-	73	-	-	-	-	-	1	-	3	-	-	-	-
Out-of-State	2	1369	16	12	2	55	53	13	1	22	73	13	134	2	2	4	5	12	122	1	4	1	26	9

Table 20 (cont)
Live Births by County of Occurrence by County of Residence
South Carolina, 1985

County of Occurrence	County of Residence																						
	Hampton	Horry	Jasper	Kershaw	Lancaster	Laurens	Lee	Lexington	McCormick	Marion	Marlboro	Newberry	Oconee	Orangeburg	Pickens	Richland	Saluda	Spartanburg	Sumter	Union	Williamsburg	York	Out-of-State
Abbeville	-	-	-	-	-	-	-	-	20	-	-	-	-	-	-	-	-	-	-	-	-	-	9
Aiken	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	6	-	-	-	-	-	2
Allendale	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Anderson	-	-	-	-	-	2	-	-	-	-	-	1	110	-	66	-	-	1	-	-	-	2	133
Bamberg	4	-	-	-	-	-	-	-	-	-	-	-	-	66	-	1	-	1	1	-	-	-	14
Barnwell	1	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-
Beaufort	66	-	175	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	13
Berkeley	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calhoun	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Charleston	35	9	7	-	-	-	-	2	-	-	-	-	-	75	-	3	-	-	2	-	8	-	32
Cherokee	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-	2	4
Chester	-	-	-	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	12	2
Chesterfield	-	-	-	-	-	-	-	-	-	-	184	-	-	-	-	-	-	-	-	-	-	-	8
Clarendon	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	35	-	27	-	1
Colleton	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Darlington	-	-	-	3	-	-	24	-	-	1	7	-	-	-	-	-	-	1	-	-	-	-	-
Dillon	-	-	-	-	-	-	-	-	-	7	2	-	-	-	-	-	-	-	-	-	-	-	19
Dorchester	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Edgefield	-	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	11	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Florence	-	36	1	1	-	-	29	-	-	66	29	1	-	1	1	1	-	-	27	-	176	-	19
Georgetown	-	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88	-	-
Greenville	-	-	-	-	-	135	-	1	-	-	-	-	46	2	372	-	-	242	-	-	-	-	30
Greenwood	-	-	-	-	-	450	-	2	70	-	-	18	-	-	2	1	123	4	-	-	-	-	8
Hampton	188	-	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horry	-	1979	-	-	-	-	-	-	-	8	-	-	-	-	-	2	-	-	1	-	4	-	50
Jasper	2	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kershaw	-	-	-	405	32	-	15	2	-	-	-	-	-	-	-	3	-	-	20	-	-	-	-
Lancaster	-	-	-	22	460	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1
Laurens	-	-	-	-	-	129	-	-	-	-	-	1	-	-	-	-	1	3	-	-	-	-	-
Lee	-	-	-	6	-	-	131	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-
Lexington	-	2	-	15	2	-	2	1453	-	-	-	22	-	6	-	452	36	-	11	-	-	1	8
McCormick	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marion	-	65	-	-	-	-	-	-	-	412	-	-	-	-	-	-	-	-	-	-	3	-	4
Marlboro	-	-	-	-	-	-	-	-	-	-	141	-	-	-	-	-	-	-	-	-	-	-	-
Newberry	-	-	-	-	-	8	-	5	-	-	-	341	-	-	-	-	12	1	-	4	-	-	-
Oconee	-	-	-	-	-	-	-	-	-	-	-	-	496	-	41	-	-	-	-	-	-	-	15
Orangeburg	10	-	-	2	-	-	-	-	-	1	1	-	-	1148	-	1	-	-	3	-	-	-	4
Pickens	-	-	-	-	-	1	-	-	-	-	-	-	4	-	520	-	-	-	-	-	-	-	3
Richland	2	-	-	131	17	1	10	783	-	-	5	49	1	82	-	3751	33	2	63	1	3	18	14
Saluda	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Spartanburg	-	-	-	-	1	8	-	-	-	-	-	1	1	-	-	4	-	2697	1	113	-	1	36
Sumter	-	-	-	-	-	-	86	-	-	-	-	-	-	5	-	5	-	5	1518	-	26	-	4
Union	-	-	-	-	-	3	-	-	-	-	-	8	1	-	-	-	-	4	-	231	-	2	-
Williamsburg	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	265	-	1
York	-	4	-	-	60	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1390	64
Out-of-State	19	14	73	6	161	3	-	14	11	4	154	-	10	5	5	8	11	35	8	2	-	339	-

Table 21.

Live Births by Number of Prenatal Care Visits: South Carolina and Each County, 1985

County of Residence	Total Births	Total						
		Number of Prenatal Care Visits						
		No Visits	01-04 Visits	05 Visits	06-10 Visits	11-15 Visits	16+ Visits	Unk
SOUTH CAROLINA	51,846	914	3,773	1,848	19,580	21,904	3,289	538
Abbeville	315	1	19	11	133	127	23	1
Aiken	1,837	28	113	57	583	818	68	170
Allendale	171	-	30	18	68	47	6	2
Anderson	1,880	27	74	55	722	933	67	2
Bamberg	248	3	19	4	98	100	21	3
Barnwell	323	3	30	12	122	122	9	25
Beaufort	1,511	5	32	19	330	967	154	4
Berkeley	2,238	12	140	57	741	1,062	200	26
Calhoun	183	4	3	3	80	88	3	2
Charleston	5,582	80	436	195	1,942	2,330	577	22
Cherokee	597	10	36	17	287	216	28	3
Chester	500	9	62	21	188	197	20	3
Chesterfield	564	15	68	31	189	219	38	4
Clarendon	459	21	52	23	190	158	14	1
Colleton	560	5	49	20	224	234	25	3
Darlington	846	19	84	51	338	305	49	-
Dillon	530	7	79	37	201	174	29	3
Dorchester	1,327	9	69	26	444	647	120	12
Edgefield	284	4	41	12	100	92	10	25
Fairfield	311	7	47	11	132	97	15	2
Florence	1,751	16	54	25	607	989	60	-
Georgetown	748	24	71	34	245	304	69	1
Greenville	4,345	52	292	158	2,188	1,377	274	4
Greenwood	824	11	122	48	358	202	71	12
Hampton	330	2	46	17	152	97	16	-
Horry	2,124	89	126	51	663	1,055	137	3
Jasper	280	2	12	4	72	181	9	-
Kershaw	592	6	13	12	174	329	57	1
Lancaster	741	10	35	34	274	338	48	2
Laurens	740	12	79	34	333	201	63	18
Lee	297	4	27	20	97	122	26	1
Lexington	2,266	22	122	70	700	1,188	132	32
McCormick	107	5	11	6	45	32	5	3
Marion	499	11	55	29	195	182	26	1
Marlboro	523	16	116	52	168	135	20	16
Newberry	442	3	25	20	124	228	38	4
Oconee	669	25	25	16	199	350	53	1
Orangeburg	1,397	17	46	35	721	550	16	12
Pickens	1,007	5	45	28	484	407	38	-
Richland	4,237	91	404	165	1,303	1,930	281	63
Saluda	235	3	36	11	76	88	11	10
Spartanburg	3,003	62	239	135	1,577	886	75	29
Sumter	1,699	123	117	66	545	747	96	5
Union	355	8	19	11	155	137	24	1
Williamsburg	600	10	46	26	276	214	24	4
York	1,769	16	107	61	737	702	144	2

Table 21-A.
Live Births by Number of Prenatal Care Visits by Race: South Carolina and Each County, 1985

		White						
		Number of Prenatal Care Visits						
County of Residence	Total Births	No Visits	01-04 Visits	05 Visits	06-10 Visits	11-15 Visits	16+ Visits	Unk
SOUTH CAROLINA	31,543	262	1,242	715	11,113	15,520	2,437	254
Abbeville	176	-	6	8	60	86	15	1
Aiken	1,248	12	37	27	364	662	58	88
Allendale	35	-	4	3	15	12	1	-
Anderson	1,453	12	33	31	538	781	57	1
Bamberg	68	-	2	-	27	36	2	1
Barnwell	153	2	6	5	45	84	5	6
Beaufort	929	1	11	9	174	607	125	2
Berkeley	1,615	5	59	24	501	838	168	20
Calhoun	71	-	-	-	23	45	3	-
Charleston	3,076	21	111	57	884	1,601	391	11
Cherokee	396	6	21	9	186	153	18	3
Chester	242	3	10	4	81	129	14	1
Chesterfield	325	1	16	7	100	168	31	2
Clarendon	160	2	5	4	61	84	4	-
Colleton	236	2	12	5	73	129	14	1
Darlington	404	1	8	9	144	202	40	-
Dillon	235	1	14	9	80	108	22	1
Dorchester	975	3	35	16	302	507	101	11
Edgefield	116	1	9	3	31	62	4	6
Fairfield	88	1	5	-	33	39	9	1
Florence	895	1	15	5	262	567	45	-
Georgetown	281	3	7	7	70	145	49	-
Greenville	3,323	19	174	129	1,748	1,054	196	3
Greenwood	491	7	56	20	211	136	55	6
Hampton	99	1	5	-	42	41	10	-
Horry	1,539	42	55	25	444	855	116	2
Jasper	92	1	3	1	16	65	6	-
Kershaw	393	1	6	2	92	248	44	-
Lancaster	475	2	12	16	142	264	37	2
Laurens	460	2	31	8	207	149	54	9
Lee	66	1	-	2	15	41	7	-
Lexington	1,912	14	80	41	560	1,079	118	20
McCormick	31	1	3	2	11	10	3	1
Marion	191	1	7	1	56	105	20	1
Marlboro	215	4	31	16	61	86	16	1
Newberry	232	-	6	7	56	136	26	1
Oconee	583	14	20	12	166	324	46	1
Orangeburg	490	2	4	10	227	237	8	2
Pickens	912	1	30	24	430	389	38	-
Richland	2,086	28	75	36	510	1,245	173	19
Saluda	134	1	8	-	44	72	8	1
Spartanburg	2,146	21	117	74	1,114	728	66	26
Sumter	848	12	27	9	236	494	68	2
Union	221	2	7	5	99	95	13	-
Williamsburg	152	-	4	2	53	78	15	-
York	1,275	7	55	31	519	544	118	1

Table 21-A.
Live Births by Number of Prenatal Care Visits by Race: South Carolina and Each County, 1985

County of Residence	Total Births	Nonwhite						
		Number of Prenatal Care Visits						
		No Visits	01-04 Visits	05 Visits	06-10 Visits	11-15 Visits	16+ Visits	Unk
SOUTH CAROLINA	20,303	652	2,531	1,133	8,467	6,384	852	284
Abbeville	139	1	13	3	73	41	8	-
Aiken	589	16	76	30	219	156	10	82
Allendale	136	-	26	15	53	35	5	2
Anderson	427	15	41	24	184	152	10	1
Bamberg	180	3	17	4	71	64	19	2
Barnwell	170	1	24	7	77	38	4	19
Beaufort	582	4	21	10	156	360	29	2
Berkeley	623	7	81	33	240	224	32	6
Calhoun	112	4	3	3	57	43	-	2
Charleston	2,506	59	325	138	1,058	729	186	11
Cherokee	201	4	15	8	101	63	10	-
Chester	258	6	52	17	107	68	6	2
Chesterfield	239	14	52	24	89	51	7	2
Clarendon	299	19	47	19	129	74	10	1
Colleton	324	3	37	15	151	105	11	2
Darlington	442	18	76	42	194	103	9	-
Dillon	295	6	65	28	121	66	7	2
Dorchester	352	6	34	10	142	140	19	1
Edgefield	168	3	32	9	69	30	6	19
Fairfield	223	6	42	11	99	58	6	1
Florence	856	15	39	20	345	422	15	-
Georgetown	467	21	64	27	175	159	20	1
Greenville	1,022	33	118	29	440	323	78	1
Greenwood	333	4	66	28	147	66	16	6
Hampton	231	1	41	17	110	56	6	-
Horry	585	47	71	26	219	200	21	1
Jasper	188	1	9	3	56	116	3	-
Kershaw	199	5	7	10	82	81	13	1
Lancaster	266	8	23	18	132	74	11	-
Laurens	280	10	48	26	126	52	9	9
Lee	231	3	27	18	82	81	19	1
Lexington	354	8	42	29	140	109	14	12
McCormick	76	4	8	4	34	22	2	2
Marion	308	10	48	28	139	77	6	-
Marlboro	308	12	85	36	107	49	4	15
Newberry	210	3	19	13	68	92	12	3
Oconee	86	11	5	4	33	26	7	-
Orangeburg	907	15	42	25	494	313	8	10
Pickens	95	4	15	4	54	18	-	-
Richland	2,151	63	329	129	793	685	108	44
Saluda	101	2	28	11	32	16	3	9
Spartanburg	857	41	122	61	463	158	9	3
Sumter	851	111	90	57	309	253	28	3
Union	134	6	12	6	56	42	11	1
Williamsburg	448	10	42	24	223	136	9	4
York	494	9	52	30	218	158	26	1

Table 22.
Live Births by Month Prenatal Care Began
South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total	Total										
		None	1st Month	2nd Month	3rd Month	4th Month	5th Month	6th Month	7th Month	8th Month	9th Month	Unk.
SOUTH CAROLINA	51,846	914	5,182	18,488	11,332	5,954	3,635	2,587	1,717	1,034	426	577
Abbeville	315	1	37	144	65	26	17	11	8	1	2	3
Aiken	1,837	28	167	674	401	194	93	84	53	26	12	105
Allendale	171	-	22	36	36	22	20	16	6	9	2	2
Anderson	1,880	27	147	1,033	321	162	96	50	27	12	2	3
Bamberg	248	3	17	80	66	31	17	19	9	4	-	2
Barnwell	323	3	23	111	66	42	26	17	8	4	1	22
Beaufort	1,511	5	210	630	368	160	75	35	14	6	3	5
Berkeley	2,238	12	257	681	575	302	168	107	68	40	22	6
Calhoun	183	4	18	68	40	19	18	6	5	3	-	2
Charleston	5,582	80	835	1,705	1,098	637	448	345	197	144	62	31
Cherokee	597	10	29	192	156	93	50	23	27	7	7	3
Chester	500	9	27	149	115	84	52	26	19	13	2	4
Chesterfield	564	15	52	188	114	60	48	34	15	26	11	1
Clarendon	459	21	26	107	94	64	46	46	27	14	13	1
Colleton	560	5	60	181	131	61	46	31	27	12	2	4
Darlington	846	19	129	241	152	105	72	45	46	32	5	-
Dillon	530	7	46	116	111	70	70	41	38	20	10	1
Dorchester	1,327	9	198	430	296	181	93	50	40	20	7	3
Edgefield	284	4	25	83	46	43	19	12	11	6	1	34
Fairfield	311	7	15	87	75	45	37	14	17	8	5	1
Florence	1,751	16	464	689	250	152	79	51	38	11	1	-
Georgetown	748	24	53	245	164	66	69	50	46	24	7	-
Greenville	4,345	52	427	1,719	873	458	309	206	162	93	41	5
Greenwood	824	11	105	309	141	84	48	30	30	22	5	39
Hampton	330	2	61	106	81	38	20	8	7	5	2	-
Horry	2,124	89	214	735	468	226	140	100	81	45	23	3
Jasper	280	2	47	83	80	34	15	10	6	3	-	-
Kershaw	592	6	19	207	182	79	41	34	16	5	2	1
Lancaster	741	10	77	290	186	88	42	32	10	5	1	-
Laurens	740	12	84	253	133	89	50	44	22	18	8	27
Lee	297	4	18	93	58	40	32	21	14	12	4	1
Lexington	2,266	22	148	1,027	510	215	108	92	44	39	6	55
McCormick	107	5	6	41	19	18	2	7	5	1	-	3
Marion	499	11	69	162	94	75	31	23	22	7	4	1
Marlboro	523	16	30	86	99	75	60	52	38	32	15	20
Newberry	442	3	20	158	125	55	41	13	16	4	3	4
Oconee	669	26	32	245	164	84	46	39	17	10	4	2
Orangeburg	1,397	17	84	452	320	236	139	78	47	12	2	10
Pickens	1,007	5	66	398	246	126	52	49	29	31	5	-
Richland	4,237	91	161	1,657	1,060	404	292	224	145	96	42	65
Saluda	235	3	19	80	43	24	15	15	10	8	2	16
Spartanburg	3,003	62	186	1,066	690	362	218	168	97	45	25	84
Sumter	1,699	123	92	400	405	222	120	123	93	75	41	5
Union	355	8	17	121	87	60	21	20	9	8	2	2
Williamsburg	600	10	91	171	136	86	45	28	17	10	5	1
York	1,769	15	252	759	392	157	89	58	34	6	7	-

Table 22-A.
Live Births by Month Prenatal Care Began by Race
South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total	White										
		None	1st Month	2nd Month	3rd Month	4th Month	5th Month	6th Month	7th Month	8th Month	9th Month	Unk.
SOUTH CAROLINA	31,543	263	3,807	13,491	6,938	2,941	1,567	1,029	676	410	159	262
Abbeville	176	-	27	93	33	11	5	2	1	-	2	2
Aiken	1,248	12	141	526	273	102	41	46	31	11	9	56
Allendale	35	-	3	10	13	1	3	1	3	-	-	1
Anderson	1,453	12	131	850	242	111	56	27	13	7	2	2
Bamberg	68	-	4	30	21	3	4	4	1	-	-	1
Barnwell	153	2	14	67	31	15	8	5	5	1	1	4
Beaufort	929	1	131	430	219	85	34	16	5	4	1	3
Berkeley	1,615	5	211	539	422	204	106	58	37	23	7	3
Calhoun	71	-	10	35	15	5	6	-	-	-	-	-
Charleston	3,076	21	621	1131	587	272	181	116	70	46	22	9
Cherokee	396	6	23	139	107	50	32	12	18	3	3	3
Chester	242	3	17	97	59	27	21	7	5	2	2	2
Chesterfield	325	1	45	142	66	27	15	14	6	6	3	-
Clarendon	160	2	20	62	35	19	12	5	-	4	1	-
Colleton	236	2	36	97	52	17	7	10	10	4	-	1
Darlington	404	1	76	167	85	32	17	8	11	7	-	-
Dillon	235	1	31	62	57	27	27	16	7	4	3	-
Dorchester	975	3	165	338	214	130	58	33	19	9	4	2
Edgefield	116	1	17	48	18	15	2	2	2	2	-	9
Fairfield	88	1	6	43	17	8	5	2	1	4	-	1
Florence	895	1	264	408	113	51	21	16	16	5	-	-
Georgetown	281	3	30	130	66	24	11	6	7	3	1	-
Greenville	3,323	19	389	1,479	679	296	171	119	85	59	23	4
Greenwood	491	7	79	222	69	37	22	6	18	8	4	19
Hampton	99	1	20	46	15	9	5	1	1	1	-	-
Horry	1,539	42	183	626	335	133	80	53	44	28	12	3
Jasper	92	1	20	32	21	8	5	2	3	-	-	-
Kershaw	393	1	17	157	125	48	22	14	6	3	-	-
Lancaster	475	2	61	219	114	44	18	10	3	3	1	-
Laurens	460	2	70	202	76	48	19	12	8	8	3	12
Lee	66	1	10	31	15	4	4	1	-	-	-	-
Lexington	1,912	14	135	940	426	154	75	67	32	27	4	38
McCormick	31	1	4	16	4	3	-	2	-	-	-	1
Marion	191	1	33	83	37	19	8	3	3	-	3	1
Marlboro	215	4	15	55	47	30	20	14	11	10	6	3
Newberry	232	-	12	106	71	18	14	5	4	1	-	1
Oconee	583	15	28	221	154	70	39	30	14	8	3	1
Orangeburg	490	2	41	224	127	49	24	12	10	1	-	-
Pickens	912	1	65	375	221	116	45	37	24	25	3	-
Richland	2,086	28	108	1,049	530	129	83	59	42	30	7	21
Saluda	134	1	16	65	26	13	4	2	1	3	1	2
Spartanburg	2,146	21	162	868	505	228	132	91	52	21	12	54
Sumter	848	12	69	261	244	118	43	44	24	19	12	2
Union	221	2	10	89	52	35	16	7	5	4	-	1
Williamsburg	152	-	33	60	36	15	2	4	1	1	-	-
York	1,275	7	204	621	264	81	44	28	17	5	4	-

Table 22-A.
Live Births by Month Prenatal Care Began by Race
South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total	Nonwhite										
		None	1st Month	2nd Month	3rd Month	4th Month	5th Month	6th Month	7th Month	8th Month	9th Month	Unk.
SOUTH CAROLINA	20,303	651	1,375	4,997	4,394	3,013	2,068	1,558	1,041	624	267	315
Abbeville	139	1	10	51	32	15	12	9	7	1	-	1
Aiken	589	16	26	148	128	92	52	38	22	15	3	49
Allendale	136	-	19	26	23	21	17	15	3	9	2	1
Anderson	427	15	16	183	79	51	40	23	14	5	-	1
Bamberg	180	3	13	50	45	28	13	15	8	4	-	1
Barnwell	170	1	9	44	35	27	18	12	3	3	-	18
Beaufort	582	4	79	200	149	75	41	19	9	2	2	2
Berkeley	623	7	46	142	153	98	62	49	31	17	15	3
Calhoun	112	4	8	33	25	14	12	6	5	3	-	2
Charleston	2,506	59	214	574	511	365	267	229	127	98	40	22
Cherokee	201	4	6	53	49	43	18	11	9	4	4	-
Chester	258	6	10	52	56	57	31	19	14	11	-	2
Chesterfield	239	14	7	46	48	33	33	20	9	20	8	1
Clarendon	299	19	6	45	59	45	34	41	27	10	12	1
Colleton	324	3	24	84	79	44	39	21	17	8	2	3
Darlington	442	18	53	74	67	73	55	37	35	25	5	-
Dillon	295	6	15	54	54	43	43	25	31	16	7	1
Dorchester	352	6	33	92	82	51	35	17	21	11	3	1
Edgefield	168	3	8	35	28	28	17	10	9	4	1	25
Fairfield	223	6	9	44	58	37	32	12	16	4	5	-
Florence	856	15	200	281	137	101	58	35	22	6	1	-
Georgetown	467	21	23	115	98	42	58	44	39	21	6	-
Greenville	1,022	33	38	240	194	162	138	87	77	34	18	1
Greenwood	333	4	26	87	72	47	26	24	12	14	1	20
Hampton	231	1	41	60	66	29	15	7	6	4	2	-
Horry	585	47	31	109	133	93	60	47	37	17	11	-
Jasper	188	1	27	51	59	26	10	8	3	3	-	-
Kershaw	199	5	2	50	57	31	19	20	10	2	2	1
Lancaster	266	8	16	71	72	44	24	22	7	2	-	-
Laurens	280	10	14	51	57	41	31	32	14	10	5	15
Lee	231	3	8	62	43	36	28	20	14	12	4	1
Lexington	354	8	13	87	84	61	33	25	12	12	2	17
McCormick	76	4	2	25	15	15	2	5	5	1	-	2
Marion	308	10	36	79	57	56	23	20	19	7	1	-
Marlboro	308	12	15	31	52	45	40	38	27	22	9	17
Newberry	210	3	8	52	54	37	27	8	12	3	3	3
Oconee	86	11	4	24	10	14	7	9	3	2	1	1
Orangeburg	907	15	43	228	193	187	115	66	37	11	2	10
Pickens	95	4	1	23	25	10	7	12	5	5	2	-
Richland	2,151	63	53	608	530	275	209	165	103	66	35	44
Saluda	101	2	3	15	17	11	11	13	9	5	1	14
Spartanburg	857	41	24	198	185	134	86	77	45	24	13	30
Sumter	851	111	23	139	161	104	77	79	69	56	29	3
Union	134	6	7	32	35	25	5	13	4	4	2	1
Williamsburg	448	10	58	111	100	71	43	24	16	9	5	1
York	494	8	48	138	128	76	45	30	17	1	3	-

Table 23.
Live Births by Attendant: South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total	Total								
		Physician		Certified Nurse Midwife		Lay Midwife Other Midwife		Other Attendant	Self	Unk.
		In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital			
SOUTH CAROLINA	51,846	50,256	12	1,166	3	97	22	200	88	2
Abbeville	315	315	-	-	-	-	-	-	-	-
Aiken	1,837	1,820	-	6	-	-	-	8	3	-
Allendale	171	168	-	2	-	1	-	-	-	-
Anderson	1,880	1,868	-	2	-	-	1	8	1	-
Bamberg	248	136	-	108	-	3	-	-	1	-
Barnwell	323	313	-	10	-	-	-	-	-	-
Beaufort	1,511	1,468	-	4	-	36	-	2	1	-
Berkeley	2,238	2,018	2	196	-	7	-	11	4	-
Calhoun	183	174	1	5	-	-	-	2	1	-
Charleston	5,582	5,294	2	231	-	8	2	32	12	1
Cherokee	597	596	-	-	-	-	-	1	-	-
Chester	500	497	-	1	-	1	-	1	-	-
Chesterfield	564	557	2	-	-	-	-	5	-	-
Clarendon	459	451	-	1	-	3	-	4	-	-
Colleton	560	538	4	12	-	1	-	1	4	-
Darlington	846	829	1	2	-	4	-	5	5	-
Dillon	530	527	-	-	-	1	-	1	1	-
Dorchester	1,327	1,212	-	103	-	4	-	5	3	-
Edgefield	284	282	-	-	-	1	-	1	-	-
Fairfield	311	302	-	1	-	2	-	4	2	-
Florence	1,751	1,736	-	-	-	2	1	11	1	-
Georgetown	748	733	-	7	-	4	-	4	-	-
Greenville	4,345	4,297	-	25	-	6	3	13	1	-
Greenwood	824	823	-	-	-	-	-	-	1	-
Hampton	330	322	-	4	-	-	-	1	3	-
Horry	2,124	2,024	-	90	-	-	-	5	5	-
Jasper	280	275	-	-	-	2	-	2	1	-
Kershaw	592	584	-	5	-	-	-	3	-	-
Lancaster	741	738	-	1	-	-	-	2	-	-
Laurens	740	728	-	5	-	-	1	4	2	-
Lee	297	297	-	-	-	-	-	-	-	-
Lexington	2,266	2,214	-	41	-	-	1	1	9	-
McCormick	107	106	-	-	-	-	-	1	-	-
Marion	499	492	-	1	-	-	-	4	2	-
Marlboro	523	522	-	-	-	1	-	-	-	-
Newberry	442	440	-	-	-	1	-	-	1	-
Oconee	669	633	-	30	-	2	-	4	-	-
Orangeburg	1,397	1,323	-	62	-	2	1	7	2	-
Pickens	1,007	1,000	-	4	-	-	-	3	-	-
Richland	4,237	4,140	-	63	3	1	10	7	13	-
Saluda	235	229	-	1	-	-	-	4	1	-
Spartanburg	3,003	2,977	-	6	-	-	2	16	2	-
Sumter	1,699	1,556	-	130	-	2	-	6	5	-
Union	355	354	-	-	-	-	-	1	-	-
Williamsburg	600	586	-	2	-	2	-	9	1	-
York	1,769	1,762	-	5	-	-	-	1	-	1

Table 23-A.
Live Births by Attendant by Race: South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total	White								
		Physician		Certified Nurse Midwife		Lay Midwife Other Midwife		Other Attendant	Self	Unk.
		In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital			
SOUTH CAROLINA	31,543	30,740	8	642	3	48	21	63	17	1
Abbeville	176	176	-	-	-	-	-	-	-	-
Aiken	1,248	1,240	-	5	-	-	-	3	-	-
Allendale	35	35	-	-	-	-	-	-	-	-
Anderson	1,453	1,447	-	2	-	-	1	3	-	-
Bamberg	68	45	-	23	-	-	-	-	-	-
Barnwell	153	146	-	7	-	-	-	-	-	-
Beaufort	929	899	-	4	-	26	-	-	-	-
Berkeley	1,615	1,520	1	86	-	5	-	3	-	-
Calhoun	71	66	-	5	-	-	-	-	-	-
Charleston	3,076	2,962	1	98	-	3	2	7	3	-
Cherokee	396	396	-	-	-	-	-	-	-	-
Chester	242	240	-	1	-	-	-	1	-	-
Chesterfield	325	321	2	-	-	-	-	2	-	-
Clarendon	160	159	-	1	-	-	-	-	-	-
Colleton	236	225	3	6	-	-	-	1	1	-
Darlington	404	403	1	-	-	-	-	-	-	-
Dillon	235	235	-	-	-	-	-	-	-	-
Dorchester	975	922	-	49	-	3	-	1	-	-
Edgefield	116	115	-	-	-	-	-	1	-	-
Fairfield	88	87	-	1	-	-	-	-	-	-
Florence	895	891	-	-	-	-	1	3	-	-
Georgetown	281	279	-	2	-	-	-	-	-	-
Greenville	3,323	3,285	-	21	-	5	3	8	1	-
Greenwood	491	491	-	-	-	-	-	-	-	-
Hampton	99	95	-	4	-	-	-	-	-	-
Horry	1,539	1,469	-	65	-	-	-	3	2	-
Jasper	92	91	-	-	-	1	-	-	-	-
Kershaw	393	388	-	4	-	-	-	1	-	-
Lancaster	475	474	-	1	-	-	-	-	-	-
Laurens	460	452	-	4	-	-	1	3	-	-
Lee	66	66	-	-	-	-	-	-	-	-
Lexington	1,912	1,866	-	40	-	-	-	1	5	-
McCormick	31	30	-	-	-	-	-	1	-	-
Marion	191	189	-	1	-	-	-	1	-	-
Marlboro	215	215	-	-	-	-	-	-	-	-
Newberry	232	232	-	-	-	-	-	-	-	-
Oconee	583	550	-	28	-	1	-	4	-	-
Orangeburg	490	456	-	31	-	1	1	1	-	-
Pickens	912	907	-	4	-	-	-	1	-	-
Richland	2,086	2,023	-	45	3	1	10	-	4	-
Saluda	134	134	-	-	-	-	-	-	-	-
Spartanburg	2,146	2,129	-	3	-	-	2	11	1	-
Sumter	848	748	-	97	-	2	-	1	-	-
Union	221	220	-	-	-	-	-	1	-	-
Williamsburg	152	152	-	-	-	-	-	-	-	-
York	1,275	1,269	-	4	-	-	-	1	-	1

Table 23-A.
Live Births by Attendant by Race: South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total	Nonwhite								
		Physician		Certified Nurse Midwife		Lay Midwife Other Midwife		Other Attendant	Self	Unk.
		In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital			
SOUTH CAROLINA	20,303	19,516	4	524	-	49	1	137	71	1
Abbeville	139	139	-	-	-	-	-	-	-	-
Aiken	589	580	-	1	-	-	-	5	3	-
Allendale	136	133	-	2	-	1	-	-	-	-
Anderson	427	421	-	-	-	-	-	5	1	-
Bamberg	180	91	-	85	-	3	-	-	1	-
Barnwell	170	167	-	3	-	-	-	-	-	-
Beaufort	582	569	-	-	-	10	-	2	1	-
Berkeley	623	498	1	110	-	2	-	8	4	-
Calhoun	112	108	1	-	-	-	-	2	1	-
Charleston	2,506	2,332	1	133	-	5	-	25	9	1
Cherokee	201	200	-	-	-	-	-	1	-	-
Chester	258	257	-	-	-	1	-	-	-	-
Chesterfield	239	236	-	-	-	-	-	3	-	-
Clarendon	299	292	-	-	-	3	-	4	-	-
Colleton	324	313	1	6	-	1	-	-	3	-
Darlington	442	426	-	2	-	4	-	5	5	-
Dillon	295	292	-	-	-	1	-	1	1	-
Dorchester	352	290	-	54	-	1	-	4	3	-
Edgefield	168	167	-	-	-	1	-	-	-	-
Fairfield	223	215	-	-	-	2	-	4	2	-
Florence	856	845	-	-	-	2	-	8	1	-
Georgetown	467	454	-	5	-	4	-	4	-	-
Greenville	1,022	1,012	-	4	-	1	-	5	-	-
Greenwood	333	332	-	-	-	-	-	-	1	-
Hampton	231	227	-	-	-	-	-	1	3	-
Horry	585	555	-	25	-	-	-	2	3	-
Jasper	188	184	-	-	-	1	-	2	1	-
Kershaw	199	196	-	1	-	-	-	2	-	-
Lancaster	266	264	-	-	-	-	-	2	-	-
Laurens	280	276	-	1	-	-	-	1	2	-
Lee	231	231	-	-	-	-	-	-	-	-
Lexington	354	348	-	1	-	-	1	-	4	-
McCormick	76	76	-	-	-	-	-	-	-	-
Marion	308	303	-	-	-	-	-	3	2	-
Marlboro	308	307	-	-	-	1	-	-	-	-
Newberry	210	208	-	-	-	1	-	-	1	-
Oconee	86	83	-	2	-	1	-	-	-	-
Orangeburg	907	867	-	31	-	1	-	6	2	-
Pickens	95	93	-	-	-	-	-	2	-	-
Richland	2,151	2,117	-	18	-	-	-	7	9	-
Saluda	101	95	-	1	-	-	-	4	1	-
Spartanburg	857	848	-	3	-	-	-	5	1	-
Sumter	851	808	-	33	-	-	-	5	5	-
Union	134	134	-	-	-	-	-	-	-	-
Williamsburg	448	434	-	2	-	2	-	9	1	-
York	494	493	-	1	-	-	-	-	-	-

Table 24.
Live Births by Attendant: South Carolina and Each County, 1985
(Occurrence Data)

County of Occurrence	Total	Total								
		Physician		Certified Nurse Midwife		Lay Midwife Other Midwife		Other Attendant	Self	Unk.
		In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital			
SOUTH CAROLINA	49,510	47,918	11	1,171	3	98	23	198	87	1
Abbeville	187	187	-	-	-	-	-	-	-	-
Aiken	519	509	-	-	-	-	-	7	3	-
Allendale	29	29	-	-	-	-	-	-	-	-
Anderson	1,866	1,858	-	-	-	-	1	7	-	-
Bamberg	315	42	-	261	-	7	-	4	1	-
Barnwell	174	174	-	-	-	-	-	-	-	-
Beaufort	1,685	1,643	-	-	-	38	-	3	1	-
Berkeley	8	-	1	-	-	-	-	5	2	-
Calhoun	2	-	-	-	-	-	-	1	1	-
Charleston	9,470	8,891	3	495	-	19	1	42	18	1
Cherokee	351	350	-	-	-	-	-	1	-	-
Chester	396	394	-	-	-	1	-	1	-	-
Chesterfield	449	442	2	-	-	1	-	4	-	-
Clarendon	334	325	-	-	-	4	-	5	-	-
Colleton	334	328	4	-	-	-	-	1	1	-
Darlington	669	654	-	-	-	4	-	6	5	-
Dillon	304	301	-	-	-	1	-	1	1	-
Dorchester	4	-	-	-	-	-	-	2	2	-
Edgefield	82	79	-	-	-	1	-	2	-	-
Fairfield	136	129	-	-	-	2	-	3	2	-
Florence	2,544	2,529	-	-	-	2	1	12	-	-
Georgetown	711	705	-	-	-	2	-	4	-	-
Greenville	5,393	5,327	-	38	-	6	3	18	1	-
Greenwood	1,717	1,711	-	-	-	1	-	4	1	-
Hampton	249	245	-	-	-	-	-	1	3	-
Horry	2,093	1,992	-	91	-	-	-	5	5	-
Jasper	7	4	-	-	-	1	-	1	1	-
Kershaw	482	479	-	-	-	-	-	3	-	-
Lancaster	531	529	-	-	-	-	-	2	-	-
Laurens	136	131	-	-	-	-	1	2	2	-
Lee	149	149	-	-	-	-	-	-	-	-
Lexington	2,068	1,950	1	106	-	-	1	1	9	-
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	674	669	-	-	-	-	-	3	2	-
Marlboro	143	143	-	-	-	-	-	-	-	-
Newberry	382	380	-	-	-	-	-	1	1	-
Oconee	555	518	-	32	-	2	-	3	-	-
Orangeburg	1,499	1,494	-	-	-	-	1	2	2	-
Pickens	569	569	-	-	-	-	-	-	-	-
Richland	5,225	5,182	-	6	3	1	11	9	13	-
Saluda	2	-	-	-	-	-	-	1	1	-
Spartanburg	3,080	3,059	-	1	-	-	2	16	2	-
Sumter	1,825	1,670	-	141	-	2	-	6	6	-
Union	258	257	-	-	-	-	-	1	-	-
Williamsburg	307	296	-	-	-	3	-	7	1	-
York	1,597	1,595	-	-	-	-	1	1	-	-

Table 24-A.
Live Births by Attendent by Race: South Carolina and Each County, 1985
(Occurrence Data)

County of Occurrence	Total	White								
		Physician		Certified Nurse Midwife		Lay Midwife Other Midwife		Other Attendant	Self	Unk.
		In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital			
SOUTH CAROLINA	29,840	29,033	7	649	3	49	22	60	17	-
Abbeville	68	68	-	-	-	-	-	-	-	-
Aiken	249	247	-	-	-	-	-	2	-	-
Allendale	2	2	-	-	-	-	-	-	-	-
Anderson	1,436	1,433	-	-	-	-	1	2	-	-
Bamberg	144	17	-	127	-	-	-	-	-	-
Barnwell	43	43	-	-	-	-	-	-	-	-
Beaufort	943	915	-	-	-	28	-	-	-	-
Berkeley	4	-	1	-	-	-	-	3	-	-
Calhoun	-	-	-	-	-	-	-	-	-	-
Charleston	5,808	5,583	1	200	-	12	1	8	3	-
Cherokee	177	177	-	-	-	-	-	-	-	-
Chester	176	175	-	-	-	-	-	1	-	-
Chesterfield	163	159	2	-	-	-	-	2	-	-
Clarendon	88	88	-	-	-	-	-	-	-	-
Colleton	125	120	3	-	-	-	-	1	1	-
Darlington	283	283	-	-	-	-	-	-	-	-
Dillon	119	119	-	-	-	-	-	-	-	-
Dorchester	1	-	-	-	-	-	-	1	-	-
Edgefield	15	14	-	-	-	-	-	1	-	-
Fairfield	26	26	-	-	-	-	-	-	-	-
Florence	1,357	1,353	-	-	-	-	1	3	-	-
Georgetown	244	244	-	-	-	-	-	-	-	-
Greenville	4,246	4,195	-	32	-	5	3	10	1	-
Greenwood	977	976	-	-	-	-	-	1	-	-
Hampton	51	51	-	-	-	-	-	-	-	-
Horry	1,527	1,455	-	67	-	-	-	3	2	-
Jasper	1	1	-	-	-	-	-	-	-	-
Kershaw	296	295	-	-	-	-	-	1	-	-
Lancaster	287	287	-	-	-	-	-	-	-	-
Laurens	77	74	-	-	-	-	1	2	-	-
Lee	18	18	-	-	-	-	-	-	-	-
Lexington	1,730	1,633	-	91	-	-	-	1	5	-
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	261	261	-	-	-	-	-	-	-	-
Marlboro	53	53	-	-	-	-	-	-	-	-
Newberry	184	184	-	-	-	-	-	-	-	-
Oconee	481	447	-	30	-	1	-	3	-	-
Orangeburg	499	497	-	-	-	-	1	1	-	-
Pickens	525	525	-	-	-	-	-	-	-	-
Richland	2,739	2,716	-	3	3	1	11	1	4	-
Saluda	-	-	-	-	-	-	-	-	-	-
Spartanburg	2,208	2,193	-	1	-	-	2	11	1	-
Sumter	909	809	-	98	-	2	-	-	-	-
Union	138	137	-	-	-	-	-	1	-	-
Williamsburg	45	45	-	-	-	-	-	-	-	-
York	1,117	1,115	-	-	-	-	1	1	-	-

Table 24-A.
Live Births by Attendant by Race: South Carolina and Each County, 1985
(Occurrence Data)

County of Occurrence	Total	Nonwhite								
		Physician		Certified Nurse Midwife		Lay Midwife Other Midwife		Other Attendant	Self	Unk.
		In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital	In Hospital or Enroute	Out Hospital			
SOUTH CAROLINA	19,670	18,885	4	522	-	49	1	138	70	1
Abbeville	119	119	-	-	-	-	-	-	-	-
Aiken	270	262	-	-	-	-	-	5	3	-
Allendale	27	27	-	-	-	-	-	-	-	-
Anderson	430	425	-	-	-	-	-	5	-	-
Bamberg	171	25	-	134	-	7	-	4	1	-
Barnwell	131	131	-	-	-	-	-	-	-	-
Beaufort	742	728	-	-	-	10	-	3	1	-
Berkeley	4	-	-	-	-	-	-	2	2	-
Calhoun	2	-	-	-	-	-	-	1	1	-
Charleston	3,662	3,308	2	295	-	7	-	34	15	1
Cherokee	174	173	-	-	-	-	-	1	-	-
Chester	220	219	-	-	-	1	-	-	-	-
Chesterfield	286	283	-	-	-	1	-	2	-	-
Clarendon	246	237	-	-	-	4	-	5	-	-
Colleton	209	208	1	-	-	-	-	-	-	-
Darlington	386	371	-	-	-	4	-	6	5	-
Dillon	185	182	-	-	-	1	-	1	1	-
Dorchester	3	-	-	-	-	-	-	1	2	-
Edgefield	67	65	-	-	-	1	-	1	-	-
Fairfield	110	103	-	-	-	2	-	3	2	-
Florence	1,187	1,176	-	-	-	2	-	9	-	-
Georgetown	467	461	-	-	-	2	-	4	-	-
Greenville	1,147	1,132	-	6	-	1	-	8	-	-
Greenwood	740	735	-	-	-	1	-	3	1	-
Hampton	198	194	-	-	-	-	-	1	3	-
Horry	566	537	-	24	-	-	-	2	3	-
Jasper	6	3	-	-	-	1	-	1	1	-
Kershaw	186	184	-	-	-	-	-	2	-	-
Lancaster	244	242	-	-	-	-	-	2	-	-
Laurens	59	57	-	-	-	-	-	-	2	-
Lee	131	131	-	-	-	-	-	-	-	-
Lexington	338	317	1	15	-	-	1	-	4	-
McCormick	-	-	-	-	-	-	-	-	-	-
Marion	413	408	-	-	-	-	-	3	2	-
Marlboro	90	90	-	-	-	-	-	-	-	-
Newberry	198	196	-	-	-	-	-	1	1	-
Oconee	74	71	-	2	-	1	-	-	-	-
Orangeburg	1,000	997	-	-	-	-	-	1	2	-
Pickens	44	44	-	-	-	-	-	-	-	-
Richland	2,486	2,466	-	3	-	-	-	8	9	-
Saluda	2	-	-	-	-	-	-	1	1	-
Spartanburg	872	866	-	-	-	-	-	5	1	-
Sumter	916	861	-	43	-	-	-	6	6	-
Union	120	120	-	-	-	-	-	-	-	-
Williamsburg	262	251	-	-	-	3	-	7	1	-
York	480	480	-	-	-	-	-	-	-	-

Table 25.
Live Births and Percent of Live Births by Marital Status and Race, by Age of Mother: South Carolina, 1985
(Residence Data)

Age of Mother	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Live Births by Age of Mother						
All Ages	51,846	100.0	31,543	100.0	20,303	100.0
<15	273	0.5	54	0.2	219	1.1
15 - 19	8,507	16.4	3,948	12.5	4,559	22.5
20 - 24	17,336	33.4	10,389	32.9	6,947	34.2
25 - 29	15,175	29.3	10,202	32.3	4,973	24.5
30 - 34	7,974	15.4	5,376	17.0	2,598	12.8
35 - 39	2,295	4.4	1,404	4.5	891	4.4
40 - 44	271	0.5	163	0.5	108	0.5
45+	12	0.0	5	0.0	7	0.0
Not Stated	3	0.0	2	0.0	1	0.0
Live Births by Age of Married Mother						
All Ages	39,333	100.0	29,079	100.0	10,254	100.0
<15	21	0.1	19	0.1	2	0.0
15 - 19	3,595	9.1	2,883	9.9	712	6.9
20 - 24	12,782	32.5	9,537	32.8	3,245	31.6
25 - 29	13,328	33.9	9,842	33.8	3,486	34.0
30 - 34	7,293	18.5	5,278	18.2	2,015	19.6
35 - 39	2,071	5.3	1,365	4.7	706	6.9
40 - 44	233	0.6	149	0.5	84	0.8
45+	9	0.0	5	0.0	4	0.0
Not Stated	1	0.0	1	0.0	-	0
Live Births by Age of Unmarried Mother						
All Ages	12,513	100.0	2,464	100.0	10,049	100.0
<15	252	2.0	35	1.4	217	2.2
15 - 19	4,912	39.3	1,065	43.2	3,847	38.3
20 - 24	4,554	36.4	852	34.6	3,702	36.8
25 - 29	1,847	14.8	360	14.6	1,487	14.8
30 - 34	681	5.4	98	4.0	583	5.8
35 - 39	224	1.8	39	1.6	185	1.8
40 - 44	38	0.3	14	0.6	24	0.2
45+	3	0.0	-	0	3	0.0
Not Stated	2	0.0	1	0.0	1	0.0

Table 26.
Live Births by Age of Mother: South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total All Ages	Total								
		Under 15 Yrs	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Yrs.	Unk.
South Carolina	51,846	273	8,507	17,336	15,175	7,974	2,295	271	12	3
Abbeville	315	3	54	107	92	36	22	1	-	-
Aiken	1,837	8	294	633	540	272	81	8	1	-
Allendale	171	2	37	64	36	29	3	-	-	-
Anderson	1,880	11	362	604	546	267	83	7	-	-
Bamberg	248	1	38	98	62	35	12	2	-	-
Barnwell	323	2	53	115	105	35	12	-	1	-
Beaufort	1,511	4	214	546	437	235	70	4	1	-
Berkeley	2,238	4	253	857	725	308	80	9	2	-
Calhoun	183	-	33	54	55	33	7	1	-	-
Charleston	5,582	34	823	1,878	1,625	915	266	38	2	1
Cherokee	597	5	175	195	140	67	14	1	-	-
Chester	500	1	114	158	139	64	20	4	-	-
Chesterfield	564	2	106	224	128	81	18	5	-	-
Clarendon	459	4	100	139	119	64	27	5	1	-
Colleton	560	2	83	214	158	72	29	2	-	-
Darlington	846	6	165	298	222	115	34	6	-	-
Dillon	530	4	122	237	104	46	17	-	-	-
Dorchester	1,327	4	154	515	389	192	65	8	-	-
Edgefield	284	1	59	81	71	54	17	1	-	-
Fairfield	311	4	75	97	68	53	13	1	-	-
Florence	1,751	10	317	568	493	269	80	13	-	1
Georgetown	748	5	134	230	218	123	35	3	-	-
Greenville	4,345	26	614	1,298	1,355	804	224	24	-	-
Greenwood	824	4	182	260	242	99	34	3	-	-
Hampton	330	1	62	114	93	40	16	4	-	-
Horry	2,124	10	350	811	578	292	79	4	-	-
Jasper	280	2	58	109	72	21	15	3	-	-
Kershaw	592	2	78	216	180	82	32	2	-	-
Lancaster	741	1	141	262	214	93	27	3	-	-
Laurens	740	5	147	264	204	97	20	3	-	-
Lee	297	5	62	94	80	45	10	1	-	-
Lexington	2,266	8	283	651	769	432	103	20	-	-
McCormick	107	-	22	32	31	14	7	1	-	-
Marion	499	2	118	156	128	74	20	1	-	-
Marlboro	523	4	137	183	128	49	19	2	1	-
Newberry	442	3	67	158	113	80	19	2	-	-
Oconee	669	3	106	238	195	99	22	6	-	-
Orangeburg	1,397	9	244	473	407	193	62	8	1	-
Pickens	1,007	3	164	356	276	158	44	5	1	-
Richland	4,237	16	523	1,168	1,436	830	237	26	-	1
Saluda	235	-	41	82	66	32	12	2	-	-
Spartanburg	3,003	22	555	972	869	468	107	9	1	-
Sumter	1,699	8	288	629	479	223	67	5	-	-
Union	355	1	64	138	100	36	15	1	-	-
Williamsburg	600	6	130	183	160	85	32	4	-	-
York	1,769	15	306	577	528	263	67	13	-	-

Table 26-A.
Live Births by Age of Mother and Race: South Carolina and Each County, 1985
(Residence Data)

		White								
County of Residence	Total All Ages	Under 15 Yrs	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Yrs.	Unk.
South Carolina	31,543	54	3,948	10,389	10,202	5,376	1,404	163	5	2
Abbeville	176	-	22	52	65	21	15	1	-	-
Aiken	1,248	1	164	435	404	193	47	4	-	-
Allendale	35	-	5	5	13	12	-	-	-	-
Anderson	1,453	3	235	471	451	222	66	5	-	-
Bamberg	68	-	9	22	24	9	3	1	-	-
Barnwell	153	-	20	54	56	18	5	-	-	-
Beaufort	929	1	99	329	296	155	46	2	1	-
Berkeley	1,615	3	170	651	542	194	47	8	-	-
Calhoun	71	-	6	20	23	19	3	-	-	-
Charleston	3,076	3	311	998	1,021	573	150	18	2	-
Cherokee	396	2	104	135	97	46	11	1	-	-
Chester	242	-	38	82	70	40	10	2	-	-
Chesterfield	325	-	45	133	77	56	11	3	-	-
Clarendon	160	1	23	48	51	24	12	1	-	-
Colleton	236	-	23	92	86	24	10	1	-	-
Darlington	404	-	57	136	130	58	22	1	-	-
Dillon	235	1	45	106	54	24	5	-	-	-
Dorchester	975	2	98	394	295	140	39	7	-	-
Edgefield	116	-	18	31	33	29	5	-	-	-
Fairfield	88	-	17	22	23	24	2	-	-	-
Florence	895	5	113	285	289	160	36	6	-	1
Georgetown	281	1	34	98	83	52	12	1	-	-
Greenville	3,323	9	362	945	1,125	675	187	20	-	-
Greenwood	491	-	82	160	161	65	21	2	-	-
Hampton	99	-	18	37	31	9	3	1	-	-
Horry	1,539	2	179	609	455	227	64	3	-	-
Jasper	92	1	19	33	26	7	5	1	-	-
Kershaw	393	-	43	128	139	65	17	1	-	-
Lancaster	475	1	70	173	152	61	16	2	-	-
Laurens	460	2	70	169	141	62	15	1	-	-
Lee	66	-	8	21	25	11	1	-	-	-
Lexington	1,912	4	225	521	673	382	90	17	-	-
McCormick	31	-	2	8	11	8	2	-	-	-
Marion	191	-	33	58	65	30	5	-	-	-
Marlboro	215	2	51	68	64	21	8	1	-	-
Newberry	232	-	20	78	70	56	6	2	-	-
Oconee	583	1	87	213	167	90	19	6	-	-
Orangeburg	490	-	57	159	174	79	17	4	-	-
Pickens	912	1	144	324	248	148	41	5	1	-
Richland	2,086	-	132	474	799	530	134	16	-	1
Saluda	134	-	13	45	49	18	8	1	-	-
Spartanburg	2,146	2	333	687	663	371	83	6	1	-
Sumter	848	-	105	338	254	112	37	2	-	-
Union	221	-	38	87	62	24	9	1	-	-
Williamsburg	152	-	27	47	51	22	5	-	-	-
York	1,275	6	174	408	414	210	54	9	-	-

Table 26-A.
Live Births by Age of Mother and Race:
South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total All Ages	Nonwhite								
		Under 15 Yrs	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Yrs.	Unk.
South Carolina	20,303	219	4,559	6,947	4,973	2,598	891	108	7	1
Abbeville	139	3	32	55	27	15	7	-	-	-
Aiken	589	7	130	198	136	79	34	4	1	-
Allendale	136	2	32	59	23	17	3	-	-	-
Anderson	427	8	127	133	95	45	17	2	-	-
Bamberg	180	1	29	76	38	26	9	1	-	-
Barnwell	170	2	33	61	49	17	7	-	1	-
Beaufort	582	3	115	217	141	80	24	2	-	-
Berkeley	623	1	83	206	183	114	33	1	2	-
Calhoun	112	-	27	34	32	14	4	1	-	-
Charleston	2,506	31	512	880	604	342	116	20	-	1
Cherokee	201	3	71	60	43	21	3	-	-	-
Chester	258	1	76	76	69	24	10	2	-	-
Chesterfield	239	2	61	91	51	25	7	2	-	-
Clarendon	299	3	77	91	68	40	15	4	1	-
Colleton	324	2	60	122	72	48	19	1	-	-
Darlington	442	6	108	162	92	57	12	5	-	-
Dillon	295	3	77	131	50	22	12	-	-	-
Dorchester	352	2	56	121	94	52	26	1	-	-
Edgefield	168	1	41	50	38	25	12	1	-	-
Fairfield	223	4	58	75	45	29	11	1	-	-
Florence	856	5	204	283	204	109	44	7	-	-
Georgetown	467	4	100	132	135	71	23	2	-	-
Greenville	1,022	17	252	353	230	129	37	4	-	-
Greenwood	333	4	100	100	81	34	13	1	-	-
Hampton	231	1	44	77	62	31	13	3	-	-
Horry	585	8	171	202	123	65	15	1	-	-
Jasper	188	1	39	76	46	14	10	2	-	-
Kershaw	199	2	35	88	41	17	15	1	-	-
Lancaster	266	-	71	89	62	32	11	1	-	-
Laurens	280	3	77	95	63	35	5	2	-	-
Lee	231	5	54	73	55	34	9	1	-	-
Lexington	354	4	58	130	96	50	13	3	-	-
McCormick	76	-	20	24	20	6	5	1	-	-
Marion	308	2	85	98	63	44	15	1	-	-
Marlboro	308	2	86	115	64	28	11	1	1	-
Newberry	210	3	47	80	43	24	13	-	-	-
Oconee	86	2	19	25	28	9	3	-	-	-
Orangeburg	907	9	187	314	233	114	45	4	1	-
Pickens	95	2	20	32	28	10	3	-	-	-
Richland	2,151	16	391	694	637	300	103	10	-	-
Saluda	101	-	28	37	17	14	4	1	-	-
Spartanburg	857	20	222	285	206	97	24	3	-	-
Sumter	851	8	183	291	225	111	30	3	-	-
Union	134	1	26	51	38	12	6	-	-	-
Williamsburg	448	6	103	136	109	63	27	4	-	-
York	494	9	132	169	114	53	13	4	-	-

Table 27.
Live Births to Mothers Less Than 20 Years Old
South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total ≤19	Age of Mother					
		<15	15	16	17	18	19
SOUTH CAROLINA	8,780	273	541	1,057	1,616	2,275	3,018
Abbeville	57	3	1	4	15	19	15
Aiken	302	8	10	26	63	80	115
Allendale	39	2	5	7	5	14	6
Anderson	373	11	32	47	65	100	118
Bamberg	39	1	1	3	5	13	16
Barnwell	55	2	3	5	12	13	20
Beaufort	218	4	13	22	34	47	98
Berkeley	257	4	8	19	44	74	108
Calhoun	33	-	6	5	7	7	8
Charleston	857	34	77	90	160	197	299
Cherokee	180	5	9	26	45	42	53
Chester	115	1	10	20	16	29	39
Chesterfield	108	2	6	12	31	29	28
Clarendon	104	4	6	10	17	30	37
Colleton	85	2	6	12	15	19	31
Darlington	171	6	9	18	32	37	69
Dillon	126	4	6	17	21	39	39
Dorchester	158	4	6	10	27	42	69
Edgefield	60	1	5	7	6	18	23
Fairfield	79	4	6	10	20	18	21
Florence	327	10	19	49	60	97	92
Georgetown	139	5	8	12	24	44	46
Greenville	640	26	35	82	121	141	235
Greenwood	186	4	9	27	36	54	56
Hampton	63	1	4	9	14	15	20
Horry	360	10	18	45	76	88	123
Jasper	60	2	3	9	6	18	22
Kershaw	80	2	4	10	11	21	32
Lancaster	142	1	7	30	25	39	40
Laurens	152	5	13	16	28	34	56
Lee	67	5	6	7	15	11	23
Lexington	291	8	7	34	66	64	112
McCormick	22	-	3	1	4	10	4
Marion	120	2	8	12	26	29	43
Marlboro	141	4	10	15	21	48	43
Newberry	70	3	4	16	12	18	17
Oconee	109	3	10	10	23	30	33
Orangeburg	253	9	19	29	44	60	92
Pickens	167	3	8	23	29	55	49
Richland	539	16	33	61	83	138	208
Saluda	41	-	2	6	8	11	14
Spartanburg	577	22	41	69	108	145	192
Sumter	296	8	12	33	44	95	104
Union	65	1	6	10	13	16	19
Williamsburg	136	6	8	23	23	32	44
York	321	15	19	49	56	95	87

Table 28.

Live Births by Birth Weight, Age of Mother, and Race: South Carolina, 1985
(Residence Data)

Age of Mother and Race	Total	Birthweight											
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
SOUTH CAROLINA	51,846	120	349	407	894	2,691	9,410	18,819	14,045	4,247	761	100	3
White	31,543	36	123	166	359	1,172	4,414	11,043	10,139	3,378	631	81	1
Nonwhite	20,303	84	226	241	535	1,519	4,996	7,776	3,906	869	130	19	2
Under 15 Years	273	-	2	3	12	19	65	127	38	7	-	-	-
White	54	-	1	1	1	4	8	23	14	2	-	-	-
Nonwhite	219	-	1	2	11	15	57	104	24	5	-	-	-
15 - 19 Years	8,507	22	77	81	184	589	1,997	3,285	1,796	409	61	6	-
White	3,948	6	19	22	53	184	693	1,479	1,124	314	51	3	-
Nonwhite	4,559	16	58	59	131	405	1,304	1,806	672	95	10	3	-
20 - 24 Years	17,336	43	117	133	284	957	3,298	6,387	4,584	1,298	210	24	1
White	10,389	8	43	53	124	429	1,518	3,702	3,277	1,031	183	20	1
Nonwhite	6,947	35	74	80	160	528	1,780	2,685	1,307	267	27	4	-
25 - 34 Years	23,149	48	136	164	358	999	3,668	8,196	6,849	2,247	429	53	2
White	15,578	21	54	81	162	500	2,016	5,353	5,176	1,824	350	41	-
Nonwhite	7,571	27	82	83	196	499	1,652	2,843	1,673	423	79	12	2
35 - 44 Years	2,566	7	17	26	56	127	380	820	771	285	60	17	-
White	1,567	1	6	9	19	55	177	485	544	207	47	17	-
Nonwhite	999	6	11	17	37	72	203	335	227	78	13	-	-
45 and Over	12	-	-	-	-	-	1	2	7	1	1	-	-
White	5	-	-	-	-	-	1	-	4	-	-	-	-
Nonwhite	7	-	-	-	-	-	-	2	3	1	1	-	-
Not Stated	3	-	-	-	-	-	1	2	-	-	-	-	-
White	2	-	-	-	-	-	1	1	-	-	-	-	-
Nonwhite	1	-	-	-	-	-	-	1	-	-	-	-	-

Table 29.
Low Weight* Live Births and Percent of Low Weight Live Births: South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
South Carolina	4,461	8.6	1,856	5.9	2,605	12.8
Abbeville	24	7.6	5	2.8	19	13.7
Aiken	173	9.4	94	7.5	79	13.4
Allendale	20	11.7	3	8.6	17	12.5
Anderson	151	8.0	91	6.3	60	14.1
Bamberg	30	12.1	1	1.5	29	16.1
Barnwell	33	10.2	13	8.5	20	11.8
Beaufort	114	7.5	45	4.8	69	11.9
Berkeley	145	6.5	70	4.3	75	12.0
Calhoun	13	7.1	1	1.4	12	10.7
Charleston	474	8.5	175	5.7	299	11.9
Cherokee	56	9.4	30	7.6	26	12.9
Chester	50	10.0	16	6.6	34	13.2
Chesterfield	55	9.8	20	6.2	35	14.6
Clarendon	39	8.5	7	4.4	32	10.7
Colleton	57	10.2	11	4.7	46	14.2
Darlington	81	9.6	22	5.4	59	13.3
Dillon	60	11.3	16	6.8	44	14.9
Dorchester	89	6.7	57	5.8	32	9.1
Edgefield	29	10.2	7	6.0	22	13.1
Fairfield	28	9.0	2	2.3	26	11.7
Florence	187	10.7	50	5.6	137	16.0
Georgetown	69	9.2	9	3.2	60	12.8
Greenville	351	8.1	224	6.7	127	12.4
Greenwood	78	9.5	32	6.5	46	13.8
Hampton	33	10.0	4	4.0	29	12.6
Horry	145	6.8	80	5.2	65	11.1
Jasper	36	12.9	8	8.7	28	14.9
Kershaw	35	5.9	18	4.6	17	8.5
Lancaster	75	10.1	35	7.4	40	15.0
Laurens	66	8.9	35	7.6	31	11.1
Lee	39	13.1	2	3.0	37	16.0
Lexington	154	6.8	109	5.7	45	12.7
McCormick	13	12.1	4	12.9	9	11.8
Marion	50	10.0	11	5.8	39	12.7
Marlboro	62	11.9	20	9.3	42	13.6
Newberry	45	10.2	15	6.5	30	14.3
Oconee	46	6.9	34	5.8	12	14.0
Orangeburg	156	11.2	32	6.5	124	13.7
Pickens	74	7.3	55	6.0	19	20.0
Richland	366	8.6	104	5.0	262	12.2
Saluda	25	10.6	8	6.0	17	16.8
Spartanburg	239	8.0	138	6.4	101	11.8
Sumter	153	9.0	38	4.5	115	13.5
Union	37	10.4	18	8.1	19	14.2
Williamsburg	71	11.8	9	5.9	62	13.8
York	135	7.6	78	6.1	57	11.5

*Live birth weighing less than 2500 grams

Table 30.
Low Weight* Live Births by Age of Mother: South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total All Ages	Total								
		Under 15 Yrs	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Yrs.	Unk.
South Carolina	4,461	36	953	1,534	1,104	601	200	33	-	-
Abbeville	24	-	8	5	4	5	2	-	-	-
Aiken	173	1	34	62	51	19	5	1	-	-
Allendale	20	-	4	7	5	3	1	-	-	-
Anderson	151	4	37	53	32	17	7	1	-	-
Bamberg	30	-	6	11	7	2	4	-	-	-
Barnwell	33	-	14	8	8	3	-	-	-	-
Beaufort	114	-	24	44	26	15	5	-	-	-
Berkeley	145	1	27	49	42	16	8	2	-	-
Calhoun	13	-	2	6	3	2	-	-	-	-
Charleston	474	3	96	160	115	73	21	6	-	-
Cherokee	56	-	17	16	16	6	-	1	-	-
Chester	50	-	13	19	13	4	1	-	-	-
Chesterfield	55	-	16	21	10	6	2	-	-	-
Clarendon	39	-	10	14	3	8	3	1	-	-
Colleton	57	-	12	20	18	5	2	-	-	-
Darlington	81	-	19	32	17	9	3	1	-	-
Dillon	60	-	8	23	16	8	5	-	-	-
Dorchester	89	1	15	37	19	15	2	-	-	-
Edgefield	29	-	5	8	8	5	2	1	-	-
Fairfield	28	3	7	8	3	4	2	1	-	-
Florence	187	1	43	58	49	26	7	3	-	-
Georgetown	69	1	15	22	17	12	2	-	-	-
Greenville	351	1	65	108	92	64	19	2	-	-
Greenwood	78	-	26	18	18	11	5	-	-	-
Hampton	33	1	4	14	10	3	1	-	-	-
Horry	145	1	35	57	28	14	10	-	-	-
Jasper	36	-	9	12	11	4	-	-	-	-
Kershaw	35	-	3	11	14	5	2	-	-	-
Lancaster	75	-	24	23	18	4	5	1	-	-
Laurens	66	-	17	27	11	10	1	-	-	-
Lee	39	2	12	14	6	2	3	-	-	-
Lexington	154	2	20	50	45	32	3	2	-	-
McCormick	13	-	5	5	1	1	1	-	-	-
Marion	50	1	10	17	12	8	2	-	-	-
Marlboro	62	2	17	26	12	3	2	-	-	-
Newberry	45	-	7	17	10	7	4	-	-	-
Oconee	46	-	5	18	14	5	3	1	-	-
Orangeburg	156	1	28	50	44	24	7	2	-	-
Pickens	74	1	17	27	21	7	1	-	-	-
Richland	366	2	71	116	102	56	18	1	-	-
Saluda	25	-	8	7	4	4	2	-	-	-
Spartanburg	239	2	56	87	52	30	9	3	-	-
Sumter	153	2	28	56	40	21	5	1	-	-
Union	37	-	6	19	6	4	2	-	-	-
Williamsburg	71	-	21	28	11	4	7	-	-	-
York	135	3	27	44	40	15	4	2	-	-

* Live birth weighing less than 2500 grams

Table 30-A.
Low Weight* Live Births by Age of Mother and Race: South Carolina and Each County, 1985 (Residence Data)

County of Residence	Total All Ages	White								
		Under 15 Yrs	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Yrs.	Unk.
South Carolina	1,856	7	284	657	518	300	75	15	-	-
Abbeville	5	-	2	1	1	1	-	-	-	-
Aiken	94	1	15	33	32	11	2	-	-	-
Allendale	3	-	1	1	1	-	-	-	-	-
Anderson	91	1	19	30	21	14	5	1	-	-
Bamberg	1	-	-	-	1	-	-	-	-	-
Barnwell	13	-	5	3	4	1	-	-	-	-
Beaufort	45	-	4	18	10	10	3	-	-	-
Berkeley	70	-	13	29	19	6	1	2	-	-
Calhoun	1	-	-	-	1	-	-	-	-	-
Charleston	175	2	22	61	48	35	6	1	-	-
Cherokee	30	-	7	9	10	3	-	1	-	-
Chester	16	-	2	7	4	3	-	-	-	-
Chesterfield	20	-	5	8	3	2	2	-	-	-
Clarendon	7	-	1	2	1	3	-	-	-	-
Colleton	11	-	1	5	5	-	-	-	-	-
Darlington	22	-	4	8	6	2	1	1	-	-
Dillon	16	-	2	4	7	3	-	-	-	-
Dorchester	57	-	5	24	17	11	-	-	-	-
Edgefield	7	-	1	3	1	2	-	-	-	-
Fairfield	2	-	1	1	-	-	-	-	-	-
Florence	50	-	6	14	16	13	-	1	-	-
Georgetown	9	-	2	5	1	1	-	-	-	-
Greenville	224	-	26	68	63	48	17	2	-	-
Greenwood	32	-	7	9	12	3	1	-	-	-
Hampton	4	-	-	2	1	-	1	-	-	-
Horry	80	-	11	38	12	13	6	-	-	-
Jasper	8	-	2	2	4	-	-	-	-	-
Kershaw	18	-	1	5	9	3	-	-	-	-
Lancaster	35	-	7	13	11	1	2	1	-	-
Laurens	35	-	4	15	7	8	1	-	-	-
Lee	2	-	1	1	-	-	-	-	-	-
Lexington	109	2	13	34	31	26	2	1	-	-
McCormick	4	-	-	3	-	-	1	-	-	-
Marion	11	-	-	2	6	3	-	-	-	-
Marlboro	20	1	6	6	5	2	-	-	-	-
Newberry	15	-	2	8	3	2	-	-	-	-
Oconee	34	-	3	15	9	3	3	1	-	-
Orangeburg	32	-	5	9	15	3	-	-	-	-
Pickens	55	-	11	22	16	5	1	-	-	-
Richland	104	-	11	26	36	25	6	-	-	-
Saluda	8	-	1	2	2	1	2	-	-	-
Spartanburg	138	-	26	52	33	20	6	1	-	-
Sumter	38	-	6	17	10	3	2	-	-	-
Union	18	-	4	10	-	3	1	-	-	-
Williamsburg	9	-	3	4	1	-	1	-	-	-
York	78	-	16	28	23	7	2	2	-	-

*Live birth weighing less than 2500 grams

Table 30-A.
Low Weight* Live Births by Age of Mother: South Carolina and Each County, 1985 (Residence Data)

County of Residence	Total All Ages	Nonwhite								
		Under 15 Yrs	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Yrs.	Unk.
South Carolina	2,605	29	669	877	586	301	125	18	-	-
Abbeville	19	-	6	4	3	4	2	-	-	-
Aiken	79	-	19	29	19	8	3	1	-	-
Allendale	17	-	3	6	4	3	1	-	-	-
Anderson	60	3	18	23	11	3	2	-	-	-
Bamberg	29	-	6	11	6	2	4	-	-	-
Barnwell	20	-	9	5	4	2	-	-	-	-
Beaufort	69	-	20	26	16	5	2	-	-	-
Berkeley	75	1	14	20	23	10	7	-	-	-
Calhoun	12	-	2	6	2	2	-	-	-	-
Charleston	299	1	74	99	67	38	15	5	-	-
Cherokee	26	-	10	7	6	3	-	-	-	-
Chester	34	-	11	12	9	1	1	-	-	-
Chesterfield	35	-	11	13	7	4	-	-	-	-
Clarendon	32	-	9	12	2	5	3	1	-	-
Colleton	46	-	11	15	13	5	2	-	-	-
Darlington	59	-	15	24	11	7	2	-	-	-
Dillon	44	-	6	19	9	5	5	-	-	-
Dorchester	32	1	10	13	2	4	2	-	-	-
Edgefield	22	-	4	5	7	3	2	1	-	-
Fairfield	26	3	6	7	3	4	2	1	-	-
Florence	137	1	37	44	33	13	7	2	-	-
Georgetown	60	1	13	17	16	11	2	-	-	-
Greenville	127	1	39	40	29	16	2	-	-	-
Greenwood	46	-	19	9	6	8	4	-	-	-
Hampton	29	1	4	12	9	3	-	-	-	-
Horry	65	1	24	19	16	1	4	-	-	-
Jasper	28	-	7	10	7	4	-	-	-	-
Kershaw	17	-	2	6	5	2	2	-	-	-
Lancaster	40	-	17	10	7	3	3	-	-	-
Laurens	31	-	13	12	4	2	-	-	-	-
Lee	37	2	11	13	6	2	3	-	-	-
Lexington	45	-	7	16	14	6	1	1	-	-
McCormick	9	-	5	2	1	1	-	-	-	-
Marion	39	1	10	15	6	5	2	-	-	-
Marlboro	42	1	11	20	7	1	2	-	-	-
Newberry	30	-	5	9	7	5	4	-	-	-
Oconee	12	-	2	3	5	2	-	-	-	-
Orangeburg	124	1	23	41	29	21	7	2	-	-
Pickens	19	1	6	5	5	2	-	-	-	-
Richland	262	2	60	90	66	31	12	1	-	-
Saluda	17	-	7	5	2	3	-	-	-	-
Spartanburg	101	2	30	35	19	10	3	2	-	-
Sumter	115	2	22	39	30	18	3	1	-	-
Union	19	-	2	9	6	1	1	-	-	-
Williamsburg	62	-	18	24	10	4	6	-	-	-
York	57	3	11	16	17	8	2	-	-	-

*Live birth weighing less than 2500 grams

Table 31.

Live Births by Birth Weight and Race, South Carolina and Each County, 1985

(Residence Data)

County and Race	Total	Birthweight											
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
SOUTH CAROLINA	51,846	120	349	407	894	2,691	9,410	18,819	14,045	4,247	761	100	3
White	31,543	36	123	166	359	1,172	4,414	11,043	10,139	3,378	631	81	1
Nonwhite	20,303	84	226	241	535	1,519	4,996	7,776	3,906	869	130	19	2
Abbeville	315	1	-	2	6	15	56	107	96	24	7	1	-
White	176	-	-	2	-	3	23	56	67	19	6	-	-
Nonwhite	139	1	-	-	6	12	33	51	29	5	1	1	-
Aiken	1,837	10	8	11	29	115	326	657	490	156	30	5	-
White	1,248	5	4	5	14	66	181	431	382	128	27	5	-
Nonwhite	589	5	4	6	15	49	145	226	108	28	3	-	-
Allendale	171	-	-	3	4	13	46	52	42	11	-	-	-
White	35	-	-	1	-	2	6	8	15	3	-	-	-
Nonwhite	136	-	-	2	4	11	40	44	27	8	-	-	-
Anderson	1,880	5	10	15	28	93	278	658	578	187	26	2	-
White	1,453	3	4	7	18	59	179	503	491	163	25	1	-
Nonwhite	427	2	6	8	10	34	99	155	87	24	1	1	-
Bamberg	248	-	2	2	7	19	44	93	58	19	4	-	-
White	68	-	1	-	-	-	10	20	27	8	2	-	-
Nonwhite	180	-	1	2	7	19	34	73	31	11	2	-	-
Barnwell	323	2	5	3	8	15	83	103	73	26	5	-	-
White	153	-	2	-	3	8	25	42	51	17	5	-	-
Nonwhite	170	2	3	3	5	7	58	61	22	9	-	-	-
Beaufort	1,511	-	6	15	19	74	265	553	419	135	24	1	-
White	929	-	3	7	9	26	133	319	296	117	19	-	-
Nonwhite	582	-	3	8	10	48	132	234	123	18	5	1	-

Table 31. (Cont.)

County and Race	Total	Birthweight											
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
Berkeley	2,238	5	8	17	20	95	379	790	640	233	46	5	-
White	1,615	2	1	6	8	53	216	557	520	207	40	5	-
Nonwhite	623	3	7	11	12	42	163	233	120	26	6	-	-
Calhoun	183	1	1	1	1	9	41	67	47	15	-	-	-
White	71	-	-	-	1	-	13	27	21	9	-	-	-
Nonwhite	112	1	1	1	-	9	28	40	26	6	-	-	-
Charleston	5,582	13	42	36	100	283	1,042	2,020	1,484	476	79	7	-
White	3,076	5	15	9	33	113	406	1,080	989	356	66	4	-
Nonwhite	2,506	8	27	27	67	170	636	940	495	120	13	3	-
Cherokee	597	-	2	4	6	44	123	221	157	35	5	-	-
White	396	-	1	1	3	25	68	134	129	32	3	-	-
Nonwhite	201	-	1	3	3	19	55	87	28	3	2	-	-
Chester	500	1	5	5	12	27	88	178	133	39	10	2	-
White	242	-	1	-	6	9	33	74	83	26	8	2	-
Nonwhite	258	1	4	5	6	18	55	104	50	13	2	-	-
Chesterfield	564	2	4	3	13	33	107	208	147	40	6	1	-
White	325	-	-	-	8	12	44	116	106	34	4	1	-
Nonwhite	239	2	4	3	5	21	63	92	41	6	2	-	-
Clarendon	459	-	1	5	7	26	75	177	118	41	6	2	1
White	160	-	-	2	2	3	22	58	46	25	2	-	-
Nonwhite	2[illegible]9	-	1	3	5	23	53	119	72	16	4	2	1
Colleton	560	-	6	4	18	29	105	199	141	43	13	2	-
White	236	-	3	1	4	3	29	80	75	31	8	2	-
Nonwhite	324	-	3	3	14	26	76	119	66	12	5	-	-

Table 31. (Cont.)

County and Race	Total	Birthweight											
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
Darlington	846	2	2	8	15	54	195	316	194	51	9	-	-
White	404	-	-	1	2	19	68	147	125	38	4	-	-
Nonwhite	442	2	2	7	13	35	127	169	69	13	5	-	-
Dillon	530	-	4	8	13	35	110	195	118	35	11	1	-
White	235	-	-	1	4	11	34	82	68	26	8	1	-
Nonwhite	295	-	4	7	9	24	76	113	50	9	3	-	-
Dorchester	1,327	3	5	7	21	53	190	466	422	133	25	2	-
White	975	-	3	6	13	35	121	325	336	114	20	2	-
Nonwhite	352	3	2	1	8	18	69	141	86	19	5	-	-
Edgefield	284	1	3	1	7	17	54	104	74	23	-	-	-
White	116	-	1	-	-	6	13	37	46	13	-	-	-
Nonwhite	168	1	2	1	7	11	41	67	28	10	-	-	-
Fairfield	311	1	2	1	5	19	70	119	70	18	5	1	-
White	88	-	-	-	-	2	11	37	27	6	4	1	-
Nonwhite	223	1	2	1	5	17	59	82	43	12	1	-	-
Florence	1,751	6	16	18	45	102	346	633	449	107	27	2	-
White	895	-	2	8	13	27	129	311	298	79	26	2	-
Nonwhite	856	6	14	10	32	75	217	322	151	28	1	-	-
Georgetown	748	2	3	6	13	45	146	281	195	47	8	2	-
White	281	-	-	1	3	5	38	101	97	31	5	-	-
Nonwhite	467	2	3	5	10	40	108	180	98	16	3	2	-
Greenville	4,345	13	40	26	53	219	739	1,597	1,196	390	61	9	2
White	3,323	3	25	16	34	146	480	1,210	991	350	58	9	1
Nonwhite	1,022	10	15	10	19	73	259	387	205	40	3	-	1

Table 31. (Cont.)

County and Race	Total	Birthweight											
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
Greenwood	824	-	13	9	12	44	146	317	218	55	6	4	-
White	491	-	5	4	6	17	72	175	158	44	6	4	-
Nonwhite	333	-	8	5	6	27	74	142	60	11	-	-	-
Hampton	330	2	2	2	6	21	80	121	74	19	3	-	-
White	99	-	-	-	3	1	20	30	34	10	1	-	-
Nonwhite	231	2	2	2	3	20	60	91	40	9	2	-	-
Horry	2,124	3	12	14	35	81	373	803	593	176	31	3	-
White	1,539	1	7	4	18	50	215	591	470	156	24	3	-
Nonwhite	585	2	5	10	17	31	158	212	123	20	7	-	-
Jasper	280	-	2	2	5	27	73	96	62	10	3	-	-
White	92	-	1	1	1	5	11	30	34	8	1	-	-
Nonwhite	188	-	1	1	4	22	62	66	28	2	2	-	-
Kershaw	592	-	-	2	12	21	88	214	180	63	12	-	-
White	393	-	-	2	6	10	44	127	139	54	11	-	-
Nonwhite	199	-	-	-	6	11	44	87	41	9	1	-	-
Lancaster	741	-	3	4	23	45	122	275	190	67	8	4	-
White	475	-	1	1	11	22	56	174	145	53	8	4	-
Nonwhite	266	-	2	3	12	23	66	101	45	14	-	-	-
Laurens	740	-	3	5	10	48	154	264	191	52	12	1	-
White	460	-	-	4	5	26	76	155	144	39	10	1	-
Nonwhite	280	-	3	1	5	22	78	109	47	13	2	-	-
Lee	297	1	5	7	4	22	55	124	57	18	4	-	-
White	66	-	1	-	-	1	4	22	26	8	4	-	-
Nonwhite	231	1	4	7	4	21	51	102	31	10	-	-	-

Table 31. (Cont.)

County and Race	Total	Birthweight										
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
Lexington	2,266	6	15	26	27	80	375	810	669	210	42	6	-
White	1,912	3	9	19	20	58	293	676	601	189	39	5	-
Nonwhite	354	3	6	7	7	22	82	134	68	21	3	1	-
McCormick	107	2	1	2	2	6	23	36	29	4	2	-	-
White	31	-	-	2	-	2	5	9	10	2	1	-	-
Nonwhite	76	2	1	-	2	4	18	27	19	2	1	-	-
Marion	499	2	4	5	10	29	126	174	109	33	7	-	-
White	191	-	2	1	2	6	26	66	61	22	5	-	-
Nonwhite	308	2	2	4	8	23	100	108	48	11	2	-	-
Marlboro	523	4	5	2	15	36	116	193	123	21	8	-	-
White	215	-	1	1	6	12	29	82	61	17	6	-	-
Nonwhite	308	4	4	1	9	24	87	111	62	4	2	-	-
Newberry	442	2	7	3	6	27	91	168	107	24	7	-	-
White	232	-	3	1	2	9	35	82	75	19	6	-	-
Nonwhite	210	2	4	2	4	18	56	86	32	5	1	-	-
Oconee	669	2	1	3	15	25	114	258	182	64	5	-	-
White	583	1	1	3	10	19	94	220	169	61	5	-	-
Nonwhite	86	1	-	-	5	6	20	38	13	3	-	-	-
Orangeburg	1,397	-	18	16	35	87	288	495	341	99	14	4	-
White	490	-	3	2	4	23	74	170	154	49	8	3	-
Nonwhite	907	-	15	14	31	64	214	325	187	50	6	1	-
Pickens	1,007	1	2	11	12	48	145	373	317	83	13	2	-
White	912	1	1	8	7	38	127	338	298	80	13	1	-
Nonwhite	95	-	1	3	5	10	18	35	19	3	-	1	-

Table 31. (Cont.)

County and Race	Total	Birthweight											
		499 grams or less	500-999 grams	1000-1499 grams	1500-1999 grams	2000-2499 grams	2500-2999 grams	3000-3499 grams	3500-3999 grams	4000-4499 grams	4500-4999 grams	5000+ grams	Not Stated
Richland	4,237	9	26	37	73	221	804	1,585	1,112	307	52	11	-
White	2,086	3	5	14	21	61	292	745	693	205	40	7	-
Nonwhite	2,151	6	21	23	52	160	512	840	419	102	12	4	-
Saluda	235	2	2	2	4	15	32	89	61	24	4	-	-
White	134	-	1	-	-	7	18	39	47	19	3	-	-
Nonwhite	101	2	1	2	4	8	14	50	14	5	1	-	-
Spartanburg	3,003	5	17	19	59	139	521	1,085	852	256	45	5	-
White	2,146	4	8	11	30	85	301	752	687	222	41	5	-
Nonwhite	857	1	9	8	29	54	220	333	165	34	4	-	-
Sumter	1,699	5	14	14	33	87	302	566	489	156	28	5	-
White	848	2	3	4	10	19	97	271	305	112	20	5	-
Nonwhite	851	3	11	10	23	68	205	295	184	44	8	-	-
Union	355	1	5	3	9	19	56	143	86	24	7	2	-
White	221	-	1	1	6	10	37	75	66	19	6	-	-
Nonwhite	134	1	4	2	3	9	19	68	20	5	1	2	-
Williamsburg	600	1	6	6	11	47	130	218	138	36	7	-	-
White	152	-	-	1	1	7	28	49	45	19	2	-	-
Nonwhite	448	1	6	5	10	40	102	169	93	17	5	-	-
York	1,769	4	11	12	26	82	288	618	524	162	34	8	-
White	1,275	3	4	8	12	51	178	410	431	139	31	8	-
Nonwhite	494	1	7	4	14	31	110	208	93	23	3	-	-

Table 32.
Out-of-Wedlock Live Births and Percent of Out-of-Wedlock Live Births
South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
South Carolina	12,513	24.1	2,464	7.8	10,049	49.5
Abbeville	96	30.5	10	5.7	86	61.9
Aiken	355	19.3	95	7.6	260	44.1
Allendale	66	38.6	4	11.4	62	45.6
Anderson	326	17.3	105	7.2	221	51.8
Bamberg	101	40.7	5	7.4	96	53.3
Barnwell	105	32.5	12	7.8	93	54.7
Beaufort	266	17.6	45	4.8	221	38.0
Berkeley	277	12.4	89	5.5	188	30.2
Calhoun	60	32.8	2	2.8	58	51.8
Charleston	1,493	26.7	221	7.2	1,272	50.8
Cherokee	184	30.8	50	12.6	134	66.7
Chester	166	33.2	19	7.9	147	57.0
Chesterfield	162	28.7	28	8.6	134	56.1
Clarendon	172	37.5	12	7.5	160	53.5
Colleton	182	32.5	23	9.7	159	49.1
Darlington	274	32.4	28	6.9	246	55.7
Dillon	214	40.4	37	15.7	177	60.0
Dorchester	176	13.3	59	6.1	117	33.2
Edgefield	98	34.5	9	7.8	89	53.0
Fairfield	105	33.8	12	13.6	93	41.7
Florence	483	27.6	76	8.5	407	47.5
Georgetown	228	30.5	21	7.5	207	44.3
Greenville	842	19.4	267	8.0	575	56.3
Greenwood	234	28.4	60	12.2	174	52.3
Hampton	108	32.7	8	8.1	100	43.3
Horry	416	19.6	128	8.3	288	49.2
Jasper	110	39.3	12	13.0	98	52.1
Kershaw	112	18.9	18	4.6	94	47.2
Lancaster	164	22.1	34	7.2	130	48.9
Laurens	209	28.2	42	9.1	167	59.6
Lee	143	48.1	3	4.5	140	60.6
Lexington	313	13.8	155	8.1	158	44.6
McCormick	37	34.6	1	3.2	36	47.4
Marion	196	39.3	23	12.0	173	56.2
Marlboro	228	43.6	42	19.5	186	60.4
Newberry	124	28.1	9	3.9	115	54.8
Oconee	81	12.1	37	6.3	44	51.2
Orangeburg	515	36.9	36	7.3	479	52.8
Pickens	133	13.2	78	8.6	55	57.9
Richland	1,011	23.9	130	6.2	881	41.0
Saluda	70	29.8	7	5.2	63	62.4
Spartanburg	699	23.3	194	9.0	505	58.9
Sumter	458	27.0	67	7.9	391	45.9
Union	88	24.8	23	10.4	65	48.5
Williamsburg	224	37.3	11	7.2	213	47.5
York	409	23.1	117	9.2	292	59.1

Table 33.
Out-of-Wedlock Live Births by Age of Mother
South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total All Ages	Age of Mother								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Older	Not Stated
SOUTH CAROLINA	12,513	252	4,912	4,554	1,847	681	224	38	3	2
Abbeville	96	3	34	35	14	8	2	-	-	-
Aiken	355	8	148	120	52	18	8	1	-	-
Allendale	66	2	26	26	4	7	1	-	-	-
Anderson	326	10	150	90	51	14	9	2	-	-
Bamberg	101	1	25	45	19	8	3	-	-	-
Barnwell	105	2	36	43	18	3	2	-	1	-
Beaufort	266	4	96	113	32	18	3	-	-	-
Berkeley	277	2	104	102	46	15	5	2	1	-
Calhoun	60	-	25	20	9	4	2	-	-	-
Charleston	1,493	32	542	577	229	86	20	6	-	1
Cherokee	184	4	97	50	22	10	1	-	-	-
Chester	166	1	72	56	31	4	1	1	-	-
Chesterfield	162	2	66	64	20	7	2	1	-	-
Clarendon	172	4	73	64	22	5	4	-	-	-
Colleton	182	2	54	79	28	12	6	1	-	-
Darlington	274	6	106	107	39	13	2	1	-	-
Dillon	214	4	71	95	36	7	1	-	-	-
Dorchester	176	3	60	73	21	14	5	-	-	-
Edgefield	98	1	42	32	10	8	4	1	-	-
Fairfield	105	4	43	40	11	7	-	-	-	-
Florence	483	8	206	166	65	27	7	3	-	1
Georgetown	228	4	90	69	42	19	4	-	-	-
Greenville	842	25	344	289	119	47	17	1	-	-
Greenwood	234	4	107	74	31	13	4	1	-	-
Hampton	108	1	41	41	17	5	2	1	-	-
Horry	416	8	186	150	47	21	4	-	-	-
Jasper	110	1	38	48	17	2	3	1	-	-
Kershaw	112	2	35	51	16	4	4	-	-	-
Lancaster	164	-	71	58	21	10	4	-	-	-
Laurens	209	4	82	77	33	12	1	-	-	-
Lee	143	5	47	52	26	7	5	1	-	-
Lexington	313	8	114	117	53	11	8	2	-	-
McCormick	37	-	19	11	5	1	1	-	-	-
Marion	196	2	82	74	25	9	4	-	-	-
Marlboro	228	3	93	91	30	7	3	1	-	-
Newberry	124	3	40	50	16	8	7	-	-	-
Oconee	81	3	34	26	14	3	-	1	-	-
Orangeburg	515	9	176	200	86	31	12	-	1	-
Pickens	133	2	60	48	16	4	2	1	-	-
Richland	1,011	15	365	372	166	68	23	2	-	-
Saluda	70	-	28	29	9	4	-	-	-	-
Spartanburg	699	22	283	233	108	43	9	1	-	-
Sumter	458	8	193	157	73	21	6	-	-	-
Union	88	1	32	38	11	3	2	1	-	-
Williamsburg	224	6	94	72	29	15	7	1	-	-
York	409	13	182	130	58	18	4	4	-	-

Table 34.
Live Births With Reported Congenital Malformations
South Carolina and Each County, 1983-1985
(Residence Data)

County of Residence	1983		1984		1985	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	466	9.2	346	6.8	421	8.1
Abbeville	3	8.8	2	6.4	-	0
Aiken	21	12.2	13	7.5	9	4.9
Allendale	4	19.2	2	10.2	2	11.7
Anderson	16	9.0	8	4.5	20	10.6
Bamberg	8	26.3	5	17.7	3	12.1
Barnwell	4	12.5	-	0	2	6.2
Beaufort	18	12.6	11	1.9	17	11.2
Berkeley	17	7.9	14	6.5	17	7.6
Calhoun	2	11.7	2	11.2	-	0
Charleston	59	10.6	46	8.4	39	7.0
Cherokee	3	5.2	2	3.7	4	6.7
Chester	9	18.0	5	9.7	13	26.0
Chesterfield	8	15.2	6	11.3	12	21.3
Clarendon	6	13.5	3	6.7	2	4.4
Colleton	4	7.7	9	16.5	-	0
Darlington	6	7.0	9	10.6	8	9.5
Dillon	19	34.7	4	7.4	7	13.2
Dorchester	13	11.4	7	5.6	12	9.0
Edgefield	8	27.3	2	6.9	2	7.0
Fairfield	2	6.2	7	21.7	4	12.9
Florence	1	0.6	6	3.3	5	2.9
Georgetown	6	7.9	7	9.6	12	16.0
Greenville	29	6.8	12	2.8	15	3.5
Greenwood	2	2.4	-	0	3	3.6
Hampton	5	13.3	2	6.6	1	3.0
Horry	14	7.6	16	8.4	17	8.0
Jasper	6	19.4	-	0	1	3.6
Kershaw	5	8.5	6	9.5	5	8.4
Lancaster	8	11.0	5	6.9	10	13.5
Laurens	3	4.0	2	2.6	4	5.4
Lee	2	6.5	3	9.5	3	10.1
Lexington	13	6.0	6	2.8	22	9.7
McCormick	1	8.3	-	0	-	0
Marion	6	10.8	2	3.6	4	8.0
Marlboro	2	4.0	8	16.7	13	24.9
Newberry	11	24.2	4	8.9	5	11.3
Oconee	3	4.5	12	17.8	6	9.0
Orangeburg	20	14.2	8	6.0	21	15.0
Pickens	12	13.4	17	17.4	5	5.0
Richland	42	10.1	26	6.4	35	8.3
Saluda	1	3.8	1	4.0	-	0
Spartanburg	12	4.2	10	3.4	14	4.7
Sumter	18	10.3	21	11.9	15	8.8
Union	2	5.0	2	5.6	6	16.9
Williamsburg	7	11.0	5	8.1	6	10.0
York	5	3.0	8	4.7	20	11.3

1/ Classified and coded according to the International Classification of Disease, (ICD) Ninth Revision 740-759

Rates per 1,000 live births

Table 35.
Live Births With Reported Congenital Malformations[1] By Type: South Carolina, 1983-1985
(Residence Data)

CONGENITAL MALFORMATIONS	1983	1984	1985
Anencephalus (740)	1	7	8
Spina Bifida (741)	15	16	16
Other of Nervous System (742)	21	14	6
Of Eye (743)	8	2	4
Of Ear, Face and Neck (744)	13	4	5
Bulbus Cordis and Cardiac Septal Closure (745)	2	1	3
Other of Heart (746)	15	16	18
Circulatory System (747)	2	4	3
Respiratory System (748)	10	2	3
Cleft Palate and Cleft Lip (749)	34	27	28
Other of Upper Alimentary Tract (750)	11	2	4
Other Digestive System (751)	13	7	4
Of Genital Organs (752)	40	43	31
Of Urinary System (753)	3	6	8
Certain Musculoskeletal Deformities (754)	69	28	33
Other of Limbs (755)	95	85	114
Other Musculoskeletal Anomalies (756)	22	19	24
Of the Integument (757)	37	22	15
Chromosomal Anomalies (758)	20	8	18
Other, Unspecified or Multiple Anomalies (759)	35	33	76
TOTAL	466	346	421
Rate per 1,000 live births	9.2	6.8	8.1

---

[1] Classified and coded according to the International Classification of Diseases (ICD) Ninth Revision

DEATHS

DEATH SUMMARY

In 1985, there were 27,077 deaths to residents of South Carolina. This is an increase of 714 from the number of deaths reported in 1984. The 1985 death rate of 8.0 per 1,000 estimated population remained the same as in 1984.

Figure 7.

RESIDENT DEATH RATES
SOUTH CAROLINA, 1985



Rate calculated per 1,000 population

The pattern of mortality for the last twenty-three years is shown by race in Figure 8 . The total death rate fluctuated between the lowest rate of 7.7 and highest rate of 9.1 for this period. The nonwhite death rate has been consistently higher than the white or total rate for this same time period, as Figure 8 shows.

Table 36.
Total Deaths and Death Rate by Race
1963-1985
South Carolina Residents

Year	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
1963	21,675	8.8	12,714	7.8	8,961	10.7
1964	21,309	8.6	12,789	7.7	8,520	10.2
1965	21,668	8.6	13,101	7.8	8,567	10.3
1966	22,081	8.7	13,427	7.9	8,654	10.4
1967	21,762	8.2	13,611	7.4	8,151	10.0
1968	23,411	8.8	14,778	8.0	8,633	10.4
1969	22,820	8.5	14,612	7.9	8,208	9.8
1970	22,762	8.8	14,752	8.2	8,010	10.1
1971	23,140	8.8	15,035	8.2	8,105	10.2
1972	23,920	9.0	15,475	8.3	8,445	10.7
1973	24,871	9.1	16,188	8.4	8,683	10.9
1974	24,169	8.7	15,941	8.1	8,228	10.0
1975	23,343	8.3	15,464	8.0	7,879	9.0
1976	23,639	8.3	15,652	8.0	7,987	9.0
1977	24,254	8.4	16,088	8.2	8,166	9.0
1978	24,055	8.2	15,993	7.9	8,062	8.9
1979	24,343	8.3	16,207	8.0	8,136	8.9
1980	25,138	8.1	16,781	7.8	8,357	8.6
1981	25,410	7.9	17,199	7.8	8,211	8.2
1982	26,066	7.7	16,823	7.5	8,243	8.1
1983	26,130	7.9	17,717	7.8	8,413	8.1
1984	26,363	8.0	17,815	7.9	8,548	8.2
1985	27,077	8.0	18,390	8.0	8,687	8.2

Rate per 1,000 population



Figure 8 .
Death Rates by Race
South Carolina, 1963-1985
(Residence Data)

AGE AT DEATH

A comparison of mortality by age between 1985 and twenty years ago shows how the age at death structure is changing. The age group showing the greatest percentage change from 1966 to 1985 is infants under one year of age. In 1966, 6.8 percent of all deaths occurred to infants under one year of age; in 1985, however, this group accounted for only 2.7 percent of all deaths. The age groups of 55 years old and over accounted for a greater percentage of total deaths in 1985 (79.4 percent) than in 1966, when death in these age groups represented 65.5 percent of all deaths.

The percentage distribution of resident deaths by age and race, for South Carolina, 1966 and 1985, is shown in Table 37. This table shows that the changes in age at death between 1966 and 1985, as noted for total deaths, are paralleled by changes in the race distributions.

Table 37.
Percentages Distribution of Deaths by Race by Age:
South Carolina, 1966 and 1985
(Residence Data)

Age at Death	Total 1966	Total 1985	White 1966	White 1985	Nonwhite 1966	Nonwhite 1985
All Ages	100.0	100.0	100.0	100.0	100.0	100.0
Under 1	6.8	2.7	4.7	1.6	10.1	5.0
01 - 04	1.2	0.4	0.9	0.3	2.5	0.7
05 - 09	0.7	0.3	0.6	0.2	0.9	0.4
10 - 14	1.2	0.3	0.6	0.3	0.9	0.3
15 - 19	1.6	0.9	1.5	0.9	1.7	0.8
20 - 24	1.5	1.4	1.2	1.4	2.0	1.5
25 - 34	3.3	2.9	2.4	2.4	4.5	4.0
35 - 44	6.0	4.3	4.6	3.5	8.3	6.1
45 - 54	12.2	7.4	10.8	6.6	14.3	8.9
55 - 64	18.6	16.1	17.6	15.5	20.2	17.3
65 - 74	22.8	25.6	22.9	25.0	22.6	26.7
75 and Over	24.1	37.7	32.2	42.3	11.7	28.2
Unknown	0.1	0	0.0	0	0.3	0

INFANT DEATH

Resident deaths in South Carolina to infants under one year of age numbered 735 in 1985 and occurred at a rate of 14.2 per 1,000 live births. The infant mortality rate decreased 3.4 percent from the previous years's rate of 14.7. As seen in Table 38, over 40 percent of all infant deaths occurred within the first 24 hours of life and 58.8 percent occurred within the first week after birth. Over one-half (59.0 percent) of the total infant deaths were nonwhite. There were 434 nonwhite and 301 white infant deaths . The white infant mortality rate showed a substantial decrease (14.4 percent) while the nonwhite rate increased by 5.9 percent from last year's rate. Of the total resident infant deaths, 389 or (52.9 percent) were males and 343 or (46.7 percent) were females.

The leading causes of infant death in South Carolina in 1985 are shown by age at death, in Table 38. The first leading cause of infant death was Certain Conditions Originating in the Perinatal Period, followed by Congenital Anomalies as the second leading cause.

Table 38.
Leading Causes of Infant Death, by Age of Death
South Carolina, 1985
(Residence Data)

Cause of Death	Total	Under 1 Day	1-6 Days	7-27 Days	28-364 Days
Total Infant Deaths	735	320	112	84	219
Certain Conditions Originating in the Perinatal Period (760-779)	403	272	70	41	20
Congenital Anomalies (740-759)	132	40	35	24	33
Symptoms and Ill-Defined Conditions (780-799)	63	3	-	4	56
Accidents (E800-E949)	25	-	1	3	21
Infectious and Parasitic Disease (001-139)	22	1	-	2	19
Disease of Heart (390-398, 402, 404-429)	12	-	-	1	11
Other Disease of the Respiratory System (510-519)	12	1	2	1	8
Pneumonia and Influenza (480-486, 487)	9	-	-	-	9
Homicide and Legal Intervention (E960-E978)	8	-	-	2	6
Meningitis (320-322)	6	-	1	-	5
All Other Causes	43	3	3	6	31

NEONATAL DEATH

Deaths in the first 27 days of life (neonatal deaths) numbered 516, representing 70.2 percent of all infant deaths. The total neonatal mortality rate (10.0 per 1,000 live births) increased 2.0 percent from the 1984 rate (9.8). The white neonatal mortality rate decreased 16.7 percent to a rate of 6.5 while the nonwhite rate increased 19.5 percent to a rate of 15.3.

POSTNEONATAL DEATHS

Deaths to infants 28 through 364 days of age (postneonatal deaths) numbered 219 in 1985. The postneonatal mortality rate of 4.2 per 1,000 live births represents a decrease of 14.3 percent from the 1984 rate of 4.9. As shown in Table 38, the leading causes of death for infants 28-364 days differ from the leading causes of death for infants under 28 days. The first leading cause of postneonatal mortality in 1985 was Symptoms and Ill-defined Conditions and the second leading cause was Congenital Anomalies.

MATERNAL DEATH

A total of 3 maternal deaths occurred to South Carolina residents during 1985 at a rate of 0.6 per 10,000 live births. The 1985 maternal mortality rate represents a decrease of 40.0 percent from the previous year's rate of 1.0. The 3 maternal deaths reported in 1985 were all nonwhite.

Table 39.
Maternal Deaths by Cause, Race, and Age:
South Carolina, 1985
(Residence Data)

Cause of Maternal Death	Race	All Ages	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & Over
All Maternal Deaths (630-676)	Total	3	-	1	-	1	1	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	3	-	1	-	1	1	-	-	-
1. Pregnancy With Abortive outcome (630-639)	Total	1	-	1	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	1	-	-	-	-	-	-
2. Complications mainly related to pregnancy (640-648)	Total	1	-	-	-	1	-	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	1	-	-	-	-
3. Normal delivery, & other indications for care in pregnancy, labor & delivery (650-659)	Total	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-
4. Complications occurring mainly in the course of labor & delivery (660-669)	Total	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-
5. Complications of the puerperium (670-676)	Total	1	-	-	-	-	1	-	-	-
	White	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	1	-	-	-

Cause of deaths classified and coded according to the International Classification of Disease (ICD) 9th revision

FETAL DEATH

In 1985, there were 588 fetal deaths, representing a rate of 11.3 per 1,000 live births. The total number of white fetal deaths (259) decreased 11.3 percent, and the nonwhite number (329) decreased 5.5 percent from the previous year.

PERINATAL DEATH

In 1985, there were 1,104 deaths in the perinatal period, corresponding to a rate of 21.1 per 1,000 deliveries (live births plus fetal deaths). The total number of perinatal deaths decreased only slightly from 1984, although the number of nonwhite perinatal deaths (640) increased 6.0 percent while the number for whites (464) decreased 12.6 percent.

VIOLENT DEATHS

There were 2,408 South Carolina residents who died from violent causes in 1985. Violent causes are defined as accidents, suicides, homicides, and "injury undetermined whether accidentally or purposely inflicted".

Table 40 shows the number of deaths with death rates for each type of violent death for the past five years.

Table 40.
Violent Deaths With Rates by Type:
South Carolina, 1981-1985
(Residence Data)

Type of Violence	1981		1982		1983		1984		1985	
	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate
Total	2,415	75.6	2,315	71.1	2,398	72.3	2,442	74.0	2,408	71.5
Accidents	1,692	53.4	1,548	47.5	1,728	52.1	1,721	52.1	1,668	49.5
Homicide	357	11.3	379	11.6	323	9.7	304	9.2	323	9.6
Suicide	348	11.0	366	11.2	334	10.1	390	11.8	391	11.6
Unable to Determine	18	0.7	22	0.7	13	0.4	27	0.8	26	0.8

Rate per 100,000 population

ACCIDENTAL DEATH

Accidental deaths to residents of South Carolina numbered 1,668 in 1985. This represents a 5.0 percent decrease from the previous year. The death rate for motor vehicle accidents decreased from 28.8 per 100,000 population in 1984 to 27.3 per 100,000 population in 1985, a decrease of 5.2 percent.

Table 41.
Types of Accidental Deaths by Sex:
South Carolina, 1985
(Residence Data)

Sex	Total	Transport	Poison	Falls	Fire and Flames	Drowning	Firearms	Residual of
	E800-E949	E800-E848	E850-E869	E880-E888	E890-E899	E910	E922	E800-E949
Total	1,668	956	71	137	118	64	37	285
Male	1,169	692	47	72	81	51	32	194
Female	499	264	24	65	37	13	5	91

SUICIDE

The methods used most frequently for resident suicide deaths were firearms (76.0 percent) and poisoning (11.8 percent). Table 42 summarizes the methods most frequently used for each of the sex groups in 1985. Firearms were most frequently used to commit suicide in 1985 by both males (78.1 percent) and females (68.5 percent).

Table 42.
Methods of Suicidal Deaths by Sex:
South Carolina, 1985
(Residence Data)

	All Suicides (E950-E959)	Poisoning (E950-E952)	Hanging Strangulation & Suffocation (E953)	Drowning (E954)	Firearms (E955)	Cutting and Piercing (E956)	Jumping From High Places (E957)	All Other
Total	391	46	32	6	297	-	3	7
Male	302	30	27	3	236	-	2	4
Female	89	16	5	3	61	-	1	3

HOMICIDE

Deaths from homicide accounted for 13.4 percent of all violent deaths in 1985. The most frequently used method for committing homicide in 1985 was firearms. Sex distribution of methods for committing homicide is shown in Table 43.

Table 43.
Methods of Homicidal Deaths by Sex:
South Carolina, 1985
(Residence Data)

	All Homicides (E960-E978)	Fight Brawl Rape (E960)	Assault by by Poisoning (E962)	Assault by Hanging & Strangulation (E963)	Assault by Submersion (E964)	Assault by Firearms (E965)	Assault by Cutting & Piercing (E966)	All Other
Total	323	-	-	9	2	199	59	54
Male	242	-	-	4	2	161	41	34
Female	81	-	-	5	-	38	18	20

TEN LEADING CAUSES OF DEATH

The ten leading causes of death in South Carolina during 1985 are shown by rank, with the number of deaths from each cause and the corresponding percentage of total deaths, in Table 46. These ten causes accounted for 83.2 percent of all deaths in 1985; 71.2 percent of all deaths were attributed to the first four causes.

The first leading cause of death was diseases of the heart, which accounted for 9,524 deaths in 1985. The death rate for diseases of the heart was 282.9 per 100,000 population. Deaths attributed to this cause represented 35.2 percent of total deaths. Of all deaths from diseases of the heart, 65.8 percent were attributed to ischemic heart disease. The majority of deaths from diseases of the heart occurred to persons over the age of 44. However, deaths from diseases of the heart accounted for 33.9 percent of all deaths occurring to white males 35-54 years of age.

The second leading cause of death was malignant neoplasms, which was the cause of 5,643 resident deaths in 1985. The majority of deaths from malignant neoplasms occurred to persons in the age group 55-74. Table 44 shows the distribution of malignant neoplasms by site. Of all deaths attributed to malignant neoplasms, 28.4 percent were attributed to malignant neoplasms of the respiratory system and 24.1 percent to malignant neoplasms of the digestive system and peritoneum.

Table 44.
Distribution of Malignant Neoplasms by Site:
South Carolina, 1985
(Residence Data)

	ICD CODES	NUMBER	PERCENT
Malignant Neoplasms	140-208	5,643	100.0
Lip, Oral Cavity and Pharynx	140-149	137	2.4
Digestive Organs and Peritoneum	150-159	1,361	24.1
Respiratory System	160-165	1,600	28.4
Breast	174-175	452	8.0
Genital Organs	179-187	737	13.1
Cervix Uteri	(179-180)	(129)	(2.3)
Other Female Genital Organs	(181-184)	(193)	(3.4)
Prostate	(185)	(401)	(7.1)
Other Male Genital Organs	(186-187)	(14)	(0.2)
Urinary Organs	188-189	232	4.1
Leukemia	204-208	206	3.6
Other and Unspecified Sites	170-173, 190-199	635	11.3
Lymphatic & Hematopoietic Tissues	200-203	283	5.0

Cerebrovascular diseases, the third leading cause of death in 1985, accounted for 2,433 deaths or 9.0 percent of total deaths. Of the deaths attributed to cerebrovascular diseases, 81.0 percent occurred to persons 65 years of age and older. Fifty-seven percent of deaths from cerebrovascular diseases occurred to females, with 36.7 percent of all cerebrovascular disease deaths occurring to white females.

Table 45.
Deaths From Major Cardiovascular Diseases:
South Carolina, 1985
(Residence Data)

	Number of Deaths	Percent of Total Deaths
Major Cardiovascular Disease (390-448)	12,649	46.7
Disease of Heart (390-398, 402, 404-429)	9,524	35.2
Hypertension (401, 403)	174	0.6
Cerebrovascular Disease (430-438)	2,433	9.0
Atherosclerosis (440)	224	0.8
Other Diseases of Arteries, Arterioles, and Capillaries (441-448)	294	1.1

Figure 9 depicts the percentages by sex of the ten leading causes of death in South Carolina for 1985. Table 47 presents the five leading causes of death within each age group for 1985. While diseases of the heart is the leading cause of death for all ages combined, accidental death is the leading cause for all five-year age groups between the ages of one and 45 years.

Table 46.
Mortality From Ten Leading Causes of Death by Race: South Carolina, 1985
(Residence Data)

Cause of Death	TOTAL		WHITE		NONWHITE	
	Number	Percent	Number	Percent	Number	Percent
All Causes, All Ages	27,077	100.0	18,390	100.0	8,687	100.0
Ten Leading Causes, All Ages	22,520	83.2	15,577	84.7	6,943	79.9
Diseases of Heart (390-398,402, 404-429)	9,524	35.2	6,779	36.9	2,745	31.6
Malignant Neoplasms (140-208)	5,643	20.8	3,969	21.6	1,674	19.3
Cerebrovascular Diseases (430-438)	2,433	9.0	1,536	8.4	897	10.3
Accidents (E800-E949)	1,668	6.2	1,089	5.9	579	6.7
Chronic Obstructive Pulmonary Disease & Allied Conditions (490-496)	787	2.9	661	3.6	126	1.4
Pneumonia & Influenza (480-486, 487)	781	2.9	603	3.3	178	2.0
Diabetes Mellitus (250)	506	1.9	283	1.5	223	2.6
Certain Conditions Originating In The Perinatal Period (760-779)	406	1.5	145	0.8	261	3.0
Suicide (E950-E959)	391	1.4	325	1.8	66	0.8
Infectious & Parasitic Disease (001-139)	381	1.4	187	1.0	194	2.2
All Other Causes	4,557	16.8	2,813	15.3	1,744	20.1

Figure 9 .
Percentage Distribution of The Ten Leading Causes of Death and Deaths From All Causes by Sex, South Carolina, 1985



Table 47.
Mortality From Five Leading Causes of Death in Specified Age Groups by Race: South Carolina, 1985 (Residence Data)

	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Under 1 Year						
All Causes	735	100.0	301	100.0	434	100.0
Certain Conditions Originating in the Perinatal Period (760-779)	403	54.8	143	47.5	260	59.9
Congenital Anomalies (740-759)	132	18.0	68	22.6	64	14.7
Symptoms and Ill-defined Conditions (780-799)	63	8.6	24	8.0	39	9.0
Accidents (E800-E949)	25	3.4	10	3.3	15	3.5
Infectious and Parasitic Disease (001-139)	22	3.0	6	2.0	16	3.7
All Other Causes	90	12.2	50	16.6	40	9.2
1 - 4 Years						
All Causes	117	100.0	57	100.0	60	100.0
Accidents (E800-E949)	37	31.6	19	33.3	18	30.0
Congenital Anomalies (740-759)	11	9.4	2	3.5	9	15.0
Homicide and Legal Intervention (E960-E978)	9	7.7	5	8.8	4	6.7
Diseases of Heart (390-398, 402, 404-429)	8	6.8	5	8.8	3	5.0
Malignant Neoplasms (140-208)	7	6.0	3	5.3	4	6.7
All Others Causes	45	38.5	23	40.3	22	36.7
5 - 14 Years						
All Causes	154	100.0	89	100.0	65	100.0
Accidents (E800-E949)	74	48.1	42	47.2	32	49.2
Malignant Neoplasms (140-208)	19	12.3	11	12.4	8	12.3
Congenital Anomalies (740-759)	9	5.8	6	6.7	3	4.6
Infectious and Parasitic Diseases (001-139)	7	4.5	3	3.4	4	6.2
Diseases of Heart (390-398, 402, 404-429)	5	3.2	2	2.2	3	4.6
All Other Causes	40	26.0	25	28.1	15	23.1
15 - 24 Years						
All Causes	624	100.0	421	100.0	203	100.0
Accidents (E800-E949)	350	56.1	269	63.9	81	39.9
Suicide (E950-E959)	76	12.2	63	15.0	13	6.4
Homicide and Legal Intervention (E960-E978)	72	11.5	30	7.1	42	20.7
Malignant Neoplasms (140-208)	32	5.1	18	4.3	14	6.9
Diseases of Heart (390-398, 402, 404-429)	17	2.7	5	1.2	12	5.9
All Other Causes	77	12.3	36	8.6	41	20.2
25 - 44 Years						
All Causes	1,953	100.0	1,072	100.0	881	100.0
Accidents (E800-E949)	515	26.4	308	28.7	207	23.5
Diseases of Heart (390-398, 402, 404-429)	305	15.6	176	16.4	129	14.6
Malignant Neoplasms (140-208)	291	14.9	185	17.3	106	12.0
Homicide and Legal Intervention (E960-E978)	161	8.2	69	6.4	92	10.4
Suicide (E950-E959)	146	7.5	113	10.5	33	3.7
All Other Causes	535	27.4	221	20.6	314	35.6
45 - 64 Years						
All Causes	6,351	100.0	4,073	100.0	2,278	100.0
Diseases of Heart (390-398, 402, 404-429)	2,147	33.8	1,400	34.4	747	32.8
Malignant Neoplasms (140-208)	1,931	30.4	1,340	32.9	591	25.9
Cerebrovascular Disease (430-438)	381	6.0	176	4.3	205	9.0
Accidents (E800-E949)	324	5.1	198	4.9	126	5.5
Chronic Obstructive Pulmonary Disease and Allied Conditions (490-496)	170	2.7	132	3.2	38	1.7
All Other Causes	1,398	22.0	827	20.3	571	25.1
65 - 74 Years						
All Causes	6,923	100.0	4,605	100.0	2,318	100.0
Diseases of Heart (390-398, 402, 404-429)	2,712	39.2	1,819	39.5	893	38.5
Malignant Neoplasms (140-208)	1,836	26.5	1,283	27.9	553	23.9
Cerebrovascular Disease (430-438)	597	8.6	337	7.3	260	11.2
Chronic Obstructive Pulmonary Disease and Allied Conditions (490-496)	308	4.4	262	5.7	46	2.0
Diabetes Mellitus (250)	160	2.3	87	1.9	73	3.1
All Other Causes	1,310	18.9	817	17.7	493	21.3
75 Years & Over						
All Causes	10,220	100.0	7,772	100.0	2,448	100.0
Diseases of Heart (390-398, 402, 404-429)	4,318	42.2	3,364	43.3	954	39.0
Malignant Neoplasms (140-208)	1,527	14.9	1,129	14.5	398	16.3
Cerebrovascular Disease (430-438)	1,374	13.4	999	12.9	375	15.3
Pneumonia and Influenza (480-486, 487)	497	4.9	424	5.5	73	3.0
Chronic Obstructive Pulmonary Disease and Allied Conditions (490-496)	289	2.8	256	3.3	33	1.3
All Other Causes	2,215	21.7	1600	20.6	615	25.1

Table 48.
Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1985
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
South Carolina........	27,077	8.0	18,390	8.0	8,687	8.2
Abbeville.............	199	8.3	134	8.3	65	8.3
Abbeville............	58	---	36	---	22	---
Honea Path (Part)....	-	---	-	---	-	---
Balance of County....	141	---	98	---	43	---
Aiken................	1,009	8.9	769	9.1	240	8.2
New Ellenton.........	19	---	13	---	6	---
Aiken................	230	---	166	---	64	---
N. Augusta...........	191	---	164	---	27	---
Balance of County....	569	---	426	---	143	---
Allendale............	125	11.2	55	14.1	70	9.6
Allendale............	51	---	18	---	33	---
Balance of County....	74	---	37	---	37	---
Anderson.............	1,121	7.9	920	7.9	201	8.0
Belton...............	55	---	44	---	11	---
Honea Path (Part)....	42	---	34	---	8	---
Williamston..........	36	---	30	---	6	---
Clemson Vill (Part)..	-	---	-	---	-	---
Pendleton............	26	---	20	---	6	---
Anderson.............	392	---	300	---	92	---
Balance of County....	570	---	492	---	78	---
Bamberg..............	163	8.8	74	9.8	89	8.2
Bamberg..............	52	---	28	---	24	---
Denmark..............	32	---	5	---	27	---
Balance of County....	79	---	41	---	38	---
Barnwell.............	200	9.7	120	10.6	80	8.5
Barnwell.............	59	---	32	---	27	---
Williston............	25	---	17	---	8	---
Blackville...........	30	---	15	---	15	---
Balance of County....	86	---	56	---	30	---
Beaufort.............	507	6.0	311	5.6	196	6.9
Beaufort.............	152	---	92	---	60	---
Port Royal...........	14	---	7	---	7	---
Hilton Head..........	112	---	100	---	12	---
Balance of County....	229	---	112	---	117	---
Berkeley.............	589	5.0	382	4.5	207	6.4
Goose Creek..........	67	---	60	---	7	---
Hanahan..............	51	---	50	---	1	---
Moncks Corner........	82	---	62	---	20	---
Balance of County....	389	---	210	---	179	---
Calhoun..............	106	8.6	44	7.4	62	9.8
Balance of County....	106	---	44	---	62	---
Charleston...........	2,129	7.2	1,281	6.9	848	7.7
Mt. Pleasant.........	173	---	155	---	18	---
Summerville (Part)...	4	---	1	---	3	---
Isle of Palms........	18	---	18	---	-	---
Charleston...........	840	---	456	---	384	---
N. Charleston........	274	---	203	---	71	---
Balance of County....	820	---	448	---	372	---

Table 48.(Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Cherokee	353	8.3	280	8.3	73	8.4
Gaffney	167	---	122	---	45	---
Balance of County	186	---	158	---	28	---
Chester	329	10.7	223	11.9	106	8.8
Chester	91	---	48	---	43	---
Great Falls	38	---	30	---	8	---
Balance of County	200	---	145	---	55	---
Chesterfield	372	9.5	242	9.3	130	9.9
Cheraw	103	---	59	---	44	---
Pageland	23	---	15	---	8	---
Balance of County	246	---	168	---	78	---
Clarendon	254	8.7	115	9.2	139	8.3
Manning	44	---	24	---	20	---
Balance of County	210	---	91	---	119	---
Colleton	342	10.0	189	10.1	153	9.8
Walterboro	119	---	66	---	53	---
Balance of County	223	---	123	---	100	---
Darlington	591	9.2	357	9.3	234	9.0
Darlington	120	---	54	---	66	---
Hartsville	84	---	46	---	38	---
Balance of County	387	---	257	---	130	---
Dillon	309	9.4	191	10.8	118	7.8
Dillon	104	---	64	---	40	---
Balance of County	205	---	127	---	78	---
Dorchester	432	5.8	300	5.4	132	6.9
Summerville (Part)	90	---	75	---	15	---
Balance of County	342	---	225	---	117	---
Edgefield	134	7.0	63	6.5	71	7.6
Edgefield	30	---	15	---	15	---
Johnston	26	---	10	---	16	---
Balance of County	78	---	38	---	40	---
Fairfield	239	11.3	103	11.5	136	11.1
Winnsboro	38	---	14	---	24	---
Balance of County	201	---	89	---	112	---
Florence	1,096	9.5	631	8.8	465	10.7
Lake City	61	---	29	---	32	---
Florence	419	---	179	---	240	---
Balance of County	616	---	423	---	193	---
Georgetown	345	7.3	191	7.2	154	7.3
Andrews (Part)	21	---	9	---	12	---
Georgetown	127	---	70	---	57	---
Balance of County	197	---	112	---	85	---
Greenville	2,437	8.0	1,973	8.0	464	8.2
Travelers Rest	24	---	21	---	3	---
Simpsonville	62	---	55	---	7	---
Fountain Inn (Part)	30	---	22	---	8	---
Mauldin	36	---	33	---	3	---
Greenville	725	---	449	---	276	---
Greer (Part)	140	---	125	---	15	---
Balance of County	1,420	---	1,268	---	152	---

Table 48. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenwood.............	534	8.8	364	8.7	170	9.0
Greenwood............	272	---	176	---	96	---
Balance of County....	262	---	188	---	74	---
Hampton...............	155	8.1	71	8.0	84	8.2
Hampton.............	29	---	18	---	11	---
Balance of County....	126	---	53	---	73	---
Horry.................	947	7.5	772	7.8	175	6.1
Conway...............	123	---	80	---	43	---
Myrtle Beach.........	172	---	151	---	21	---
N. Myrtle Beach......	40	---	38	---	2	---
Surfside Beach.......	35	---	35	---	-	---
Balance of County....	577	---	468	---	109	---
Jasper................	131	8.3	60	8.7	71	8.0
Balance of County....	131	---	60	---	71	---
Kershaw...............	312	7.4	215	7.5	97	7.2
Camden...............	94	---	54	---	40	---
Balance of County....	218	---	161	---	57	---
Lancaster.............	430	7.7	309	7.3	121	8.9
Lancaster............	123	---	84	---	39	---
Balance of County....	307	---	225	---	82	---
Laurens...............	529	9.8	379	10.0	150	9.6
Clinton..............	88	---	65	---	23	---
Fountain Inn (Part)..	7	---	3	---	4	---
Laurens..............	140	---	88	---	52	---
Balance of County....	294	---	223	---	71	---
Lee...................	148	7.7	56	7.7	92	7.8
Bishopville..........	40	---	17	---	23	---
Balance of County....	108	---	39	---	69	---
Lexington.............	997	6.3	859	6.1	138	8.2
Batesburg (Part).....	39	---	19	---	20	---
Cayce................	91	---	84	---	7	---
Springdale...........	-	---	-	---	-	---
W. Columbia..........	160	---	147	---	13	---
Irmo (Part)..........	8	---	7	---	1	---
Balance of County....	699	---	602	---	97	---
McCormick.............	69	9.0	32	10.9	37	7.8
Balance of County....	69	---	32	---	37	---
Marion................	330	9.5	150	9.3	180	9.6
Marion...............	102	---	38	---	64	---
Mullins..............	57	---	21	---	36	---
Balance of County....	171	---	91	---	80	---
Marlboro..............	306	9.3	164	9.7	142	8.9
Bennettsville........	120	---	58	---	62	---
McColl...............	20	---	16	---	4	---
Balance of County....	166	---	90	---	76	---
Newberry..............	329	10.2	211	9.5	118	11.8
Newberry.............	162	---	101	---	61	---
Balance of County....	167	---	110	---	57	---

Table 48. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Oconee................	473	9.0	418	8.9	55	10.1
Seneca...............	67	---	46	---	21	---
Walhalla.............	45	---	38	---	7	---
Westminster..........	25	---	22	---	3	---
Balance of County....	336	---	312	---	24	---
Orangeburg............	848	9.8	431	11.8	417	8.3
Orangeburg...........	214	---	141	---	73	---
Balance of County....	634	---	290	---	344	---
Pickens...............	568	6.7	498	6.4	70	11.6
Liberty..............	27	---	23	---	4	---
Pickens..............	57	---	43	---	14	---
Clemson Vill (Part)..	57	---	50	---	7	---
Easley...............	124	---	108	---	16	---
Balance of County....	303	---	274	---	29	---
Richland..............	2,178	7.7	1,350	8.4	828	6.7
Forest Acres.........	-	---	-	---	-	---
Irmo (Part)..........	3	---	3	---	-	---
Columbia.............	1,181	---	754	---	427	---
Balance of County....	994	---	593	---	401	---
Saluda................	159	9.4	110	10.0	49	8.3
Batesburg (Part).....	2	---	1	---	1	---
Saluda...............	28	---	15	---	13	---
Balance of County....	129	---	94	---	35	---
Spartanburg...........	1,942	9.3	1,533	9.3	409	9.4
Woodruff.............	45	---	32	---	13	---
Spartanburg..........	559	---	359	---	200	---
Greer (Part).........	32	---	20	---	12	---
Balance of County....	1,306	---	1,122	---	184	---
Sumter................	740	7.8	378	7.5	362	8.2
Sumter...............	347	---	208	---	139	---
Balance of County....	393	---	170	---	223	---
Union.................	300	9.6	231	10.6	69	7.3
Union................	119	---	92	---	27	---
Balance of County....	181	---	139	---	42	---
Williamsburg..........	346	8.7	145	10.3	201	7.9
Andrews (Part).......	-	---	-	---	-	---
Kingstree............	81	---	39	---	42	---
Balance of County....	265	---	106	---	159	---
York..................	925	8.0	706	7.9	219	8.3
Clover...............	50	---	40	---	10	---
Fort Mill............	54	---	41	---	13	---
York.................	73	---	48	---	25	---
Rock Hill............	378	---	254	---	124	---
Balance of County....	370	---	323	---	47	---

Rate per 1,000 estimated population

Table 49.

Deaths and Death Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1985

(Occurrence Data)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
South Carolina........	26,115	7.8	17,677	7.7	8,438	7.9
Abbeville.............	148	6.2	89	5.5	59	7.6
Abbeville............	91	---	53	---	38	---
Honea Path (Part)....	-	---	-	---	-	---
Balance of County....	57	---	36	---	21	---
Aiken.................	616	5.4	444	5.3	172	5.9
New Ellenton.........	8	---	4	---	4	---
Aiken................	374	---	257	---	117	---
N. Augusta...........	69	---	62	---	7	---
Balance of County....	165	---	121	---	44	---
Allendale.............	94	8.4	40	10.3	54	7.4
Allendale............	15	---	9	---	6	---
Balance of County....	79	---	31	---	48	---
Anderson..............	1,069	7.5	869	7.4	200	8.0
Belton...............	14	---	12	---	2	---
Honea Path (Part)....	12	---	12	---	-	---
Williamston..........	14	---	12	---	2	---
Clemson Vill (Part)..	-	---	-	---	-	---
Pendleton............	8	---	6	---	2	---
Anderson.............	838	---	666	---	172	---
Balance of County....	183	---	161	---	22	---
Bamberg...............	155	8.4	69	9.2	86	7.9
Bamberg..............	113	---	51	---	62	---
Denmark..............	11	---	4	---	7	---
Balance of County....	31	---	14	---	17	---
Barnwell..............	136	6.6	79	7.0	57	6.0
Barnwell.............	91	---	49	---	42	---
Williston............	11	---	6	---	5	---
Blackville...........	7	---	4	---	3	---
Balance of County....	27	---	20	---	7	---
Beaufort..............	447	5.3	272	4.9	175	6.1
Beaufort.............	221	---	113	---	108	---
Port Royal...........	2	---	-	---	2	---
Hilton Head..........	121	---	99	---	22	---
Balance of County....	103	---	60	---	43	---
Berkeley..............	241	2.0	159	1.9	82	2.5
Goose Creek..........	14	---	14	---	-	---
Hanahan..............	11	---	11	---	-	---
Moncks Corner........	55	---	41	---	14	---
Balance of County....	161	---	93	---	68	---
Calhoun...............	43	3.5	17	2.9	26	4.1
Balance of County....	43	---	17	---	26	---
Charleston............	3,158	10.7	1,949	10.6	1,209	11.0
Mt. Pleasant.........	83	---	74	---	9	---
Summerville (Part)...	-	---	-	---	-	---
Isle of Palms........	3	---	3	---	-	---
Charleston...........	2,009	---	1,149	---	860	---
N. Charleston........	251	---	183	---	68	---
Balance of County....	812	---	540	---	272	---

Table 49. (Cont.

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Cherokee.............	274	6.4	214	6.3	60	6.9
Gaffney.............	42	---	41	---	1	---
Balance of County....	232	---	173	---	59	---
Chester..............	228	7.4	143	7.6	85	7.1
Chester.............	14	---	5	---	9	---
Great Falls..........	12	---	9	---	3	---
Balance of County....	202	---	129	---	73	---
Chesterfield.........	231	5.9	137	5.3	94	7.1
Cheraw..............	152	---	87	---	65	---
Pageland............	6	---	4	---	2	---
Balance of County....	73	---	46	---	27	---
Clarendon............	204	7.0	83	6.6	121	7.3
Manning.............	124	---	50	---	74	---
Balance of County....	80	---	33	---	47	---
Colleton.............	280	8.2	153	8.2	127	8.1
Walterboro..........	219	---	123	---	96	---
Balance of County....	61	---	30	---	31	---
Darlington...........	479	7.4	296	7.7	183	7.0
Darlington..........	169	---	93	---	76	---
Hartsville..........	186	---	127	---	59	---
Balance of County....	124	---	76	---	48	---
Dillon...............	232	7.0	142	8.0	90	5.9
Dillon..............	157	---	96	---	61	---
Balance of County....	75	---	46	---	29	---
Dorchester...........	182	2.4	124	2.2	58	3.0
Summerville (Part)...	22	---	18	---	4	---
Balance of County....	160	---	106	---	54	---
Edgefield............	68	3.6	34	3.5	34	3.6
Edgefield...........	30	---	15	---	15	---
Johnston............	8	---	1	---	7	---
Balance of County....	30	---	18	---	12	---
Fairfield............	160	7.6	70	7.8	90	7.4
Winnsboro...........	13	---	1	---	12	---
Balance of County....	147	---	69	---	78	---
Florence.............	1,403	12.2	816	11.3	587	13.6
Lake City...........	72	---	36	---	36	---
Florence............	1,065	---	600	---	465	---
Balance of County....	266	---	180	---	86	---
Georgetown...........	312	6.6	177	6.7	135	6.4
Andrews (Part).......	5	---	4	---	1	---
Georgetown..........	244	---	137	---	107	---
Balance of County....	63	---	36	---	27	---
Greenville...........	2,649	8.7	2,153	8.7	496	8.7
Travelers Rest.......	11	---	9	---	2	---
Simpsonville.........	91	---	76	---	15	---
Fountain Inn (Part)..	7	---	5	---	2	---
Mauldin.............	6	---	5	---	1	---
Greenville..........	1,458	---	1,094	---	364	---
Greer (Part).........	207	---	186	---	21	---
Balance of County....	869	---	778	---	91	---

Table 49. (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenwood.............	658	10.9	451	10.8	207	11.0
Greenwood.............	577	---	404	---	173	---
Balance of County....	81	---	47	---	34	---
Hampton...............	120	6.3	52	5.9	68	6.6
Hampton..............	7	---	5	---	2	---
Balance of County....	113	---	47	---	66	---
Horry.................	962	7.6	791	8.0	171	6.0
Conway...............	54	---	36	---	18	---
Myrtle Beach.........	350	---	308	---	42	---
N. Myrtle Beach......	8	---	8	---	-	---
Surfside Beach.......	13	---	13	---	-	---
Balance of County....	537	---	426	---	111	---
Jasper................	109	6.9	53	7.7	56	6.3
Balance of County....	109	---	53	---	56	---
Kershaw...............	226	5.4	147	5.1	79	5.8
Camden...............	164	---	107	---	57	---
Balance of County....	62	---	40	---	22	---
Lancaster.............	347	6.2	244	5.8	103	7.5
Lancaster............	260	---	183	---	77	---
Balance of County....	87	---	61	---	26	---
Laurens...............	378	7.0	266	7.0	112	7.1
Clinton..............	119	---	83	---	36	---
Fountain Inn (Part)..	1	---	1	---	-	---
Laurens..............	149	---	102	---	47	---
Balance of County....	109	---	80	---	29	---
Lee...................	98	5.1	31	4.2	67	5.7
Bishopville..........	51	---	19	---	32	---
Balance of County....	47	---	12	---	35	---
Lexington.............	795	5.0	667	4.7	128	7.6
Batesburg (Part).....	15	---	8	---	7	---
Cayce................	16	---	16	---	-	---
Springdale...........	-	---	-	---	-	---
W. Columbia..........	24	---	22	---	2	---
Irmo (Part)..........	1	---	1	---	-	---
Balance of County....	739	---	620	---	119	---
McCormick.............	23	3.0	9	3.1	14	3.0
Balance of County....	23	---	9	---	14	---
Marion................	332	9.5	162	10.0	170	9.1
Marion...............	168	---	80	---	88	---
Mullins..............	107	---	53	---	54	---
Balance of County....	57	---	29	---	28	---
Marlboro..............	231	7.0	128	7.6	103	6.4
Bennettsville........	163	---	87	---	76	---
McColl...............	2	---	2	---	-	---
Balance of County....	66	---	39	---	27	---
Newberry..............	230	7.2	150	6.8	80	8.0
Newberry.............	173	---	118	---	55	---
Balance of County....	57	---	32	---	25	---

Table 49. (Cont.)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Oconee................	409	7.8	359	7.6	50	9.1
Seneca...............	17	---	12	---	5	---
Walhalla.............	9	---	9	---	-	---
Westminster..........	3	---	2	---	1	---
Balance of County....	380	---	336	---	44	---
Orangeburg............	801	9.2	393	10.7	408	8.1
Orangeburg...........	99	---	70	---	29	---
Balance of County....	702	---	323	---	379	---
Pickens...............	437	5.2	390	5.0	47	7.8
Liberty..............	12	---	10	---	2	---
Pickens..............	99	---	83	---	16	---
Clemson Vill (Part)..	33	---	31	---	2	---
Easley...............	193	---	176	---	17	---
Balance of County....	100	---	90	---	10	---
Richland..............	3,286	11.6	2,131	13.2	1,155	9.4
Forest Acres.........	-	---	-	---	-	---
Irmo (Part)..........	-	---	-	---	-	---
Columbia.............	2,915	---	1,918	---	997	---
Balance of County....	371	---	213	---	158	---
Saluda................	79	4.7	56	5.1	23	3.9
Batesburg (Part).....	1	---	1	---	-	---
Saluda...............	5	---	3	---	2	---
Balance of County....	73	---	52	---	21	---
Spartanburg...........	1,908	9.2	1,509	9.2	399	9.2
Woodruff.............	57	---	48	---	9	---
Spartanburg..........	1,246	---	935	---	311	---
Greer (Part).........	14	---	10	---	4	---
Balance of County....	591	---	516	---	75	---
Sumter................	647	6.9	318	6.3	329	7.4
Sumter...............	495	---	258	---	237	---
Balance of County....	152	---	60	---	92	---
Union.................	236	7.6	179	8.2	57	6.0
Union................	191	---	146	---	45	---
Balance of County....	45	---	33	---	12	---
Williamsburg..........	218	5.5	86	6.1	132	5.2
Andrews (Part).......	-	---	-	---	-	---
Kingstree............	133	---	59	---	74	---
Balance of County....	85	---	27	---	58	---
York..................	776	6.7	576	6.4	200	7.6
Clover...............	9	---	7	---	2	---
Fort Mill............	15	---	9	---	6	---
York.................	103	---	70	---	33	---
Rock Hill............	476	---	348	---	128	---
Balance of County....	173	---	142	---	31	---

Rate per 1,000 estimated population

Table 50.
Deaths by Race and Sex: South Carolina and Each County, 1985
(Residence Data)

County of Residence	TOTAL			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	27,077*	14,644	12,430	18,390	9,950	8,440	8,687*	4,694	3,990
Abbeville	199	105	94	134	72	62	65	33	32
Aiken	1,009	518	491	769	398	371	240	120	120
Allendale	125	63	62	55	24	31	70	39	31
Anderson	1,121	613	508	920	492	428	201	121	80
Bamberg	163	92	71	74	40	34	89	52	37
Barnwell	200	101	99	120	62	58	80	39	41
Beaufort	507	263	244	311	177	134	196	86	110
Berkeley	589	335	253	382	221	161	207	114	92
Calhoun	106	64	42	44	24	20	62	40	22
Charleston	2,129	1,121	1,007	1,281	678	603	848	443	404
Cherokee	353	195	158	280	157	123	73	38	35
Chester	329	191	138	223	128	95	106	63	43
Chesterfield	372	215	157	242	144	98	130	71	59
Clarendon	254	145	109	115	74	41	139	71	68
Colleton	342	191	151	189	109	80	153	82	71
Darlington	591	313	278	357	190	167	234	123	111
Dillon	309	177	132	191	103	88	118	74	44
Dorchester	432	250	182	300	177	123	132	73	59
Edgefield	134	72	62	63	33	30	71	39	32
Fairfield	239	123	116	103	54	49	136	69	67
Florence	1,096	589	507	631	342	289	465	247	218
Georgetown	345	195	150	191	107	84	154	88	66
Greenville	2,437	1,308	1,129	1,973	1,054	919	464	254	210
Greenwood	534	280	254	364	190	174	170	90	80
Hampton	155	82	73	71	38	33	84	44	40
Horry	947	532	415	772	436	336	175	96	79
Jasper	131	71	60	60	39	21	71	32	39
Kershaw	312	181	131	215	127	88	97	54	43
Lancaster	430	228	202	309	161	148	121	67	54
Laurens	529	266	263	379	183	196	150	83	67
Lee	148	92	56	56	36	20	92	56	36
Lexington	997	546	451	859	465	394	138	81	57
McCormick	69	36	33	32	19	13	37	17	20
Marion	330	185	145	150	96	54	180	89	91
Marlboro	306	165	141	164	94	70	142	71	71
Newberry	329	188	141	211	122	89	118	66	52
Oconee	473	251	222	418	227	191	55	24	31
Orangeburg	848	467	381	431	227	204	417	240	177
Pickens	568	310	258	498	274	224	70	36	34
Richland	2,178	1,146	1,031	1,350	691	659	828	455	372
Saluda	159	92	67	110	62	48	49	30	19
Spartanburg	1,942	1,064	878	1,533	844	689	409	220	189
Sumter	740	382	358	378	187	191	362	195	167
Union	300	158	142	231	127	104	69	31	38
Williamsburg	346	216	130	145	88	57	201	128	73
York	925	467	458	706	357	349	219	110	109

* Totals include 3 unknown sex

Table 51.
Deaths by Race and Sex: South Carolina and Each County, 1985
(Occurrence Data)

County of Occurrence	TOTAL			WHITE			NONWHITE		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
SOUTH CAROLINA	26,115*	14,070	12,042	17,677	9,531	8,146	8,438*	4,539	3,896
Abbeville	148	79	69	89	46	43	59	33	26
Aiken	616	286	330	444	210	234	172	76	96
Allendale	94	44	50	40	13	27	54	31	23
Anderson	1,069	563	506	869	449	420	200	114	86
Bamberg	155	83	72	69	34	35	86	49	37
Barnwell	136	69	67	79	40	39	57	29	28
Beaufort	447	230	217	272	158	114	175	72	103
Berkeley	241	134	107	159	88	71	82	46	36
Calhoun	43	32	11	17	11	6	26	21	5
Charleston	3,158	1,774	1,382	1,949	1,108	841	1,209	666	541
Cherokee	274	145	129	214	110	104	60	35	25
Chester	228	126	102	143	79	64	85	47	38
Chesterfield	231	124	107	137	74	63	94	50	44
Clarendon	204	119	85	83	53	30	121	66	55
Colleton	280	152	128	153	86	67	127	66	61
Darlington	479	250	229	296	156	140	183	94	89
Dillon	232	132	100	142	76	66	90	56	34
Dorchester	182	97	85	124	69	55	58	28	30
Edgefield	68	39	29	34	21	13	34	18	16
Fairfield	160	79	81	70	35	35	90	44	46
Florence	1,403	749	654	816	452	364	587	297	290
Georgetown	312	172	140	177	97	80	135	75	60
Greenville	2,649	1,389	1,260	2,153	1,132	1,021	496	257	239
Greenwood	658	340	318	451	228	223	207	112	95
Hampton	120	66	54	52	31	21	68	35	33
Horry	962	552	410	791	459	332	171	93	78
Jasper	109	64	45	53	37	16	56	27	29
Kershaw	226	129	97	147	85	62	79	44	35
Lancaster	347	188	159	244	132	112	103	56	47
Laurens	378	187	191	266	127	139	112	60	52
Lee	98	60	38	31	20	11	67	40	27
Lexington	795	414	381	667	335	332	128	79	49
McCormick	23	13	10	9	8	1	14	5	9
Marion	332	178	154	162	92	70	170	86	84
Marlboro	231	119	112	128	66	62	103	53	50
Newberry	230	136	94	150	87	63	80	49	31
Oconee	409	212	197	359	190	169	50	22	28
Orangeburg	801	431	370	393	207	186	408	224	184
Pickens	437	235	202	390	214	176	47	21	26
Richland	3,286	1,900	1,385	2,131	1,223	908	1,155	677	477
Saluda	79	40	39	56	26	30	23	14	9
Spartanburg	1,908	1,011	897	1,509	803	706	399	208	191
Sumter	647	309	338	318	145	173	329	164	165
Union	236	118	118	179	94	85	57	24	33
Williamsburg	218	129	89	86	50	36	132	79	53
York	776	372	404	576	275	301	200	97	103

* Totals include 3 unknown sex

Table 51.
DEATHS AND DEATH RATES[1] FROM SELECTED CAUSES BY RACE AND SEX: SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	SOUTH CAROLINA					RATES		
		White		Non-White				
	Total	Male	Female	Male	Female	Total	White	Non-White
All Causes	27,077[2]	9,950	8,440	4,694	3,990	8.0	8.0	8.2
Infectious and Parasitic Dis. (001-139)	381	100	87	92	102	11.3	8.1	18.2
Enteritis and Other Intestinal Dis. (008-009)	9	—	2	3	4	0.3	0.1	0.7
Tuberculosis, All Forms (010-018)	30	2	—	16	12	0.9	0.1	2.6
Tetanus (037)	—	—	—	—	—	0	0	0
Septicemia (038)	219	62	56	43	58	6.5	5.1	9.5
Measles (055)	—	—	—	—	—	0	0	0
Syphilis and its Sequelae (090-097)	2	—	—	2	—	0.0	0	0.2
Remainder of (001-139)	121	36	29	28	28	3.6	2.8	5.3
Malignant Neoplasms (140-208)	5,643	2,221	1,748	992	682	167.2	172.4	157.3
Of Lip, Oral Cavity and Pharynx (140-149)	137	60	25	35	17	4.1	3.7	3.9
Of Digestive Organs and Peritoneum (150-159)	1,361	459	430	287	185	40.4	38.6	44.3
Of Respiratory System (160-165)	1,600	913	310	304	73	47.5	53.1	26.0
Of Breast (174-175)	452	3	341	1	107	13.4	14.9	10.1
Of Genital Organs (179-187)	737	217	203	198	119	21.9	18.2	29.8
Of Urinary Organs (188-189)	232	105	62	39	26	6.9	7.3	6.1
Leukemia (204-208)	206	87	68	26	25	6.1	6.7	4.8
Of other and unspecified sites (170-173, 190-199)	635	265	214	75	81	18.9	20.8	14.6
Of Lymphatic and Hematopoietic Tissues (200-203)	283	112	95	27	49	8.4	9.0	7.1
Benign and Unspecified Neoplasms (210-239)	64	16	23	12	13	1.9	1.7	2.3
Diabetes Mellitus (250)	506	127	156	68	155	15.0	12.3	21.0
Meningitis (320-322)	24	7	4	8	5	0.7	0.5	1.2
Diseases of Heart (390-398, 402, 404-429)	9,524	3,652	3,127	1,381	1,364	282.9	294.5	257.9
Rheumatic Fever and Chr Rheu Heart Dis. (390-398)	50	8	37	2	3	1.5	2.0	0.5
Hypertensive Heart, Hyper Heart-Renal (402, 404)	382	54	116	96	116	11.3	7.4	19.9
Ischemic Heart Disease (410-414)	6,271	2,739	2,071	752	709	186.3	208.9	137.3
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	717	193	245	131	148	21.3	19.0	26.2
All Other Forms of Heart Disease (415-423, 425-427, 429)	2,104	658	658	400	388	62.5	57.2	74.0
Hypertension (401, 403)	174	37	36	49	52	5.2	3.2	9.5
Cerebrovascular Disease (430-438)	2,433	643	893	394	503	72.3	66.7	84.3
Arteriosclerosis (440)	224	51	114	22	37	6.7	7.2	5.5
Other Diseases Of The Circulatory System (441-459)	374	171	92	55	56	11.1	11.4	10.4
Acute Bronchitis and Bronchiolitis (466)	3	1	1	1	—	0.0	0.1	0.1
Pneumonia (480-486)	743	278	298	94	73	22.1	25.0	15.7
Influenza (487)	38	9	18	6	5	1.1	1.2	1.0
Chr Obstructive Pulmonary Dis. & Allied Cond. (490-496)	787	417	244	88	38	23.4	28.7	11.8
Chronic and Unqualified Bronchitis (490, 491)	25	14	7	1	3	0.7	0.9	0.4
Emphysema (492)	138	83	38	14	3	4.1	5.3	1.6
Asthma (493)	60	18	20	11	11	1.8	1.7	2.1
Other Chr. Obstructive Pulm. Diseases (494-496)	564	302	179	62	21	16.7	20.9	7.8
Ulcer of Stomach and Duodenum (531-533)	79	34	25	13	7	2.3	2.6	2.8
Hernia and Intestinal Obstruction (550-553, 560)	60	15	31	8	6	1.8	2.0	1.3
Chronic Liver Disease and Cirrhosis (571)	324	146	88	55	35	9.6	10.2	8.5
Other Disease of the Respiratory System (510-519)	202	68	70	34	30	6.0	6.0	6.0
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	271	63	60	66	82	8.0	5.3	13.9
Infections of Kidney (590)	30	9	14	4	3	0.9	1.0	0.7
Congenital Anomalies (740-759)	198	53	51	45	49	6.4	4.5	8.8
Certain Conditions Originating in the Perinatal Period (760-779)	406	78	67	146	112	12.1	6.3	24.2
Symptoms and Ill-Defined Conditions (780-799)	215	61	58	55	41	6.4	5.2	9.0
All Other Diseases (001-799)	1,966	591	669	379	327	58.4	54.7	66.3
Accidents (E800-E949)	1,668	744	345	425	154	49.5	47.3	54.4
Motor Vehicle Traffic (E810-E819)	906	446	195	200	65	26.9	27.8	24.9
Motor Vehicle Non-Traffic (E820-E825)	14	8	1	4	1	0.4	0.4	0.5
Railway (E800-E807)	8	5	—	2	1	0.2	0.2	0.3
Poisoning By Drugs & Medicaments (E850-E858)	41	20	11	6	4	1.2	1.3	0.9
Falls (E880-E888)	137	46	57	26	8	4.1	4.5	3.2
Fire and Flames (E890-E899)	118	35	20	46	17	3.5	2.4	5.9
Drowning (E910)	64	20	7	31	6	1.9	1.2	3.5
Firearms (E922)	37	28	3	4	2	1.1	1.3	0.6
Residual (E800-E949)	343	136	51	106	50	10.2	8.1	14.7
Suicide (E950-E959)	391	247	78	55	11	11.6	14.1	6.2
Firearms (E955)	297	193	54	43	7	8.8	10.7	4.7
Hanging, Strangulation & Suffocation (E953)	32	18	5	9	—	1.0	1.0	0.8
Poisoning (E950-E952)	46	28	14	2	2	1.4	1.8	0.4
Residual (E950-E959)	16	8	5	1	2	0.5	0.6	0.3
Homicide and Legal Intervention (E960-E978)	323	103	38	139	43	9.6	6.1	17.1
Assault by Firearms (E965)	199	75	14	86	24	5.9	3.9	10.3
Assault by Cutting and Piercing (E966)	59	8	12	33	6	1.8	0.9	3.7
Residual (E960-E978)	65	20	12	20	13	1.9	1.4	3.1
Other External Causes (E980-E999)	26	8	5	8	5	0.8	0.6	1.2

1)Rate per 1,000 estimated population for all causes; rate per 100,000 estimated population for individual cause category.
2)Total includes 3 unknown sex.

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	ABBEVILLE					AIKEN				
	Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Femaie
All Causes	199	72	62	33	32	1,009	398	371	120	120
Infectious and Parasitic Dis. (001-139)	3	—	2	1	—	10	3	4	—	3
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	—	1	—	—	6	3	3	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	1	—	—	4	—	1	—	3
Malignant Neoplasms (140-208)	46	18	15	8	5	225	101	81	21	22
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	3	2	1	—	—
Of Digestive Organs and Peritoneum (150-159)	9	2	5	1	1	61	26	24	7	4
Of Respiratory System (160-165)	9	8	1	—	—	58	38	13	4	3
Of Breast (174-175)	5	—	2	—	3	15	—	14	—	1
Of Genital Organs (179-187)	3	—	1	2	—	30	9	11	6	4
Of Urinary Organs (188-189)	4	2	1	1	—	5	2	1	2	—
Leukemia (204-208)	3	1	2	—	—	18	10	5	2	1
Of other and unspecified sites (170-173, 190-199)	13	5	3	4	1	23	11	8	—	4
Of Lymphatic and Hematopoietic Tissues (200-203)	—	—	—	—	—	12	3	4	—	5
Benign and Unspecified Neoplasms (210-239)	1	—	—	1	—	4	—	2	1	1
Diabetes Mellitus (250)	4	1	1	—	2	11	1	5	2	3
Meningitis (320-322)	—	—	—	—	—	3	2	—	—	1
Diseases of Heart (390-398, 402, 404-429)	77	29	24	10	14	348	144	135	30	39
Rheumatic Fever and Chr Rheu Heart Dis. (390-398)	1	1	—	—	—	5	2	3	—	—
Hypertensive Heart, Hyper Heart Renal (402, 404)	2	—	1	—	1	15	1	9	2	3
Ischemic Heart Disease (410-414)	54	24	13	8	9	229	100	93	16	20
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	4	—	2	—	2	15	6	6	—	3
All Other Forms of Heart Disease (415-423, 425-427, 429)	16	4	8	2	2	84	35	24	12	13
Hypertension (401, 403)	—	—	—	—	—	6	2	1	2	1
Cerebrovascular Disease (430-438)	11	2	3	1	5	91	23	40	13	15
Arteriosclerosis (440)	2	—	2	—	—	12	1	8	1	2
Other Diseases Of The Circulatory System (441-459)	1	—	—	1	—	13	7	4	1	1
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	8	3	4	—	1	16	8	5	1	2
Influenza (487)	—	—	—	—	—	1	—	1	—	—
Chr Obstructive Pulmonary Dis. & Allied Cond. (490-496)	9	9	—	—	—	28	18	9	1	—
Chronic and Unqualified Bronchitis (490, 491)	1	1	—	—	—	3	3	—	—	—
Emphysema (492)	1	1	—	—	—	4	1	2	1	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	7	7	—	—	—	21	14	7	—	—
Ulcer of Stomach and Duodenum (531-533)	1	1	—	—	—	4	—	3	1	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	4	1	1	2	—
Chronic Liver Disease and Cirrhosis (571)	3	1	2	—	—	9	5	3	1	—
Other Disease of the Respiratory System (510-519)	3	—	2	1	—	8	2	5	—	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	1	—	—	—	10	1	2	3	4
Infections of Kidney (590)	—	—	—	—	—	2	—	1	1	—
Congenital Anomalies (740-759)	—	—	—	—	—	14	4	5	2	3
Certain Conditions Originating in the Perinatal Period (760-779)	1	—	—	1	—	18	2	5	6	5
Symptoms and Ill-Defined Conditions (780-799)	—	—	—	—	—	4	1	—	2	1
All Other Diseases (001-799)	8	3	—	4	1	84	26	34	14	10
Accidents (E800-E949)	13	3	6	2	2	56	30	13	10	3
Motor Vehicle Traffic (E810-E819)	8	2	4	1	1	29	16	6	5	2
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	2	1	—	1	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	—	—	—	—	—	2	2	—	—	—
Falls (E880-E888)	1	—	1	—	—	5	1	4	—	—
Fire and Flames (E890-E899)	1	—	—	—	1	4	3	—	1	—
Drowning (E910)	—	—	—	—	—	3	2	—	—	1
Firearms (E922)	—	—	—	—	—	3	2	—	1	—
Residual (E800-E949)	3	1	1	1	—	8	3	3	2	—
Suicide (E950-E959)	4	1	1	2	—	17	13	3	1	—
Firearms (E955)	4	1	1	2	—	15	11	3	1	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	2	2	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	2	—	—	1	1	11	3	1	4	3
Assault by Firearms (E965)	1	—	—	—	1	7	3	—	2	2
Assault by Cutting and Piercing (E966)	1	—	—	1	—	1	—	—	1	—
Residual (E960-E978)	—	—	—	—	—	3	—	1	1	1
Other External Causes (E980-E999)	1	—	—	—	1	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	ALLENDALE					ANDERSON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	125	24	31	39	31	1 121	492	428	121	80
Infectious and Parasitic Dis. (001-139)	2	—	—	2	—	16	4	7	3	2
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	2	—	—	2	—	12	3	5	2	2
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	4	1	2	1	—
Malignant Neoplasms (140-208)	16	6	3	4	3	230	105	88	23	14
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	2	—	1	1	—
Of Digestive Organs and Peritoneum (150-159)	4	—	1	2	1	41	17	16	5	3
Of Respiratory System (160-165)	5	3	—	1	1	78	51	17	7	3
Of Breast (174-175)	1	—	1	—	—	19	—	19	—	—
Of Genital Organs (179-187)	2	1	—	1	—	29	10	12	6	1
Of Urinary Organs (188-189)	1	1	—	—	—	7	3	2	—	2
Leukemia (204-208)	—	—	—	—	—	12	5	3	1	3
Of other and unspecified sites (170-173, 190-199)	2	1	1	—	—	32	16	12	2	2
Of Lymphatic and Hematopoetic Tissues (200-203)	1	—	—	—	1	10	3	6	1	—
Benign and Unspecified Neoplasms (210-239)	1	1	—	—	—	2	1	—	—	1
Diabetes Mellitus (250)	2	—	—	1	1	21	7	9	3	2
Meningitis (320-322)	—	—	—	—	—	2	—	—	—	2
Diseases of Heart (390-398, 402, 404-429)	43	7	13	13	10	369	163	154	30	22
Rheumatic Fever and Chr Rheu Heart Dis. (390-398)	—	—	—	—	—	4	—	4	—	—
Hypertensive Heart, Hyper Heart Renal (402, 404)	2	—	—	1	1	17	3	7	2	5
Ischemic Heart Disease (410-414)	28	6	12	4	6	260	120	106	22	12
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	4	—	1	2	1	15	9	4	2	—
All Other Forms of Heart Disease (415-423, 425-427, 429)	9	1	—	6	2	73	31	33	4	5
Hypertension (401, 403)	—	—	—	—	—	14	4	4	3	3
Cerebrovascular Disease (430-438)	20	1	3	8	8	96	36	41	10	9
Arteriosclerosis (440)	2	—	1	—	1	5	3	2	—	—
Other Diseases Of The Circulatory System (441-459)	1	—	—	1	—	17	9	4	2	2
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	9	1	7	—	1	40	18	16	3	3
Influenza (487)	—	—	—	—	—	3	1	2	—	—
Chr Obstructive Pulmonary Dis. & Allied Cond. (490-496)	3	3	—	—	—	47	26	15	4	2
Chronic and Unqualified Bronchitis (490-491)	—	—	—	—	—	3	2	1	—	—
Emphysema (492)	—	—	—	—	—	8	7	1	—	—
Asthma (493)	—	—	—	—	—	1	1	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	3	3	—	—	—	35	16	13	4	2
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	2	—	2	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	6	3	2	1	—
Chronic Liver Disease and Cirrhosis (571)	4	2	1	1	—	13	7	4	2	—
Other Disease of the Respiratory System (510-519)	1	—	—	1	—	10	4	5	—	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	—	—	—	1	7	2	3	2	—
Infections of Kidney (590)	—	—	—	—	—	3	1	2	—	—
Congenital Anomalies (740-759)	2	1	—	1	—	7	2	5	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	1	1	—	—	—	12	4	1	4	3
Symptoms and Ill Defined Conditions (780-799)	1	—	—	1	—	16	10	2	2	2
All Other Diseases (001-799)	6	—	—	2	4	80	28	34	10	8
Accidents (E800-E949)	6	1	1	3	1	71	35	24	11	1
Motor Vehicle Traffic (E810-E819)	4	1	—	2	1	42	23	16	3	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	1	1	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	1	—	1	—	—	1	1	—	—	—
Falls (E880-E888)	—	—	—	—	—	4	1	2	1	—
Fire and Flames (E890-E899)	1	—	—	1	—	3	—	1	2	—
Drowning (E910)	—	—	—	—	—	2	2	—	—	—
Firearms (E922)	—	—	—	—	—	1	—	—	1	—
Residual (E800-E949)	—	—	—	—	—	17	7	5	4	1
Suicide (E950-E959)	2	—	2	—	—	19	13	2	4	—
Firearms (E955)	1	—	1	—	—	12	8	1	3	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	3	2	—	1	—
Poisoning (E950-E952)	1	—	1	—	—	3	2	1	—	—
Residual (E950-E959)	—	—	—	—	—	1	1	—	—	—
Homicide and Legal Intervention (E960-E978)	2	—	—	1	1	12	5	—	4	3
Assault by Firearms (E965)	1	—	—	—	1	6	4	—	1	1
Assault by Cutting and Piercing (E966)	1	—	—	1	—	2	—	—	2	—
Residual (E960-E978)	—	—	—	—	—	4	1	—	1	2
Other External Causes (E980-E999)	—	—	—	—	—	1	1	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	BAMBERG					BARNWELL				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	163	40	34	52	37	200	62	58	39	41
Infectious and Parasitic Dis. (001-139)	3	—	1	1	1	5	—	1	—	4
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	—	—	—	1
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	—	—	—	1
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	—	1	—	—	1	—	—	—	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	2	—	—	1	1	2	—	1	—	1
Malignant Neoplasms (140-208)	29	8	4	12	5	35	17	10	5	3
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	1	1	—	—	—
Of Digestive Organs and Peritoneum (150-159)	10	1	2	5	2	5	2	1	1	1
Of Respiratory System (160-165)	6	5	1	—	—	9	7	2	—	—
Of Breast (174-175)	1	—	—	—	1	1	—	—	—	1
Of Genital Organs (179-187)	8	2	1	5	—	8	3	2	2	1
Of Urinary Organs (188-189)	2	—	—	1	1	1	—	1	—	—
Leukemia (204-208)	—	—	—	—	—	4	2	—	2	—
Of other and unspecified sites (170-173, 190-199)	2	—	—	1	1	3	1	2	—	—
Of Lymphatic and Hematopoietic Tissues (200-203)	—	—	—	—	—	3	1	2	—	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	1	—	1	—	—
Diabetes Mellitus (250)	5	—	1	2	2	6	—	2	3	1
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	64	18	12	17	17	78	28	22	14	14
Rheumatic Fever and Chr Rheu Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hyper Heart Renal (402, 404)	6	—	—	4	2	1	—	1	—	—
Ischemic Heart Disease (410-414)	36	14	6	5	11	51	20	19	6	6
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	3	—	1	1	1	9	3	—	4	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	19	4	5	7	3	17	5	2	4	6
Hypertension (401, 403)	—	—	—	—	—	—	—	—	—	—
Cerebrovascular Disease (430-438)	17	3	4	6	4	19	2	6	3	8
Arteriosclerosis (440)	—	—	—	—	—	—	—	—	—	—
Other Diseases Of The Circulatory System (441-459)	3	2	—	1	—	2	—	—	2	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	3	1	1	—	1	4	1	—	1	2
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr Obstructive Pulmonary Dis. & Allied Cond. (490-496)	—	—	—	—	—	3	3	—	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	1	1	—	—	—
Emphysema (492)	—	—	—	—	—	1	1	—	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	—	—	—	—	—	1	1	—	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	1	—	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	—	1	—	—
Chronic Liver Disease and Cirrhosis (571)	3	1	1	1	—	3	—	2	—	1
Other Disease of the Respiratory System (510-519)	1	—	1	—	—	—	—	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	3	1	1	—	1	2	—	1	1	—
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	1	—	—	—	1	1	—	—	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	1	—	1	—	—	4	1	—	2	1
Symptoms and Ill-Defined Conditions (780-799)	3	—	1	1	1	1	1	—	—	—
All Other Diseases (001-799)	13	3	4	4	2	19	4	8	3	4
Accidents (E800-E949)	10	2	1	7	—	10	5	1	3	1
Motor Vehicle Traffic (E810-E819)	3	—	1	2	—	6	3	—	3	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	1	1	—	—	—	1	—	1	—	—
Fire and Flames (E890-E899)	1	—	—	1	—	1	—	—	—	1
Drowning (E910)	—	—	—	—	—	2	2	—	—	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	5	1	—	4	—	—	—	—	—	—
Suicide (E950-E959)	2	1	1	—	—	—	—	—	—	—
Firearms (E955)	2	1	1	—	—	—	—	—	—	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	2	—	—	—	2	4	—	1	1	2
Assault by Firearms (E965)	2	—	—	—	2	3	—	1	1	1
Assault by Cutting and Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	1	—	—	—	1
Other External Causes (E980-E999)	—		—		—	1	—	1	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	BEAUFORT					BERKELEY				
	Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Female
All Causes	507	177	134	86	110	589*	221	161	114	92
Infectious and Parasitic Dis. (001-139)	10	4	3	3	—	7	—	2	3	2
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	4	1	2	1	—	2	—	—	1	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	6	3	1	2	—	5	—	2	2	1
Malignant Neoplasms (140-208)	120	48	33	24	15	120	53	32	22	13
Of Lip, Oral Cavity and Pharynx (140-149)	7	3	1	1	2	1	1		—	—
Of Digestive Organs and Peritoneum (150-159)	36	12	9	12	3	27	11	3	7	6
Of Respiratory System (160-165)	29	17	7	3	2	32	19	7	4	2
Of Breast (174-175)	6	—	5	—	1	9	1	6	—	2
Of Genital Organs (179-187)	12	4	3	3	2	17	7	2	7	1
Of Urinary Organs (188-189)	6	2	2	1	1	6	2	3	—	1
Leukemia (204-208)	8	4	2	—	2	4	3	1	—	—
Of other and unspecified sites (170-173, 190-199)	9	4	2	3	—	18	6	8	4	—
Of Lymphatic and Hematopoietic Tissues (200-203)	7	2	2	1	2	6	3	2	—	1
Benign and Unspecified Neoplasms (210-239)	2	—	2	—	—	—	—	—	—	—
Diabetes Mellitus (250)	9	2	—	1	6	7	1	3	2	1
Meningitis (320-322)	—	—	—	—	—	1	1	—	—	—
Diseases of Heart (390-398, 402, 404-429)	144	50	38	17	39	224	85	58	38	43
Rheumatic Fever and Chr Rheu Heart Dis. (390-398)	—	—	—	—	—	2	—	1	—	1
Hypertensive Heart, Hyper Heart-Renal (402, 404)	5	—	2	2	1	3	—	1	2	—
Ischemic Heart Disease (410-414)	94	35	28	9	22	149	65	31	25	28
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	8	3	3	—	2	13	3	6	2	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	37	12	5	6	14	57	17	19	9	12
Hypertension (401, 403)	4	—	—	1	3	1	—	1	—	—
Cerebrovascular Disease (430-438)	48	7	16	10	15	35	8	10	10	7
Arteriosclerosis (440)	4	—	1	—	3	12	3	7	—	2
Other Diseases Of The Circulatory System (441-459)	8	4	—	1	3	7	1	4	—	2
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	12	5	3	3	1	11	5	4	1	1
Influenza (487)	1	—	1	—	—	—	—	—	—	—
Chr.Obstructive Pulmonary Dis. & Allied Cond. (490-496)	11	4	4	2	1	10	6	4	—	—
Chronic and Unqualified Bronchitis (490, 491)	1	—	1	—	—	—	—	—	—	—
Emphysema (492)	2	1	—	1	—	2	2	—	—	—
Asthma (493)	2	—	1	1	—	2	—	2	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	6	3	2	—	1	6	4	2	—	—
Ulcer of Stomach and Duodenum (531-533)	1	—	1	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	2	1	1	—	—
Chronic Liver Disease and Cirrhosis (571)	6	4	1	1	—	6	3	—	3	—
Other Disease of the Respiratory System (510-519)	5	2	3	—	—	5	2	1	1	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	5	2	—	—	3	6	1	—	3	2
Infections of Kidney (590)	1	1	—	—	—	1	—	—	—	1
Congenital Anomalies (740-759)	7	4	1	1	1	6	4	1	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	6	1	3	1	1	15	1	4	4	5
Symptoms and Ill-Defined Conditions (780-799)	4	—	—	2	2	4	1	1	—	2
All Other Diseases (001-799)	36	10	11	4	11	39	15	11	8	5
Accidents (E800-E949)	42	21	8	10	3	51	19	14	13	5
Motor Vehicle Traffic (E810-E819)	28	17	5	5	1	39	15	9	11	4
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	1	1	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	—	—	—	—	—	2	1	1	—	—
Falls (E880-E888)	4	3	1	—	—	2	—	1	1	—
Fire and Flames (E890-E899)	—	—	—	—	—	3	1	1	1	—
Drowning (E910)	4	—	—	3	1	1	—	1	—	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	6	1	2	2	1	3	1	1	—	1
Suicide (E950-E959)	9	6	2	1	—	9	6	2	1	—
Firearms (E955)	7	5	1	1	—	3	3	—	—	—
Hanging, Strangulation & Suffocation (E953)	1	—	1	—	—	1	—	—	1	—
Poisoning (E950-E952)	1	1	—	—	—	2	1	1	—	—
Residual (E950-E959)	—	—	—	—	—	3	2	1	—	—
Homicide and Legal Intervention (E960-E978)	9	1	3	3	2	10	5	1	4	—
Assault by Firearms (E965)	5	—	1	3	1	6	4	—	2	—
Assault by Cutting and Piercing (E966)	2	—	1	—	1	2	—	1	1	—
Residual (E960-E978)	2	1	1	—	1	2	1	—	1	—
Other External Causes (E980-E999)	3	1	—	1	1	—	—	—	—	—

*Total includes 1 unknown sex

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	CALHOUN					CHARLESTON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	106	24	20	40	22	2,129*	678	603	443	404
Infectious and Parasitic Dis. (001-139)	1	—	—	1	—	45	7	8	16	14
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	—	—	—	—	—	22	2	4	9	7
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	—	1	—	23	5	4	7	7
Malignant Neoplasms (140-208)	19	4	4	7	4	480	157	136	106	81
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	10	4	—	6	—
Of Digestive Organs and Peritoneum (150-159)	3	—	1	1	1	114	31	30	27	26
Of Respiratory System (160-165)	6	2	1	3	—	145	66	39	32	8
Of Breast (174-175)	2	—	1	—	1	38	—	26	—	12
Of Genital Organs (179-187)	5	—	1	3	1	54	7	12	25	10
Of Urinary Organs (188-189)	—	—	—	—	—	22	13	3	3	3
Leukemia (204-208)	—	—	—	—	—	15	5	6	4	—
Of other and unspecified sites (170-173, 190-199)	3	2	—	—	1	54	23	12	6	13
Of Lymphatic and Hematopoietic Tissues (200-203)	—	—	—	—	—	28	8	8	3	9
Benign and Unspecified Neoplasms (210-239)	1	—	1	—	—	10	5	3	—	2
Diabetes Mellitus (250)	1	1	—	—	—	42	7	6	9	20
Meningitis (320-322)	—	—	—	—	—	2	—	1	1	—
Diseases of Heart (390-398, 402, 404-429)	37	11	5	14	17	671	243	193	113	122
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—	—	—	—	6	—	5	1	—
Hypertensive Heart, Hyper. Heart Renal (402, 404)	3	—	1	2	—	36	2	10	9	15
Ischemic Heart Disease (410-414)	26	8	3	10	5	468	196	132	74	66
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	—	—	—	—	—	42	12	12	7	11
All Other Forms of Heart Disease (415-423, 425-427, 429)	8	3	1	2	2	119	33	34	22	30
Hypertension (401, 403)	2	—	—	1	1	11	—	1	4	6
Cerebrovascular Disease (430-438)	6	2	1	—	3	184	39	76	30	39
Arteriosclerosis (440)	—	—	—	—	—	12	4	4	2	2
Other Diseases Of The Circulatory System (441-459)	3	—	—	1	2	32	10	8	5	9
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	2	—	—	2	—	58	19	23	9	7
Influenza (487)	—	—	—	—	—	1	—	1	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	2	2	—	—	—	69	29	26	8	6
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	14	5	7	1	1
Asthma (493)	—	—	—	—	—	6	1	1	2	2
Other Chr. Obstructive Pulm. Diseases (494-496)	2	2	—	—	—	49	23	18	5	3
Ulcer of Stomach and Duodenum (531-533)	1	—	—	—	1	6	4	1	1	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	—	1	—	5	1	2	1	1
Chronic Liver Disease and Cirrhosis (571)	2	—	1	1	—	30	11	9	8	2
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	22	5	9	2	6
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	3	—	1	2	—	21	4	1	6	10
Infections of Kidney (590)	—	—	—	—	—	2	1	1	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	12	4	2	4	2
Certain Conditions Originating in the Perinatal Period (760-779)	2	—	—	2	—	36	9	6	13	7
Symptoms and Ill-Defined Conditions (780-799)	—	—	—	—	—	22	6	8	5	3
All Other Diseases (001-799)	15	2	5	4	4	177	45	49	42	41
Accidents (E800-E949)	6	1	2	3	—	115	37	16	42	20
Motor Vehicle Traffic (E810-E819)	3	1	1	1	—	54	24	5	15	10
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	1	—	—	1	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	—	—	—	—	—	4	1	2	1	—
Falls (E880-E888)	—	—	—	—	—	13	4	3	5	1
Fire and Flames (E890-E899)	1	—	—	1	—	9	1	2	3	3
Drowning (E910)	—	—	—	—	—	12	2	—	10	—
Firearms (E922)	—	—	—	—	—	1	1	—	—	—
Residual (E800-E949)	2	—	1	1	—	21	4	4	7	6
Suicide (E950-E959)	2	—	—	1	—	33	19	8	6	—
Firearms (E955)	1	1	—	—	—	25	15	5	5	—
Hanging, Strangulation & Suffocation (E953)	—	1	—	—	—	2	1	—	1	—
Poisoning (E950-E952)	1	—	—	1	—	3	1	2	—	—
Residual (E950-E959)	—	—	—	—	—	3	2	1	—	—
Homicide and Legal Intervention (E960-E978)	—	—	—	—	—	30	11	5	10	4
Assault by Firearms (E965)	—	—	—	—	—	17	6	3	5	3
Assault by Cutting and Piercing (E966)	—	—	—	—	—	4	2	—	2	—
Residual (E960-E978)	—	—	—	—	—	9	3	2	3	1
Other External Causes (E980-E999)	—	—	—	—	—	1	1	—	—	—

*Total includes 1 unknown sex

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	CHEROKEE					CHESTER				
	Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Female
All Causes	353	157	123	38	35	329	128	95	63	43
Infectious and Parasitic Dis. (001-139)	2	2	—	—	—	5	2	1	1	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	—	—	1	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	2	2	—	—	—	3	1	1	—	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	1	1	—	—	—
Malignant Neoplasms (140-208)	69	35	23	9	2	61	27	21	12	1
Of Lip, Oral Cavity and Pharynx (140-149)	2	1	1	—	—	—	—	—	—	—
Of Digestive Organs and Peritoneum (150-159)	13	8	4	1	—	14	5	7	2	—
Of Respiratory System (160-165)	28	19	5	3	1	17	10	3	4	—
Of Breast (174-175)	5	—	4	1	—	3	—	3	—	—
Of Genital Organs (179-187)	5	—	3	1	1	8	1	2	5	—
Of Urinary Organs (188-189)	5	2	1	2	—	5	4	—	1	—
Leukemia (204-208)	—	—	—	—	—	4	2	1	—	1
Of other and unspecified sites (170-173, 190-199)	10	5	4	1	—	7	4	3	—	—
Of Lymphatic and Hematopoietic Tissues (200-203)	1	—	1	—	—	3	1	2	—	—
Benign and Unspecified Neoplasms (210-239)	1	—	1	—	—	2	1	1	—	—
Diabetes Mellitus (250)	14	7	6	—	1	6	1	4	1	—
Meningitis (320-322)	—	—	—	—	—	2	—	2	—	—
Diseases of Heart (390-398, 402, 404-429)	119	54	46	9	10	124	47	41	16	20
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—	—	—	—	1	—	1	—	—
Hypertensive Heart, Hyper. Heart Renal (402, 404)	3	1	—	2	—	4	1	1	1	1
Ischemic Heart Disease (410-414)	82	39	34	4	5	71	35	21	7	8
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	6	2	4	—	—	4	1	—	—	3
All Other Forms of Heart Disease (415-423, 425-427, 429)	28	12	8	3	5	44	10	18	8	8
Hypertension (401, 403)	3	1	1	—	1	5	3	—	1	1
Cerebrovascular Disease (430-438)	19	8	6	1	4	30	11	5	8	6
Arteriosclerosis (440)	5	—	3	1	1	2	1	—	1	—
Other Diseases Of The Circulatory System (441-459)	5	1	2	1	1	3	1	1	1	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	1	—	—	1	—
Pneumonia (480-486)	20	5	14	1	—	9	4	4	—	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	14	10	1	3	—	8	3	2	2	1
Chronic and Unqualified Bronchitis (490, 491)	1	1	—	—	—	—	—	—	—	—
Emphysema (492)	3	2	—	1	—	2	2	—	—	—
Asthma (493)	—	—	—	—	—	2	—	—	1	1
Other Chr. Obstructive Pulm. Diseases (494-496)	10	7	1	2	—	4	1	2	1	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	1	—	—	1	—
Hernia and Intestinal Obstruction (550-553, 560)	2	1	1	—	—	3	3	—	—	—
Chronic Liver Disease and Cirrhosis (571)	3	—	1	1	1	2	2	—	—	—
Other Disease of the Respiratory System (510-519)	2	1	—	1	—	1	—	—	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	6	3	—	1	2	2	—	1	—	1
Infections of Kidney (590)	1	—	1	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	1	—	—	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	5	1	1	1	2	7	—	1	5	1
Symptoms and Ill Defined Conditions (780-799)	5	1	2	1	1	3	1	1	—	1
All Other Diseases (001-799)	22	7	7	5	3	16	5	4	5	2
Accidents (E800-E949)	24	11	5	2	6	25	11	4	4	6
Motor Vehicle Traffic (E810-E819)	14	6	4	2	2	9	5	2	—	2
Motor Vehicle Non Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	—	—	—	1
Falls (E880-E888)	1	1	—	—	—	2	1	—	1	—
Fire and Flames (E890-E899)	2	1	1	—	—	3	1	1	—	1
Drowning (E910)	—	—	—	—	—	2	1	—	1	—
Firearms (E922)	1	—	—	—	1	—	—	—	—	—
Residual (E800-E949)	6	3	—	—	3	8	3	1	2	2
Suicide (E950-E959)	7	6	—	1	—	6	3	2	1	—
Firearms (E955)	7	6	—	1	—	4	1	2	1	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	1	1	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	1	1	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	5	3	2	—	—	4	2	—	2	—
Assault by Firearms (E965)	3	2	1	—	—	3	2	—	1	—
Assault by Cutting and Piercing (E966)	1	—	1	—	—	1	—	—	1	—
Residual (E960-E978)	1	1	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	CHESTERFIELD					CLARENDON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	372	144	98	71	59	254	74	41	71	68
Infectious and Parasitic Dis. (001-139)	5	—	2	1	2	3	—	—	—	3
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	4	—	1	1	2	2	—	—	—	2
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	1	—	—	1	—	—	—	1
Malignant Neoplasms (140-208)	77	28	24	13	12	50	15	12	17	6
Of Lip, Oral Cavity and Pharynx (140-149)	1	1	—	—	—	3	2	—	1	—
Of Digestive Organs and Peritoneum (150-159)	19	4	7	5	3	12	2	2	7	1
Of Respiratory System (160-165)	17	8	3	4	2	13	8	1	4	—
Of Breast (174-175)	7	—	3	—	4	4	—	3	—	1
Of Genital Organs (179-187)	10	4	4	—	2	8	1	2	3	2
Of Urinary Organs (188-189)	2	1	1	—	—	2	—	—	1	1
Leukemia (204-208)	3	—	3	—	—	1	—	—	1	—
Of other and unspecified sites (170-173, 190-199)	14	7	2	4	1	3	—	3	—	—
Of Lymphatic and Hematopoietic Tissues (200-203)	4	3	1	—	—	4	2	1	—	1
Benign and Unspecified Neoplasms (210-239)	1	—	—	1	—	1	—	—	1	—
Diabetes Mellitus (250)	12	6	2	1	3	6	2	1	—	3
Meningitis (320-322)	1	—	—	1	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	105	45	29	16	15	92	30	17	22	23
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	2	1	1	—	—	4	—	—	2	2
Ischemic Heart Disease (410-414)	70	34	19	9	8	51	20	10	9	12
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	4	—	3	1	—	10	4	3	1	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	29	10	6	6	7	27	6	4	10	7
Hypertension (401, 403)	2	—	1	1	—	2	—	—	—	2
Cerebrovascular Disease (430-438)	38	11	12	7	8	35	9	5	7	14
Arteriosclerosis (440)	3	3	—	—	—	1	1	—	—	—
Other Diseases Of The Circulatory System (441-459)	5	5	—	—	—	2	1	—	—	1
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	5	1	1	2	1	4	1	1	2	—
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	13	9	2	2	—	1	—	—	—	1
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	2	1	1	—	—	—	—	—	—	—
Asthma (493)	2	1	—	1	—	—	—	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	9	7	1	1	—	1	—	—	—	1
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	1	—	—	1	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	6	3	1	—	2	—	—	—	—	—
Other Disease of the Respiratory System (510-519)	5	3	1	1	—	4	1	—	2	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	5	—	3	2	—	5	1	—	—	4
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	4	—	2	—	2	2	—	1	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	6	1	—	2	3	3	2	—	1	—
Symptoms and Ill-Defined Conditions (780-799)	27	8	8	7	4	2	—	—	1	1
All Other Diseases (001-799)	27	11	7	4	5	11	5	1	4	1
Accidents (E800-E949)	14	7	2	3	2	23	6	2	10	5
Motor Vehicle Traffic (E810-E819)	7	5	—	1	1	14	5	2	6	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	—	—	—	1
Falls (E880-E888)	4	2	1	1	—	1	—	—	—	1
Fire and Flames (E890-E899)	1	—	—	—	1	3	1	—	1	1
Drowning (E910)	—	—	—	—	—	1	—	—	1	—
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	2	—	1	1	—	3	—	—	2	1
Suicide (E950-E959)	5	2	1	2	—	2	—	1	1	—
Firearms (E955)	4	2	1	1	—	2	—	1	1	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	1	—	—	1	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	5	1	—	4	—	3	—	—	2	1
Assault by Firearms (E965)	3	1	—	2	—	2	—	—	1	1
Assault by Cutting and Piercing (E966)	1	—	—	1	—	—	—	—	—	—
Residual (E960-E978)	1	—	—	1	—	1	—	—	1	—
Other External Causes (E980-E999)	1	—	—	1	—	1	—	—	—	1

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	COLLETON					DARLINGTON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	342	109	80	82	71	591	190	167	123	111
Infectious and Parasitic Dis. (001-139)	3	1	—	1	1	10	2	—	1	7
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	4	—	—	1	3
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	1	—	—	—	6	2	—	—	4
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	—	—	1	—	—	—	—	—
Malignant Neoplasms (140-208)	75	23	9	20	23	115	38	32	31	14
Of Lip, Oral Cavity and Pharynx (140-149)	2	—	—	—	2	2	—	2	—	—
Of Digestive Organs and Peritoneum (150-159)	20	5	2	9	4	25	10	5	8	2
Of Respiratory System (160-165)	19	11	1	5	2	41	15	7	15	4
Of Breast (174-175)	3	—	2	—	1	13	—	9	—	4
Of Genital Organs (179-187)	14	3	1	4	6	11	4	4	3	—
Of Urinary Organs (188-189)	1	—	—	—	1	6	2	1	1	2
Leukemia (204-208)	2	—	1	—	1	2	1	1	—	—
Of other and unspecified sites (170-173, 190-199)	10	1	2	2	5	9	3	2	2	2
Of Lymphatic and Hematopoietic Tissues (200-203)	4	3			1	6	3	1	2	—
Benign and Unspecified Neoplasms (210-239)	2			2		—	—	—	—	—
Diabetes Mellitus (250)	10	1	4	2	3	8	—	2	2	4
Meningitis (320-322)	2	1	—	1		1	1	—	—	—
Diseases of Heart (390-398, 402, 404-429)	116	36	33	23	24	198	69	54	34	41
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—				1	—	1	—	—
Hypertensive Heart, Hyper. Heart-Renal (402, 404)	4	—	2	1	1	24	1	8	8	7
Ischemic Heart Disease (410-414)	95	34	25	17	19	119	51	30	18	20
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	5	1	—	2	2	17	3	6	3	5
All Other Forms of Heart Disease (415-423, 425-427, 429)	12	1	6	3	2	37	14	9	5	9
Hypertension (401, 403)	—	—	—	—	—	1	—	—	—	1
Cerebrovascular Disease (430-438)	34	10	10	7	7	62	14	25	11	12
Arteriosclerosis (440)	2	—	1	—	1	2	1	—	—	1
Other Diseases Of The Circulatory System (441-459)	3	1	—	2	—	12	3	2	3	4
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	2	2	—	—	—	23	4	13	4	2
Influenza (487)	6	2	2	1	1	1	—	1	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	17	7	8	2	—	16	10	5	1	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	1	1	—	—	—
Emphysema (492)	6	3	3	—	—	2	2	—	—	—
Asthma (493)	1	—	—	1	—	2	2	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	10	4	5	1	—	11	5	5	1	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	1	—	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	2	—	1	—	1
Chronic Liver Disease and Cirrhosis (571)	3	3	—	—	—	5	2	1	1	1
Other Disease of the Respiratory System (510-519)	2	2	—	—	—	3	1	1	—	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	4	—	1	2	1	7	—	4	—	3
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	1	—	—	—	1	4	1	—	1	2
Certain Conditions Originating in the Perinatal Period (760-779)	5	1	1	3	—	4	—	—	2	2
Symptoms and Ill-Defined Conditions (780-799)	—	—	—	—	—	5	—	—	2	3
All Other Diseases (001-799)	26	10	5	5	6	52	17	19	7	9
Accidents (E800-E949)	21	8	4	7	2	39	21	4	12	2
Motor Vehicle Traffic (E810-E819)	12	4	3	3	2	18	11	3	3	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	1	1	—	—	—	2	1	—	1	—
Fire and Flames (E890-E899)	3	1	1	1	—	2	1	—	1	—
Drowning (E910)	—	—	—	—	—	2	1	—	1	—
Firearms (E922)	1	1	—	—	—	3	3	—	—	—
Residual (E800-E949)	4	1	—	3	—	12	4	1	6	1
Suicide (E950-E959)	—	—	—	—	—	6	3	—	3	—
Firearms (E955)	—	—	—	—	—	5	3	—	2	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	1	—	—	1	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	8	1	2	4	1	14	3	2	8	1
Assault by Firearms (E965)	7	1	1	4	1	7	1	—	5	1
Assault by Cutting and Piercing (E966)	1	—	1	—	—	4	—	1	3	—
Residual (E960-E978)	—	—	—	—	—	3	2	1	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	DILLON					DORCHESTER				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	309	103	88	74	44	432	177	123	73	59
Infectious and Parasitic Dis. (001-139)	10	2	1	3	4	6	2	3	—	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	2	1	—	1	—	1	—	—	—	1
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	5	1	1	2	1	4	2	2	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	3	—	—	—	3	1	—	1	—	—
Malignant Neoplasms (140-208)	55	19	16	15	5	77	31	29	10	7
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	1	—	1	—	—
Of Digestive Organs and Peritoneum (150-159)	11	5	2	3	1	23	10	9	2	2
Of Respiratory System (160-165)	20	10	2	8	—	26	12	7	6	1
Of Breast (174-175)	8	—	5	—	3	5	—	5	—	—
Of Genital Organs (179-187)	4	1	2	1	—	11	4	2	2	3
Of Urinary Organs (188-189)	2	—	2	—	—	2	1	—	—	1
Leukemia (204-208)	1	—	1	—	—	2	1	1	—	—
Of other and unspecified sites (170-173, 190-199)	7	2	2	2	1	5	3	2	—	—
Of Lymphatic and Hematopoietic Tissues (200-203)	2	1	—	1	—	2	—	2	—	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	3	1	1	—	1	5	—	1	2	2
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	104	38	31	18	17	155	70	43	22	20
Rheumatic Fever and Chr.Rheu.Heart Dis. (390-398)	1	—	1	—	—	1	—	—	—	1
Hypertensive Heart, Hyper.Heart-Renal (402, 404)	2	—	—	1	1	6	—	—	—	6
Ischemic Heart Disease (410-414)	62	25	20	8	9	100	49	31	14	6
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	8	4	1	2	1	14	5	5	2	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	31	9	9	7	6	34	16	7	6	5
Hypertension (401, 403)	9	2	3	2	2	4	—	1	1	2
Cerebrovascular Disease (430-438)	28	6	12	5	5	34	9	9	5	11
Arteriosclerosis (440)	2	—	1	—	1	5	1	3	—	1
Other Diseases Of The Circulatory System (441-459)	5	2	3	—	—	6	4	1	1	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	9	4	3	2	—	9	3	3	2	1
Influenza (487)	—	—	—	—	—	2	—	1	1	—
Chr.Obstructive Pulmonary Dis. & Allied Cond. (490-496)	11	5	4	2	—	15	7	5	3	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	1	1	—	—	—
Emphysema (492)	1	1	—	—	—	2	1	—	1	—
Asthma (493)	1	1	—	—	—	1	1	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	9	3	4	2	—	11	4	5	2	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	3	2	—	—	1
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	—	1	—	—
Chronic Liver Disease and Cirrhosis (571)	3	2	—	1	—	6	4	2	—	—
Other Disease of the Respiratory System (510-519)	1	1	—	—	—	3	2	—	—	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	6	1	2	3	—	5	1	1	1	2
Infections of Kidney (590)	1	1	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	3	—	1	1	1	2	2	—	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	3	—	—	2	1	8	1	2	4	1
Symptoms and Ill-Defined Conditions (780-799)	2	—	1	1	—	3	1	1	1	—
All Other Diseases (001-799)	27	7	6	8	6	32	11	6	9	6
Accidents (E800-E949)	21	10	1	9	1	34	15	7	9	3
Motor Vehicle Traffic (E810-E819)	12	7	—	5	—	23	11	3	8	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	1	—	—	1	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858	2	1	1	—	—	—	—	—	—	—
Falls (E880-E888)	—	—	—	—	—	2	—	2	—	—
Fire and Flames (E890-E899)	1	1	—	—	—	3	2	1	—	—
Drowning (E910)	1	—	—	—	1	1	1	—	—	—
Firearms (E922)	1	1	—	—	—	—	—	—	—	—
Residual (E800-E949)	3	—	—	3	—	5	1	1	1	2
Suicide (E950-E959)	3	1	1	1	—	9	6	3	—	—
Firearms (E955)	3	1	1	1	—	6	4	2	—	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	2	1	1	—	—
Residual (E950-E959)	—	—	—	—	—	1	1	—	—	—
Homicide and Legal Intervention (E960-E978)	3	1	1	1	—	8	5	1	2	—
Assault by Firearms (E965)	3	1	1	1	—	5	3	1	1	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	1	—	—	1	—
Residual (E960-E978)	—	—	—	—	—	2	2	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	EDGEFIELD					FAIRFIELD				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	134	33	30	39	32	239	54	49	69	67
Infectious and Parasitic Dis. (001-139)	2	—	—	1	1	2	1	—	—	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	—	—	—	1	2	1	—	—	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	—	—	—	—	—
Malignant Neoplasms (140-208)	23	8	6	6	3	52	13	12	13	14
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	4	3	—	—	1
Of Digestive Organs and Peritoneum (150-159)	6	1	2	2	1	15	2	5	4	4
Of Respiratory System (160-165)	8	4	1	3	—	13	5	—	5	3
Of Breast (174-175)	1	—	—	—	1	2	—	—	—	2
Of Genital Organs (179-187)	2	—	1	1	—	5	—	2	1	2
Of Urinary Organs (188-189)	1	1	—	—	—	3	—	1	2	—
Leukemia (204-208)	—	—	—	—	—	1	1	—	—	—
Of other and unspecified sites (170-173, 190-199)	3	1	1	—	1	6	1	3	—	2
Of Lymphatic and Hematopoietic Tissues (200-203)	2	1	1	—	—	3	1	1	1	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	2	1	—	—	1	6	1	1	1	3
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	43	11	13	7	12	93	24	16	27	26
Rheumatic Fever and Chr Rheu Heart Dis. (390-398)	1	—	1	—	—	—	—	—	—	—
Hypertensive Heart, Hyper Heart Renal (402, 404)	7	1	1	2	3	2	—	—	—	2
Ischemic Heart Disease (410-414)	19	5	7	1	6	45	14	10	9	12
Chr. Dis. of Endocardium & Other Myocard. Insut. (424-428)	2	—	2	—	—	4	1	—	1	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	14	5	2	4	3	42	9	6	17	10
Hypertension (401, 403)	1	—	—	1	—	2	—	—	2	—
Cerebrovascular Disease (430-438)	10	2	2	2	4	15	2	5	7	1
Arteriosclerosis (440)	1	—	—	1	—	—	—	—	—	—
Other Diseases Of The Circulatory System (441-459)	4	2	1	—	1	3	1	—	1	1
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	4	—	3	—	1	3	2	1	—	—
Influenza (487)	1	—	—	1	—	—	—	—	—	—
Chr Obstructive Pulmonary Dis. & Allied Cond. (490-496)	4	1	2	—	1	9	4	3	1	1
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	1	—	1	—	—
Emphysema (492)	1	1	—	—	—	2	2	—	—	—
Asthma (493)	1	—	—	—	1	1	—	—	1	—
Other Chr. Obstructive Pulm. Diseases (494-496)	2	—	2	—	—	5	2	2	—	1
Ulcer of Stomach and Duodenum (531-533)	1	—	1	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	—	1	—	—
Chronic Liver Disease and Cirrhosis (571)	2	—	—	1	1	1	—	—	—	1
Other Disease of the Respiratory System (510-519)	2	1	—	1	—	1	—	1	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	3	—	—	1	2	4	—	—	1	3
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	—	—	—	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	5	—	1	3	1	4	—	—	—	4
Symptoms and Ill-Defined Conditions (780-799)	2	—	—	2	—	1	—	1	—	—
All Other Diseases (001-799)	10	2	—	4	4	18	2	6	4	6
Accidents (E800-E949)	9	3	1	5	—	21	4	2	10	5
Motor Vehicle Traffic (E810-E819)	3	2	1	—	—	12	4	—	6	2
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	—	—	—	—	—	—	—	—	—	—
Fire and Flames (E890-E899)	2	1	—	1	—	1	—	—	—	1
Drowning (E910)	—	—	—	—	—	1	—	1	—	—
Firearms (E922)	1	—	—	1	—	—	—	—	—	—
Residual (E800-E949)	3	—	—	3	—	7	—	1	4	2
Suicide (E950-E959)	1	1	—	—	—	2	—	—	2	—
Firearms (E955)	1	1	—	—	—	2	—	—	2	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	4	1	—	3	—	1	—	—	—	1
Assault by Firearms (E965)	3	1	—	2	—	—	—	—	—	—
Assault by Cutting and Piercing (E966)	1	—	—	1	—	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	1	—	—	—	1
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	FLORENCE					GEORGETOWN				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	1,096	342	289	247	218	345	107	84	88	66
Infectious and Parasitic Dis. (001-139)	12	3	2	5	2	5	2	—	2	1
Enteritis and Other Intestinal Dis. (008-009)	1	—	—	1	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	9	2	2	3	2	3	1	—	2	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	1	—	—	—	2	1	—	—	1
Malignant Neoplasms (140-208)	235	83	55	56	41	82	28	25	17	12
Of Lip, Oral Cavity and Pharynx (140-149)	2	1	1	—	—	4	2	—	1	1
Of Digestive Organs and Peritoneum (150-159)	45	10	10	14	11	25	3	7	10	5
Of Respiratory System (160-165)	79	44	11	21	3	20	14	4	2	—
Of Breast (174-175)	22	—	11	—	11	2	—	2	—	—
Of Genital Organs (179-187)	42	9	12	11	10	12	2	6	1	3
Of Urinary Organs (188-189)	7	3	2	2	—	4	1	2	—	1
Leukemia (204-208)	9	4	1	4	—	1	1	—	—	—
Of other and unspecified sites (170-173, 190-199)	25	10	5	4	6	9	5	2	1	1
Of Lymphatic and Hematopoietic Tissues (200-203)	4	2	2	—	—	5	—	2	2	1
Benign and Unspecified Neoplasms (210-239)	3	—	—	—	3	—	—	—	—	—
Diabetes Mellitus (250)	28	6	10	4	8	5	—	2	—	3
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	425	133	124	87	81	111	44	29	19	19
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	1	—	1	—	—	—	—	—	—	—
Hypertensive Heart, Hyper Heart-Renal (402, 404)	34	4	9	10	11	7	—	2	2	3
Ischemic Heart Disease (410-414)	222	86	71	34	31	72	36	17	9	10
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	28	11	9	5	3	15	2	4	6	3
All Other Forms of Heart Disease (415-423, 425-427, 429)	140	32	34	38	36	17	6	6	2	3
Hypertension (401, 403)	6	1	1	2	2	2	—	—	—	2
Cerebrovascular Disease (430-438)	114	23	29	26	36	37	8	12	6	11
Arteriosclerosis (440)	4	2	1	1	—	4	1	3	—	—
Other Diseases Of The Circulatory System (441-459)	15	6	3	1	5	1	—	1	—	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	25	7	9	5	4	7	—	3	3	1
Influenza (487)	3	1	—	1	1	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	31	17	13	1	—	7	4	1	1	1
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	5	4	1	—	—	—	—	—	—	—
Asthma (493)	3	1	2	—	—	1	—	1	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	23	12	10	1	—	6	4	—	1	1
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	1	1	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	11	4	1	5	1	3	—	2	1	—
Other Disease of the Respiratory System (510-519)	9	2	2	3	2	3	2	—	—	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	10	2	4	1	3	2	—	1	—	1
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	9	1	2	5	1	4	1	—	1	2
Certain Conditions Originating in the Perinatal Period (760-779)	19	—	1	10	8	7	—	—	3	4
Symptoms and Ill-Defined Conditions (780-799)	3	1	1	1	—	4	1	—	2	1
All Other Diseases (001-799)	51	14	15	9	13	28	4	4	17	3
Accidents (E800-E949)	62	27	12	18	5	26	10	—	12	4
Motor Vehicle Traffic (E810-E819)	30	13	7	7	3	12	4	—	7	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	1	—	—	—	1	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	2	2	—	—	—	1	1	—	—	—
Falls (E880-E888)	5	2	2	1	—	2	—	—	1	1
Fire and Flames (E890-E899)	8	2	1	5	—	—	—	—	—	—
Drowning (E910)	1	1	—	—	—	2	—	—	2	—
Firearms (E922)	1	1	—	—	—	2	2	—	—	—
Residual (E800-E949)	14	6	2	5	1	7	3	—	2	2
Suicide (E950-E959)	11	8	2	1	—	1	—	—	1	—
Firearms (E955)	9	7	1	1	—	—	—	—	—	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	1	—	—	1	—
Poisoning (E950-E952)	1	1	—	—	—	—	—	—	—	—
Residual (E950-E959)	1	—	1	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	10	1	2	5	2	5	1	1	3	—
Assault by Firearms (E965)	4	1	—	3	—	2	1	—	1	—
Assault by Cutting and Piercing (E966)	1	—	—	1	—	2	—	1	1	—
Residual (E960-E978)	5	—	2	1	2	1	—	—	1	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	GREENVILLE					GREENWOOD				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	2,437	1,054	919	254	210	534	190	174	90	80
Infectious and Parasitic Dis. (001-139)	32	16	9	2	5	4	1	1	1	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	1	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	22	9	7	1	5	2	—	—	1	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	9	6	2	1	—	2	1	1	—	—
Malignant Neoplasms (140-208)	530	233	196	55	46	115	43	40	19	13
Of Lip, Oral Cavity and Pharynx (140-149)	14	8	4	2	—	3	—	1	2	—
Of Digestive Organs and Peritoneum (150-159)	115	42	42	15	16	29	10	12	4	3
Of Respiratory System (160-165)	139	87	28	19	5	36	18	10	7	1
Of Breast (174-175)	55	1	49	—	5	10	—	6	—	4
Of Genital Organs (179-187)	81	30	29	11	11	15	7	3	3	2
Of Urinary Organs (188-189)	18	13	2	2	1	5	2	2	1	—
Leukemia (204-208)	19	7	9	1	2	3	—	2	—	1
Of other and unspecified sites (170-173, 190-199)	60	32	23	2	3	10	4	3	1	2
Of Lymphatic and Hematopoietic Tissues (200-203)	29	13	10	3	3	4	2	1	1	—
Benign and Unspecified Neoplasms (210-239)	6	2	2	2	—	2	—	2	—	—
Diabetes Mellitus (250)	41	17	13	3	8	13	2	7	2	2
Meningitis (320-322)	1	—	—	1	—	1	1	—	—	—
Diseases of Heart (390-398, 402, 404-429)	888	398	350	76	64	168	62	60	26	20
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	8	4	4	—	—	—	—	—	—	—
Hypertensive Heart, Hyper Heart-Renal (402, 404)	31	10	10	5	6	8	3	2	2	1
Ischemic Heart Disease (410-414)	573	277	230	37	29	126	49	44	16	17
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	63	27	27	2	7	9	1	4	4	—
All Other Forms of Heart Disease (415-423, 425, 427, 429)	213	80	79	32	22	25	9	10	4	2
Hypertension (401, 403)	20	7	6	4	3	6	—	1	2	3
Cerebrovascular Disease (430-438)	192	71	83	14	24	57	15	28	6	8
Arteriosclerosis (440)	22	4	16	1	1	4	1	1	1	1
Other Diseases Of The Circulatory System (441-459)	36	19	8	6	3	8	3	1	1	3
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	85	38	41	5	1	12	4	5	—	3
Influenza (487)	4	2	2	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	66	35	23	6	2	12	9	1	2	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	9	5	3	1	—	1	1	—	—	—
Asthma (493)	5	2	1	—	2	1	—	—	1	—
Other Chr. Obstructive Pulm. Diseases (494-496)	52	28	19	5	—	10	8	1	1	—
Ulcer of Stomach and Duodenum (531-533)	7	4	1	2	—	6	5	1	—	—
Hernia and Intestinal Obstruction (550-553, 560)	4	—	4	—	—	1	1	—	—	—
Chronic Liver Disease and Cirrhosis (571)	30	12	10	5	3	9	3	2	1	3
Other Disease of the Respiratory System (510-519)	15	3	10	1	1	2	1	—	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	18	10	4	2	2	7	3	—	—	4
Infections of Kidney (590)	4	1	3	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	15	6	4	3	2	1	—	—	1	—
Certain Conditions Originating in the Perinatal Period (760-779)	42	11	8	12	11	12	2	2	5	3
Symptoms and Ill-Defined Conditions (780-799)	29	15	9	4	1	2	1	—	1	—
All Other Diseases (001-799)	161	50	64	26	21	53	16	15	12	10
Accidents (E800-E949)	128	65	42	14	7	22	7	7	5	3
Motor Vehicle Traffic (E810-E819)	68	38	22	7	1	8	3	3	2	—
Motor Vehicle Non-Traffic (E820-E825)	1	1	—	—	—	—	—	—	—	—
Railway (E800-E807)	3	3	—	—	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	7	5	1	—	1	1	—	—	1	—
Falls (E880-E888)	14	5	8	1	—	8	1	4	1	2
Fire and Flames (E890-E899)	7	1	4	1	1	1	—	—	1	—
Drowning (E910)	1	1	—	—	—	—	—	—	—	—
Firearms (E922)	5	5	—	—	—	—	—	—	—	—
Residual (E800-E949)	22	6	7	5	4	4	3	—	—	1
Suicide (E950-E959)	38	24	10	2	2	11	9	—	2	—
Firearms (E955)	27	20	5	2	—	9	7	—	2	—
Hanging, Strangulation & Suffocation (E953)	2	1	1	—	—	—	—	—	—	—
Poisoning (E950-E952)	6	2	3	—	1	2	2	—	—	—
Residual (E950-E959)	3	1	1	—	1	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	23	11	1	8	3	4	1	—	1	2
Assault by Firearms (E965)	14	8	1	4	1	3	1	—	1	1
Assault by Cutting and Piercing (E966)	5	2	—	3	—	1	—	—	—	1
Residual (E960-E978)	4	1	—	1	2	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	2	—	—	1	1

Table 51-A.

DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985

(Residence Data)

CAUSE OF DEATH	HAMPTON					HORRY				
	Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Female
All Causes	155	38	33	44	40	947	436	336	96	79
Infectious and Parasitic Dis. (001-139)	3	—	—	1	2	12	4	3	—	5
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	2	—	—	1	1	2	—	—	—	2
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	—	—	—	—	—	7	4	1	—	2
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	—	—	1	3	—	2	—	1
Malignant Neoplasms (140-208)	28	7	10	7	4	217	113	71	16	17
Of Lip, Oral Cavity and Pharynx (140-149)	3	—	1	1	1	2	1	—	—	1
Of Digestive Organs and Peritoneum (150-159)	8	1	4	3	—	54	27	18	6	3
Of Respiratory System (160-165)	11	5	2	3	1	60	42	11	6	1
Of Breast (174-175)	—	—	—	—	—	21	—	16	—	5
Of Genital Organs (179-187)	1	—	—	—	1	27	17	4	1	5
Of Urinary Organs (188-189)	—	—	—	—	—	12	8	4	—	—
Leukemia (204-208)	1	—	1	—	—	9	5	2	1	1
Of other and unspecified sites (170-173, 190-199)	3	1	1	—	1	25	8	14	2	1
Of Lymphatic and Hematopoietic Tissues (200-203)	1	—	1	—	—	7	5	2	—	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	1	—	—	—	1
Diabetes Mellitus (250)	5	1	—	—	4	11	5	4	—	2
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	55	11	13	17	14	370	158	153	35	24
Rheumatic Fever and Chr Rheu Heart Dis. (390-398)	1	—	—	1	—	4	—	4	—	—
Hypertensive Heart, Hyper Heart-Renal (402, 404)	3	—	2	1	—	7	1	2	2	2
Ischemic Heart Disease (410-414)	42	10	9	10	13	249	116	99	23	11
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	3	—	1	2	—	43	14	20	2	7
All Other Forms of Heart Disease (415-423, 425-427, 429)	6	1	1	3	1	67	27	28	8	4
Hypertension (401, 403)	—	—	—	—	—	2	2	—	—	—
Cerebrovascular Disease (430-438)	11	3	1	3	4	64	23	27	5	9
Arteriosclerosis (440)	1	1	—	—	—	14	4	9	1	—
Other Diseases Of The Circulatory System (441-459)	5	2	2	1	—	19	14	1	4	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	1	—	—	—	1	28	12	13	2	1
Influenza (487)	—	—	—	—	—	1	—	—	1	—
Chr.Obstructive Pulmonary Dis. & Allied Cond. (490-496)	4	2	1	—	1	20	13	6	—	1
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	1	1	—	—	—
Emphysema (492)	1	—	1	—	—	1	1	—	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	3	2	—	—	1	18	11	6	—	1
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—		—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	4	1	2	—	1
Chronic Liver Disease and Cirrhosis (571)	4	—	1	—	3	13	8	3	2	—
Other Disease of the Respiratory System (510-519)	1	1	—	—	—	11	5	2	3	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	—	—	1	—	8	3	—	3	2
Infections of Kidney (590)	—	—	—	—	—	4	2	—	1	1
Congenital Anomalies (740-759)	3	—	—	2	1	5	1	3	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	2	—	—	2	—	8	1	2	2	3
Symptoms and Ill-Defined Conditions (780-799)	1	—	—	—	1	3	—	1	—	2
All Other Diseases (001-799)	8	2	1	2	3	43	18	15	5	5
Accidents (E800-E949)	18	6	3	7	2	66	37	17	10	2
Motor Vehicle Traffic (E810-E819)	10	4	1	5	—	42	24	12	5	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—		—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	1	1	—	—	—	—	—	—	—	—
Falls (E880-E888)	1	—	1	—	—	3	2	1	—	—
Fire and Flames (E890-E899)	—	—	—	—	—	5	2	1	1	1
Drowning (E910)	1	—	—	1	—	—	—	—	—	—
Firearms (E922)	—	—	—	—	—	4	3	—	1	—
Residual (E800-E949)	5	1	1	1	2	12	6	3	3	—
Suicide (E950-E959)	3	2	1	—	—	10	8	2	—	—
Firearms (E955)	2	2	—	—	—	8	6	2	—	—
Hanging, Strangulation & Suffocation (E953)	1	—	1	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	2	2	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	1	—	—	1	—	12	4	1	6	1
Assault by Firearms (E965)	1	—	—	1	—	9	3	1	5	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	1	—	—	1	—
Residual (E960-E978)	—	—	—	—	—	2	1	—	—	1
Other External Causes (E980-E999)	—	—	—	—	—	1	—	1	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	JASPER					KERSHAW				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	131	39	21	32	39	312	127	88	54	43
Infectious and Parasitic Dis. (001-139)	1	—	—	1	—	4	—	—	3	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	2	—	—	2	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	—	—	—	—	—	1	—	—	1	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	—	1	—	1	—	—	—	1
Malignant Neoplasms (140-208)	19	5	3	4	7	75	35	21	12	7
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	1	—	—	1	—
Of Digestive Organs and Peritoneum (150-159)	4	1	1	1	1	18	8	7	1	2
Of Respiratory System (160-165)	6	4	1	1	—	19	14	1	4	—
Of Breast (174-175)	—	—	—	—	—	7	—	6	—	1
Of Genital Organs (179-187)	6	—	—	2	4	8	2	2	3	1
Of Urinary Organs (188-189)	1	—	1	—	—	4	2	1	1	—
Leukemia (204-208)	—	—	—	—	—	2	2	—	—	—
Of other and unspecified sites (170-173, 190-199)	2	—	—	—	2	14	5	4	2	3
Of Lymphatic and Hematopoietic Tissues (200-203)	—	—	—	—	—	2	2	—	—	—
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	3	1	2	—	—	4	2	2	—	—
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	51	16	9	13	13	117	42	38	20	17
Rheumatic Fever and Chr Rheu Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hyper Heart Renal (402, 404)	—	—	—	—	—	7	1	3	1	2
Ischemic Heart Disease (410-414)	38	16	7	8	7	77	33	24	11	9
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	7	—	1	3	3	7	2	2	1	2
All Other Forms of Heart Disease (415-423, 425-427, 429)	6	—	1	2	3	26	6	9	7	4
Hypertension (401, 403)	—	—	—	—	—	4	3	—	1	—
Cerebrovascular Disease (430-438)	15	6	1	1	7	13	5	1	2	5
Arteriosclerosis (440)	1	—	—	—	1	7	1	3	2	1
Other Diseases Of The Circulatory System (441-459)	1	—	1	—	—	6	3	2	—	1
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	5	3	—	1	1	5	3	—	1	1
Influenza (487)	—	—	—	—	—	2	—	2	—	—
Chr Obstructive Pulmonary Dis. & Allied Cond. (490-496)	2	1	—	—	1	10	8	2	—	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	1	1	—	—	—
Emphysema (492)	—	—	—	—	—	4	3	1	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	2	1	—	—	1	5	4	1	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	1	1	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	—	—	1	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	—	—	—	—	—	2	—	1	—	1
Other Disease of the Respiratory System (510-519)	1	—	1	—	—	3	1	1	—	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	4	—	—	2	2	3	—	2	—	1
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	2	1	—	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	2	1	—	1	—	—	—	—	—	—
Symptoms and Ill-Defined Conditions (780-799)	2	—	—	1	1	2	—	—	2	—
All Other Diseases (001-799)	9	3	3	1	2	17	1	9	3	4
Accidents (E800-E949)	6	1	—	3	2	23	16	1	5	1
Motor Vehicle Traffic (E810-E819)	4	—	—	2	2	14	10	1	3	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	1	—	—	—
Falls (E880-E888)	1	1	—	—	—	1	—	—	1	—
Fire and Flames (E890-E899)	1	—	—	1	—	3	1	—	1	1
Drowning (E910)	—	—	—	—	—	—	—	—	—	—
Firearms (E922)	—	—	—	—	—	1	1	—	—	—
Residual (E800-E949)	—	—	—	—	—	3	3	—	—	—
Suicide (E950-E959)	2	—	—	2	—	7	2	3	1	1
Firearms (E955)	2	—	—	2	—	7	2	3	1	1
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	5	2	1	1	1	1	1	—	—	—
Assault by Firearms (E965)	4	2	—	1	1	1	1	—	—	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	1	—	1	—	—	—	—	—	—	—
Other External Causes (E980-E999)	1	—	—	1	—	4	2	—	2	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	LANCASTER					LAURENS				
	Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Female
All Causes	430	161	148	67	54	529	183	196	83	67
Infectious and Parasitic Dis. (001-139)	2	1	1	—	—	8	4	2	1	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis: All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	1	—	—	—	6	3	2	—	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	—	1	—	—	2	1	—	1	—
Malignant Neoplasms (140-208)	86	33	30	13	10	101	33	34	19	15
Of Lip, Oral Cavity and Pharynx (140-149)	2	—	1	1	—	—	—	—	—	—
Of Digestive Organs and Peritoneum (150-159)	23	6	6	6	5	29	6	13	6	4
Of Respiratory System (160-165)	25	19	3	1	2	29	17	3	7	2
Of Breast (174-175)	9	—	6	—	3	5	—	3	—	2
Of Genital Organs (179-187)	5	2	2	1	—	14	5	7	1	1
Of Urinary Organs (188-189)	7	2	4	1	—	4	—	1	2	1
Leukemia (204-208)	3	1	1	1	—	5	—	2	—	3
Of other and unspecified sites (170-173, 190-199)	10	2	6	2	—	10	5	2	3	—
Of Lymphatic and Hematopoietic Tissues (200-203)	2	1	1	—	—	5	—	3	—	2
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	10	6	2	—	2	13	1	5	4	3
Meningitis (320-322)	—	—	—	—	—	1	1	—	—	—
Diseases of Heart (390-398, 402, 404-429)	177	63	59	26	29	200	68	83	23	26
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	3	—	2	—	1	1	—	1	—	—
Hypertensive Heart, Hyper. Heart Renal (402, 404)	4	1	1	—	2	12	1	5	1	5
Ischemic Heart Disease (410-414)	105	45	34	13	13	142	59	54	13	16
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	10	3	5	1	1	10	—	8	1	1
All Other Forms of Heart Disease (415-423, 425-427, 429)	55	14	17	12	12	35	8	15	8	4
Hypertension (401, 403)	2	1	—	1	—	3	—	1	1	1
Cerebrovascular Disease (430-438)	24	8	11	4	1	55	19	19	9	8
Arteriosclerosis (440)	1	—	1	—	—	6	1	1	3	1
Other Diseases Of The Circulatory System (441-459)	9	3	3	2	1	7	—	4	1	2
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	10	3	6	1	—	21	6	12	2	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	9	6	1	2	—	9	6	2	1	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	—	—	—	—	—
Asthma (493)	1	1	—	—	—	—	—	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	8	5	1	2	—	9	6	2	1	—
Ulcer of Stomach and Duodenum (531-533)	1	—	—	1	—	4	1	2	1	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	1	—	—	1	—	—	1	—
Chronic Liver Disease and Cirrhosis (571)	5	3	2	—	—	4	1	2	—	1
Other Disease of the Respiratory System (510-519)	1	1	—	—	—	2	—	1	—	1
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	5	2	2	1	—	4	—	2	1	1
Infections of Kidney (590)	1	—	1	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	5	1	2	1	1	6	3	1	—	2
Certain Conditions Originating in the Perinatal Period (760-779)	3	—	—	2	1	4	—	1	3	—
Symptoms and Ill-Defined Conditions (780-799)	1	1	—	—	—	—	—	—	—	—
All Other Diseases (001-799)	40	15	14	5	6	34	12	13	6	3
Accidents (E800-E949)	27	9	9	6	3	37	24	6	7	—
Motor Vehicle Traffic (E810-E819)	19	8	5	4	2	22	15	4	3	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	1	1	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	1	—	1	—	—	2	1	—	1	—
Falls (E880-E888)	2	—	1	—	1	3	2	—	1	—
Fire and Flames (E890-E899)	—	—	—	—	—	3	1	1	1	—
Drowning (E910)	2	—	—	2	—	—	—	—	—	—
Firearms (E922)	2	1	1	—	—	—	—	—	—	—
Residual (E800-E949)	1	—	1	—	—	6	4	1	1	—
Suicide (E950-E959)	7	3	3	1	—	7	2	3	—	1
Firearms (E955)	5	2	2	1	—	6	2	3	—	1
Hanging, Strangulation & Suffocation (E953)	1	1	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	1	—	1	—	—
Residual (E950-E959)	1	—	1	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	3	2	—	1	—	2	1	1	—	—
Assault by Firearms (E965)	2	2	—	—	—	1	1	—	—	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	1	—	1	—	—
Residual (E960-E978)	1	—	—	1	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	LEE					LEXINGTON				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	148	36	20	56	36	997	465	394	81	57
Infectious and Parasitic Dis. (001-139)	1	1	—	—	—	21	9	6	4	2
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	—	1	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	2	—	—	1	1
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	—	—	—	—	—	12	5	3	3	1
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	1	—	—	—	6	4	2	—	—
Malignant Neoplasms (140-208)	38	5	9	15	9	210	110	81	8	11
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	7	5		—	2
Of Digestive Organs and Peritoneum (150-159)	13	1	4	5	3	40	19	17	3	1
Of Respiratory System (160-165)	9	3	—	6	—	61	43	14	4	—
Of Breast (174-175)	3	—	1	—	2	19	—	17	—	2
Of Genital Organs (179-187)	4	—	1	2	1	18	11	5	—	2
Of Urinary Organs (188-189)	1	—	1	—	—	11	7	3	1	—
Leukemia (204-208)	3	1	—	1	1	12	7	5	—	—
Of other and unspecified sites (170-173, 190-199)	5	—	2	1	2	28	11	14	—	3
Of Lymphatic and Hematopoietic Tissues (200-203)	—	—	—	—	—	14	7	6	—	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	2	2	—	—	—
Diabetes Mellitus (250)	1	—	—	—	1	15	7	7	—	1
Meningitis (320-322)	—	—	—	—	—	1	—	1	—	—
Diseases of Heart (390-398, 402, 404-429)	50	14	7	17	12	323	143	147	21	12
Rheumatic Fever and Chr Rheu Heart Dis. (390-398)	—	—	—	—	—	1	—	1	—	—
Hypertensive Heart, Hyper Heart Renal (402, 404)	—	—	—	—	—	10	2	5	—	3
Ischemic Heart Disease (410-414)	28	10	3	10	5	249	118	113	15	3
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	4	—	—	2	2	14	3	7	1	3
All Other Forms of Heart Disease (415-423, 425-427, 429)	18	4	4	5	5	49	20	21	5	3
Hypertension (401, 403)	2	—	—	2	—	5	1	3	—	1
Cerebrovascular Disease (430-438)	10	2	1	3	4	83	25	36	16	6
Arteriosclerosis (440)	—	—	—	—	—	3	2	1	—	—
Other Diseases Of The Circulatory System (441-459)	—	—	—	—	—	19	13	4	—	2
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	1	—	1	—	—
Pneumonia (480-486)	4	2	—	1	1	40	23	14	2	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr Obstructive Pulmonary Dis. & Allied Cond. (490-496)	4	2	—	2	—	40	23	13	3	1
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	1	1	—	—	—
Emphysema (492)	3	2	—	1	—	6	4	2	—	—
Asthma (493)	—	—	—	—	—	—	—	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	1	—	—	1	—	33	18	11	3	1
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	2	—	2	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	3	—	2	—	1
Chronic Liver Disease and Cirrhosis (571)	3	2	—	1	—	16	9	4	1	2
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	8	2	3	1	2
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	1	—	—	—	1	11	4	3	1	3
Infections of Kidney (590)	—	—	—	—	—	1	—	1	—	—
Congenital Anomalies (740-759)	1	—	—	—	1	7	4	2	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	6	2	—	1	3	18	6	4	5	3
Symptoms and Ill-Defined Conditions (780-799)	2	—	—	1	1	6	2	3	—	1
All Other Diseases (001-799)	10	2	2	4	2	84	30	39	10	5
Accidents (E800-E949)	11	4	1	5	1	49	31	10	6	2
Motor Vehicle Traffic (E810-E819)	5	2	1	2	—	28	20	5	3	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	3	2	—	1	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	1	—	—	—
Falls (E880-E888)	—	—	—	—	—	4	3	1	—	—
Fire and Flames (E890-E899)	1	1	—	—	—	3	1	1	1	—
Drowning (E910)	3	—	—	2	1	1	—	—	—	1
Firearms (E922)	—	—	—	—	—	—	—	—	—	—
Residual (E800-E949)	2	1	—	1	—	9	4	3	1	1
Suicide (E950-E959)	1	—	—	1	—	16	13	3	—	—
Firearms (E955)	1	—	—	1	—	12	9	3	—	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	1	1	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	3	3	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	2	—	—	2	—	11	5	3	3	—
Assault by Firearms (E965)	2	—	—	2	—	6	3	1	2	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	5	2	2	1	—
Other External Causes (E980-E999)	1	—	—	1	—	2	1	1	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	McCORMICK					MARION				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	69	19	13	17	20	330	96	54	89	91
Infectious and Parasitic Dis. (001-139)	1	—	—	1	—	6	3	1	1	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	—	—	—	1
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	—	—	1	—	4	2	1	1	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	1	1	—	—	—
Malignant Neoplasms (140-208)	12	2	4	3	3	59	14	10	20	15
Of Lip, Oral Cavity and Pharynx (140-149)	—	—	—	—	—	—	—	—	—	—
Of Digestive Organs and Peritoneum (150-159)	4	1	1	1	1	16	3	—	8	5
Of Respiratory System (160-165)	5	1	3	1	—	14	7	3	4	—
Of Breast (174-175)	—	—	—	—	—	4	—	2	—	2
Of Genital Organs (179-187)	3	—	—	1	2	9	1	2	5	1
Of Urinary Organs (188-189)	—	—	—	—	—	5	1	2	—	2
Leukemia (204-208)	—	—	—	—	—	3	1	—	—	2
Of other and unspecified sites (170-173, 190-199)	—	—	—	—	—	7	1	1	3	2
Of Lymphatic and Hematopoietic Tissues (200-203)	—	—	—	—	—	1	—	—	—	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	—	—	—	—	—
Diabetes Mellitus (250)	1	—	1	—	—	13	1	1	1	10
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	29	11	3	6	9	109	39	20	23	27
Rheumatic Fever and Chr Rheu Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hyper Heart Renal (402, 404)	1	—	1	—	—	5	—	1	3	1
Ischemic Heart Disease (410-414)	19	11	1	3	4	63	29	10	15	9
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	5	—	—	2	3	15	2	5	3	5
All Other Forms of Heart Disease (415-423, 425-427, 429)	4	—	1	1	2	26	8	4	2	12
Hypertension (401, 403)	—	—	—	—	—	5	1	—	2	2
Cerebrovascular Disease (430-438)	7	1	3	1	2	32	5	6	9	11
Arteriosclerosis (440)	1	1	—	—	—	3	—	—	1	2
Other Diseases Of The Circulatory System (441-459)	—	—	—	—	—	3	—	2	1	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	1	1	—	—	—	11	4	—	1	6
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr Obstructive Pulmonary Dis. & Allied Cond. (490-496)	4	—	1	2	1	8	3	3	1	1
Chronic and Unqualified Bronchitis (490, 491)	1	—	—	—	1	—	—	—	—	—
Emphysema (492)	—	—	—	—	—	1	—	—	1	—
Asthma (493)	—	—	—	—	—	1	—	—	—	1
Other Chr. Obstructive Pulm. Diseases (494-496)	3	—	1	2	—	6	3	3	—	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	1	—	—	—
Chronic Liver Disease and Cirrhosis (571)	1	1	—	—	—	6	4	1	1	—
Other Disease of the Respiratory System (510-519)	1	—	—	1	—	1	1	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	—	—	—	—	—	5	1	—	2	2
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	1	—	—	—	1	3	1	—	1	1
Certain Conditions Originating in the Perinatal Period (760-779)	1	—	—	—	1	6	2	—	1	3
Symptoms and Ill-Defined Conditions (780-799)	—	—	—	—	—	4	1	1	—	2
All Other Diseases (001-799)	3	1	1	—	1	19	1	4	8	6
Accidents (E800-E949)	5	1	—	3	1	21	7	4	9	1
Motor Vehicle Traffic (E810-E819)	2	—	—	1	1	11	6	3	1	1
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	1	—	—	1	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	—	—	—	—	—	1	—	1	—	—
Fire and Flames (E890-E899)	—	—	—	—	—	1	—	—	1	—
Drowning (E910)	—	—	—	—	—	2	—	—	2	—
Firearms (E922)	—	—	—	—	—	1	1	—	—	—
Residual (E800-E949)	2	1	—	1	—	5	—	—	5	—
Suicide (E950-E959)	—	—	—	—	—	5	4	1	—	—
Firearms (E955)	—	—	—	—	—	2	2	—	—	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	1	1	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	2	1	1	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	1	—	—	—	1	10	2	—	7	1
Assault by Firearms (E965)	—	—	—	—	—	7	1	—	5	1
Assault by Cutting and Piercing (E966)	1	—	—	—	1	3	1	—	2	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	MARLBORO					NEWBERRY				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	306	94	70	71	71	329	122	89	66	52
Infectious and Parasitic Dis. (001-139)	5	2	—	3	—	—	—	—	—	—
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	2	2	—	—	—	—	—	—	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	2	—	—	2	—	—	—	—	—	—
Malignant Neoplasms (140-208)	49	16	11	10	12	80	27	20	19	14
Of Lip, Oral Cavity and Pharynx (140-149)	1	—	—	1	—	2	—	2	—	—
Of Digestive Organs and Peritoneum (150-159)	11	4	4	1	2	23	6	5	7	5
Of Respiratory System (160-165)	14	9	3	2	—	22	9	3	6	4
Of Breast (174-175)	4	—	1	—	3	5	—	4	—	1
Of Genital Organs (179-187)	11	2	1	4	4	10	7	—	2	1
Of Urinary Organs (188-189)	3	—	—	2	1	—	—	—	—	—
Leukemia (204-208)	—	—	—	—	—	4	1	2	1	—
Of other and unspecified sites (170-173, 190-199)	2	1	1	—	—	9	3	2	2	2
Of Lymphatic and Hematopoietic Tissues (200-203)	3	—	1	—	2	5	1	2	1	1
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	1	—	1	—	—
Diabetes Mellitus (250)	5	2	—	—	3	2	—	2	—	—
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	114	36	28	29	21	125	51	30	25	19
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hyper. Heart Renal (402, 404)	3	1	—	1	1	3	—	—	1	2
Ischemic Heart Disease (410-414)	86	32	25	17	12	54	29	19	4	2
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	6	—	2	2	2	53	20	5	17	11
All Other Forms of Heart Disease (415-423, 425-427, 429)	19	3	1	9	6	15	2	6	3	4
Hypertension (401, 403)	1	—	—	—	1	1	1	—	—	—
Cerebrovascular Disease (430-438)	49	10	12	7	20	28	7	13	3	5
Arteriosclerosis (440)	—	—	—	—	—	5	2	2	—	1
Other Diseases Of The Circulatory System (441-459)	2	—	2	—	—	9	4	1	3	1
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	7	4	2	1	—	5	3	1	1	—
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	9	6	2	1	—	7	2	3	2	—
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	—	—	—	—	—
Emphysema (492)	1	—	1	—	—	2	1	—	1	—
Asthma (493)	1	—	—	1	—	—	—	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	7	6	1	—	—	5	1	3	1	—
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	2	2	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	1	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	5	2	1	—	2	6	5	1	—	—
Other Disease of the Respiratory System (510-519)	2	1	—	—	1	1	1	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	2	—	—	—	1	—	—	—	1
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	3	—	1	1	1	1	1	—	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	9	1	—	4	4	10	4	1	3	2
Symptoms and Ill Defined Conditions (780-799)	2	—	—	1	1	3	—	3	—	—
All Other Diseases (001-799)	14	2	4	5	3	21	3	8	6	4
Accidents (E800-E949)	17	5	3	7	2	20	9	3	4	4
Motor Vehicle Traffic (E810-E819)	7	3	3	1	—	14	5	3	3	3
Motor Vehicle Non Traffic (E820-E825)	1	—	—	1	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	—	—	—	—	—	—	—	—	—	—
Falls (E880-E888)	1	—	—	1	—	2	1	—	1	—
Fire and Flames (E890-E899)	1	—	—	1	—	—	—	—	—	—
Drowning (E910)	1	—	—	1	—	—	—	—	—	—
Firearms (E922)	1	1	—	—	—	—	—	—	—	—
Residual (E800-E949)	5	1	—	2	2	4	3	—	—	1
Suicide (E950-E959)	6	4	2	—	—	1	—	—	—	1
Firearms (E955)	6	4	2	—	—	1	—	—	—	1
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	4	1	1	2	—	—	—	—	—	—
Assault by Firearms (E965)	4	1	1	2	—	—	—	—	—	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	OCONEE					ORANGEBURG				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	473	227	191	24	31	848	227	204	240	177
Infectious and Parasitic Dis. (001-139)	3	2	1	—	—	15	—	3	3	9
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	1	—	—	—	1
Tuberculosis, All Forms (010-018)	—	—	—	—	—	2	—	—	1	1
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	2	1	1	—	—	11	—	3	2	6
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	1	1	—	—	—	1	—	—	—	1
Malignant Neoplasms (140-208)	100	49	37	7	7	166	50	38	53	25
Of Lip, Oral Cavity and Pharynx (140-149)	3	3	—	—	—	9	4	—	3	2
Of Digestive Organs and Peritoneum (150-159)	20	10	9	—	1	37	11	8	12	6
Of Respiratory System (160-165)	25	17	4	3	1	47	16	12	14	5
Of Breast (174-175)	10	—	8	—	2	6	—	5	—	1
Of Genital Organs (179-187)	12	3	5	3	1	29	6	3	15	5
Of Urinary Organs (188-189)	8	3	3	1	1	2	1	—	1	—
Leukemia (204-208)	2	2	—	—	—	1	1	—	—	—
Of other and unspecified sites (170-173, 190-199)	14	7	6	—	1	23	9	8	3	3
Of Lymphatic and Hematopoietic Tissues (200-203)	6	4	2	—	—	12	2	2	5	3
Benign and Unspecified Neoplasms (210-239)	1	1	—	—	—	2	—	1	—	1
Diabetes Mellitus (250)	7	—	7	—	—	16	1	3	3	9
Meningitis (320-322)	—	—	—	—	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	172	85	71	5	11	304	97	77	62	68
Rheumatic Fever and Chr. Rheu. Heart Dis. (390-398)	—	—	—	—	—	1	1	—	—	—
Hypertensive Heart, Hyper. Heart Renal (402, 404)	9	2	4	2	1	15	—	2	7	6
Ischemic Heart Disease (410-414)	111	60	42	1	8	193	72	56	31	34
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	6	1	4	1	—	24	5	2	9	8
All Other Forms of Heart Disease (415-423, 425-427, 429)	46	22	21	1	2	71	19	17	15	20
Hypertension (401, 403)	6	3	2	1	—	11	1	1	7	2
Cerebrovascular Disease (430-438)	44	13	20	7	4	95	14	35	21	25
Arteriosclerosis (440)	11	2	6	2	1	6	1	3	1	1
Other Diseases Of The Circulatory System (441-459)	4	3	1	—	—	8	3	3	2	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	11	7	4	—	—	22	7	5	6	4
Influenza (487)	1	—	—	—	1	1	—	1	—	—
Chr. Obstructive Pulmonary Dis. & Allied Cond. (490-496)	21	14	6	1	—	23	12	6	5	—
Chronic and Unqualified Bronchitis (490, 491)	2	1	1	—	—	—	—	—	—	—
Emphysema (492)	8	6	2	—	—	3	1	—	2	—
Asthma (493)	2	1	1	—	—	1	—	1	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	9	6	2	1	—	19	11	5	3	—
Ulcer of Stomach and Duodenum (531-533)	3	1	1	—	1	4	—	1	2	1
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	1	1	—	—	—
Chronic Liver Disease and Cirrhosis (571)	4	4	—	—	—	9	3	1	4	1
Other Disease of the Respiratory System (510-519)	3	2	1	—	—	6	1	—	3	2
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	—	2	—	—	9	—	1	6	2
Infections of Kidney (590)	1	1	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	3	—	2	—	1	7	1	2	2	2
Certain Conditions Originating in the Perinatal Period (760-779)	3	1	1	—	1	12	1	2	3	6
Symptoms and Ill-Defined Conditions (780-799)	1	1	—	—	—	7	1	1	5	—
All Other Diseases (001-799)	37	12	23	—	2	47	7	11	18	11
Accidents (E800-E949)	24	16	5	1	2	64	19	9	30	6
Motor Vehicle Traffic (E810-E819)	13	8	4	1	—	31	12	3	14	2
Motor Vehicle Non Traffic (E820-E825)	1	—	1	—	—	1	1	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	1	—	—	—	1	1	1	—	—	—
Falls (E880-E888)	1	—	—	—	1	6	—	3	2	1
Fire and Flames (E890-E899)	2	2	—	—	—	8	1	1	5	1
Drowning (E910)	—	—	—	—	—	1	—	1	—	—
Firearms (E922)	1	1	—	—	—	1	—	1	—	—
Residual (E800-E949)	5	5	—	—	—	15	4	—	9	2
Suicide (E950-E959)	10	9	1	—	—	7	5	—	2	—
Firearms (E955)	8	7	1	—	—	5	5	—	—	—
Hanging, Strangulation & Suffocation (E953)	1	1	—	—	—	2	—	—	2	—
Poisoning (E950-E952)	1	1	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	—	—	—	—	—	6	2	—	2	2
Assault by Firearms (E965)	—	—	—	—	—	2	—	—	1	1
Assault by Cutting and Piercing (E966)	—	—	—	—	—	2	1	—	1	—
Residual (E960-E978)	—	—	—	—	—	2	1	—	—	1
Other External Causes (E980-E999)	1	1	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	PICKENS					RICHLAND				
		White		Non-White			White		Non-White	
	Total	Male	Female	Male	Female	Total	Male	Female	Male	Female
All Causes	568	274	224	36	34	2,178*	691	659	455	372
Infectious and Parasitic Dis. (001-139)	6	2	1	1	2	35	7	5	9	14
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	2	—	—	2	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	1	—	—	—	1
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	5	1	1	1	2	19	2	4	2	11
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	1	—	—	1	—
Remainder of (001-139)	1	1	—	—	—	12	5	1	4	2
Malignant Neoplasms (140-208)	131	66	47	11	7	448	145	144	104	55
Of Lip, Oral Cavity and Pharynx (140-149)	4	1	2	—	1	17	7	1	7	2
Of Digestive Organs and Peritoneum (150-159)	35	19	11	4	1	131	41	46	31	13
Of Respiratory System (160-165)	36	23	8	4	1	113	51	26	31	5
Of Breast (174-175)	5	—	4	—	1	37	—	28	—	9
Of Genital Organs (179-187)	22	10	8	2	2	51	11	12	18	10
Of Urinary Organs (188-189)	1	1	—	—	—	20	6	5	6	3
Leukemia (204-208)	2	2	—	—	—	12	2	5	2	3
Of other and unspecified sites (170-173, 190-199)	17	7	10	—	—	44	19	12	6	7
Of Lymphatic and Hematopoietic Tissues (200-203)	9	3	4	1	1	23	8	9	3	3
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	8	2	2	1	3
Diabetes Mellitus (250)	10	5	4	—	1	47	10	13	8	16
Meningitis (320-322)	—	—	—	—	—	1	—	—	1	—
Diseases of Heart (390-398, 402, 404-429)	213	100	87	12	14	686	245	204	126	111
Rheumatic Fever and Chr Rheu Heart Dis. (390-398)	—	—	—	—	—	1	—	1	—	—
Hypertensive Heart, Hyper Heart-Renal (402, 404)	5	1	3	—	1	25	7	6	6	6
Ischemic Heart Disease (410-414)	162	84	59	9	10	440	182	122	77	59
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	15	4	9	1	1	67	11	26	13	17
All Other Forms of Heart Disease (415-423, 425-427, 429)	31	11	16	2	2	153	45	49	30	29
Hypertension (401, 403)	—	—	—	—	—	9	1	2	1	5
Cerebrovascular Disease (430-438)	59	23	27	6	3	164	35	61	30	38
Arteriosclerosis (440)	5	—	4	—	1	11	4	4	—	3
Other Diseases Of The Circulatory System (441-459)	4	2	2	—	—	27	11	12	1	3
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	1	1	—	—	—
Pneumonia (480-486)	17	8	9	—	—	98	28	39	19	12
Influenza (487)	2	1	1	—	—	1	1	—	—	—
Chr Obstructive Pulmonary Dis. & Allied Cond. (490-496)	11	7	4	—	—	69	20	28	12	9
Chronic and Unqualified Bronchitis (490, 491)	1	—	1	—	—	—	—	—	—	—
Emphysema (492)	1	1	—	—	—	9	3	2	2	2
Asthma (493)	1	—	1	—	—	8	2	3	—	3
Other Chr. Obstructive Pulm. Diseases (494-496)	8	6	2	—	—	52	15	23	10	4
Ulcer of Stomach and Duodenum (531-533)	—	—	—	—	—	8	4	3	1	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	1	—	—	3	—	2	—	1
Chronic Liver Disease and Cirrhosis (571)	9	6	2	—	1	22	5	8	3	6
Other Disease of the Respiratory System (510-519)	4	1	3	—	—	15	6	4	3	2
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	4	2	2	—	—	24	5	5	5	9
Infections of Kidney (590)	—	—	—	—	—	4	—	2	2	—
Congenital Anomalies (740-759)	2	1	—	1	—	24	2	6	7	9
Certain Conditions Originating in the Perinatal Period (760-779)	5	2	2	—	1	33	9	2	15	6
Symptoms and Ill Defined Conditions (780-799)	2	—	2	—	—	18	3	6	4	5
All Other Diseases (001-799)	36	18	13	1	4	224	63	74	43	44
Accidents (E800-E949)	34	23	7	4	—	119	51	24	31	13
Motor Vehicle Traffic (E810-E819)	25	17	5	3	—	64	25	11	20	8
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	—	—	—	—	—	4	1	1	2	—
Falls (E880-E888)	1	1	—	—	—	19	8	8	3	—
Fire and Flames (E890-E899)	3	1	1	1	—	4	—	—	2	2
Drowning (E910)	—	—	—	—	—	4	2	1	1	—
Firearms (E922)	—	—	—	—	—	2	2	—	—	—
Residual (E800-E949)	5	4	1	—	—	22	13	3	3	3
Suicide (E950-E959)	11	5	6	—	—	41	23	6	8	4
Firearms (E955)	8	4	4	—	—	28	14	4	8	2
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	6	4	2	—	—
Poisoning (E950-E952)	2	—	2	—	—	6	5	—	—	1
Residual (E950-E959)	1	1	—	—	—	1	—	—	—	1
Homicide and Legal Intervention (E960-E978)	2	2	—	—	—	35	9	3	20	3
Assault by Firearms (E965)	2	2	—	—	—	21	7	—	13	1
Assault by Cutting and Piercing (E966)	—	—	—	—	—	8	1	1	5	1
Residual (E960-E978)	—	—	—	—	—	6	1	2	2	1
Other External Causes (E980-E999)	—	—	—	—	—	3	1	—	1	1

*Total includes 1 unknown sex

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	SALUDA					SPARTANBURG				
	Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Female
All Causes	159	62	48	30	19	1,942	844	689	220	189
Infectious and Parasitic Dis. (001-139)	2	—	1	1	—	19	4	7	5	3
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	—	—	—	—	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	1	—	1	—	—	13	4	4	2	3
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	1	—	—	1	—
Remainder of (001-139)	1	—	—	1	—	5	—	3	2	—
Malignant Neoplasms (140-208)	31	18	6	5	2	392	176	133	53	30
Of Lip, Oral Cavity and Pharynx (140-149)	2	2	—	—	—	8	3	2	3	—
Of Digestive Organs and Peritoneum (150-159)	4	1	1	2	—	93	39	38	7	9
Of Respiratory System (160-165)	6	6	—	—	—	119	74	21	21	3
Of Breast (174-175)	—	—	—	—	—	34	—	29	—	5
Of Genital Organs (179-187)	5	2	—	3	—	52	18	18	11	5
Of Urinary Organs (188-189)	1	—	1	—	—	15	7	3	3	2
Leukemia (204-208)	3	3	—	—	—	9	5	3	1	—
Of other and unspecified sites (170-173, 190-199)	5	3	1	—	1	38	16	14	6	2
Of Lymphatic and Hematopoietic Tissues (200-203)	5	1	3	—	1	24	14	5	1	4
Benign and Unspecified Neoplasms (210-239)	—	—	—	—	—	4	1	1	1	1
Diabetes Mellitus (250)	1	—	—	1	—	33	10	9	4	10
Meningitis (320-322)	—	—	—	—	—	1	—	—	1	—
Diseases of Heart (390-398, 402, 404-429)	48	18	16	10	4	733	330	260	67	76
Rheumatic Fever and Chr Rheu Heart Dis. (390-398)	—	—	—	—	—	5	—	5	—	—
Hypertensive Heart, Hyper Heart-Renal (402, 404)	3	1	—	1	1	25	4	8	6	7
Ischemic Heart Disease (410-414)	34	12	11	8	3	499	261	166	33	39
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	5	1	4	—	—	56	17	24	7	8
All Other Forms of Heart Disease (415-423, 425-427, 429)	6	4	1	1	—	148	48	57	21	22
Hypertension (401, 403)	2	—	1	1	—	7	1	4	2	—
Cerebrovascular Disease (430-438)	19	7	4	3	5	178	50	74	26	28
Arteriosclerosis (440)	10	2	7	—	1	11	2	8	—	1
Other Diseases Of The Circulatory System (441-459)	1	—	—	—	1	25	18	2	2	3
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	3	1	2	—	—	43	19	16	4	4
Influenza (487)	—	—	—	—	—	3	—	2	1	—
Chr Obstructive Pulmonary Dis. & Allied Cond. (490-496)	2	1	—	1	—	69	39	23	5	2
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	2	—	1	1	—
Emphysema (492)	1	1	—	—	—	19	12	7	—	—
Asthma (493)	—	—	—	—	—	6	1	4	1	—
Other Chr. Obstructive Pulm. Diseases (494-496)	1	—	—	1	1	42	26	11	3	2
Ulcer of Stomach and Duodenum (531-533)	1	—	—	—	1	11	6	3	1	1
Hernia and Intestinal Obstruction (550-553, 560)	1	1	—	—	—	6	—	4	2	—
Chronic Liver Disease and Cirrhosis (571)	3	1	1	1	—	22	11	11	—	—
Other Disease of the Respiratory System (510-519)	—	—	—	—	—	18	7	10	1	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	—	—	—	—	—	18	6	5	5	2
Infections of Kidney (590)	—	—	—	—	—	2	1	1	—	—
Congenital Anomalies (740-759)	—	—	—	—	—	8	3	2	1	2
Certain Conditions Originating in the Perinatal Period (760-779)	3	—	1	—	2	16	3	8	2	3
Symptoms and Ill-Defined Conditions (780-799)	1	—	—	1	—	11	3	4	1	3
All Other Diseases (001-799)	13	3	8	2	—	154	59	68	15	12
Accidents (E800-E949)	13	7	1	4	1	104	60	26	12	6
Motor Vehicle Traffic (E810-E819)	6	3	1	2	—	56	34	16	3	3
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	1	1	—	—	—
Railway (E800-E807)	—	—	—	—	—	1	1	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	—	—	—	—	—	2	—	1	1	—
Falls (E880-E888)	—	—	—	—	—	5	—	4	1	—
Fire and Flames (E890-E899)	1	1	—	—	—	9	7	—	2	—
Drowning (E910)	—	—	—	—	—	5	3	1	1	—
Firearms (E922)	—	—	—	—	—	2	1	1	—	—
Residual (E800-E949)	6	3	—	2	1	23	13	3	4	3
Suicide (E950-E959)	3	2	—	—	1	33	27	3	3	—
Firearms (E955)	3	2	—	—	1	26	23	2	1	—
Hanging, Strangulation & Suffocation (E953)	—	—	—	—	—	4	3	—	1	—
Poisoning (E950-E952)	—	—	—	—	—	3	1	1	1	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	2	1	—	—	1	19	8	3	6	2
Assault by Firearms (E965)	2	1	—	—	1	9	5	1	2	1
Assault by Cutting and Piercing (E966)	—	—	—	—	—	4	—	2	1	1
Residual (E960-E978)	—	—	—	—	—	6	3	—	3	—
Other External Causes (E980-E999)	—	—	—	—	—	2	—	2	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	SUMTER					UNION				
	Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Female
All Causes	740	187	191	195	167	300	127	104	31	38
Infectious and Parasitic Dis. (001-139)	11	2	3	4	2	5	1	1	1	2
Enteritis and Other Intestinal Dis. (008-009)	2	—	1	—	1	—	—	—	—	—
Tuberculosis, All Forms (010-018)	—	—	—	—	—	2	—	—	1	1
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	5	—	2	3	—	2	1	1	—	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	4	2	—	1	1	1	—	—	—	1
Malignant Neoplasms (140-208)	146	43	39	34	30	55	30	15	6	4
Of Lip, Oral Cavity and Pharynx (140-149)	6	2	—	2	2	2	1	1	—	—
Of Digestive Organs and Peritoneum (150-159)	37	9	9	13	6	11	8	1	1	1
Of Respiratory System (160-165)	27	14	2	7	4	17	6	6	3	2
Of Breast (174-175)	16	—	10	—	6	5	—	4	—	1
Of Genital Organs (179-187)	21	3	6	5	7	9	5	2	2	—
Of Urinary Organs (188-189)	9	4	4	—	1	4	4	—	—	—
Leukemia (204-208)	8	2	4	2	—	—	—	—	—	—
Of other and unspecified sites (170-173, 190-199)	18	7	3	5	3	6	5	1	—	—
Of Lymphatic and Hematopoietic Tissues (200-203)	4	2	1	—	1	1	1	—	—	—
Benign and Unspecified Neoplasms (210-239)	2	—	1	1	—	—	—	—	—	—
Diabetes Mellitus (250)	15	4	2	3	6	4	1	2	—	1
Meningitis (320-322)	1	—	—	1	—	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	236	57	62	61	56	151	65	56	12	18
Rheumatic Fever and Chr Rheu Heart Dis. (390-398)	—	—	—	—	—	—	—	—	—	—
Hypertensive Heart, Hyper Heart-Renal (402, 404)	2	—	—	—	2	7	3	3	—	1
Ischemic Heart Disease (410-414)	145	42	48	29	26	118	51	45	8	14
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	19	3	4	8	4	4	2	1	—	1
All Other Forms of Heart Disease (415-423, 425-427, 429)	70	12	10	24	24	22	9	7	4	2
Hypertension (401, 403)	7	1	—	1	5	1	1	—	—	—
Cerebrovascular Disease (430-438)	95	19	41	15	20	31	9	9	5	8
Arteriosclerosis (440)	2	—	1	—	1	—	—	—	—	—
Other Diseases Of The Circulatory System (441-459)	9	2	2	3	2	4	2	2	—	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	9	3	2	3	1	5	1	2	1	1
Influenza (487)	—	—	—	—	—	—	—	—	—	—
Chr Obstructive Pulmonary Dis. & Allied Cond. (490-496)	19	6	6	5	2	3	2	1	—	—
Chronic and Unqualified Bronchitis (490, 491)	1	—	—	—	1	—	—	—	—	—
Emphysema (492)	5	2	2	1	—	1	—	1	—	—
Asthma (493)	1	—	1	—	—	—	—	—	—	—
Other Chr. Obstructive Pulm. Diseases (494-496)	12	4	3	4	1	2	2	—	—	—
Ulcer of Stomach and Duodenum (531-533)	2	—	—	1	1	—	—	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	1	—	1	—	—	—	—	—	—	—
Chronic Liver Disease and Cirrhosis (571)	11	5	2	4	—	—	—	—	—	—
Other Disease of the Respiratory System (510-519)	7	2	1	3	1	1	1	—	—	—
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	9	1	1	4	3	3	—	2	—	1
Infections of Kidney (590)	2	—	1	—	1	—	—	—	—	—
Congenital Anomalies (740-759)	10	1	3	5	1	—	—	—	—	—
Certain Conditions Originating in the Perinatal Period (760-779)	21	5	2	7	7	3	—	—	2	1
Symptoms and Ill-Defined Conditions (780-799)	—	—	—	—	—	—	—	—	—	—
All Other Diseases (001-799)	54	9	12	18	15	15	7	6	—	2
Accidents (E800-E949)	55	23	7	15	10	16	5	8	3	—
Motor Vehicle Traffic (E810-E819)	20	10	2	5	3	9	3	5	1	—
Motor Vehicle Non-Traffic (E820-E825)	1	—	—	—	1	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	—	1	—	—
Falls (E880-E888)	4	2	1	1	—	2	—	2	—	—
Fire and Flames (E890-E899)	6	—	2	3	1	—	—	—	—	—
Drowning (E910)	4	—	1	2	1	—	—	—	—	—
Firearms (E922)	1	—	—	—	1	—	—	—	—	—
Residual (E800-E949)	19	11	1	4	3	4	2	—	2	—
Suicide (E950-E959)	6	3	1	1	1	1	1	—	—	—
Firearms (E955)	4	1	1	1	1	1	1	—	—	—
Hanging, Strangulation & Suffocation (E953)	2	2	—	—	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	—	—	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	10	1	1	6	2	2	1	—	1	—
Assault by Firearms (E965)	7	1	—	5	1	2	1	—	1	—
Assault by Cutting and Piercing (E966)	3	—	1	1	1	—	—	—	—	—
Residual (E960-E978)	—	—	—	—	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

Table 51-A.
DEATHS FROM SELECTED CAUSES BY RACE AND SEX: EACH COUNTY OF SOUTH CAROLINA, 1985
(Residence Data)

CAUSE OF DEATH	WILLIAMSBURG					YORK				
	Total	White		Non-White		Total	White		Non-White	
		Male	Female	Male	Female		Male	Female	Male	Female
All Causes	346	88	57	128	73	925	357	349	110	109
Infectious and Parasitic Dis. (001-139)	6	2	1	2	1	12	4	4	3	1
Enteritis and Other Intestinal Dis. (008-009)	—	—	—	—	—	—	—	—	—	—
Tuberculosis, All Forms (010-018)	1	—	—	1	—	1	—	—	1	—
Tetanus (037)	—	—	—	—	—	—	—	—	—	—
Septicemia (038)	5	2	1	1	1	5	3	1	1	—
Measles (055)	—	—	—	—	—	—	—	—	—	—
Syphilis and its Sequelae (090-097)	—	—	—	—	—	—	—	—	—	—
Remainder of (001-139)	—	—	—	—	—	6	1	3	1	1
Malignant Neoplasms (140-208)	77	21	12	30	14	187	82	67	18	20
Of Lip, Oral Cavity and Pharynx (140-149)	1	—	—	1	—	5	2	2	1	—
Of Digestive Organs and Peritoneum (150-159)	18	5	2	7	4	50	14	17	8	11
Of Respiratory System (160-165)	25	9	3	13	—	57	43	10	3	1
Of Breast (174-175)	2	—	1	—	1	23	1	20	—	2
Of Genital Organs (179-187)	12	1	3	5	3	12	2	4	5	1
Of Urinary Organs (188-189)	2	1	—	1	—	5	3	2	—	—
Leukemia (204-208)	5	1	1	1	2	10	4	3	1	2
Of other and unspecified sites (170-173, 190-199)	5	1	1	1	2	13	7	6	—	—
Of Lymphatic and Hematopoietic Tissues (200-203)	7	3	1	1	2	12	6	3	—	3
Benign and Unspecified Neoplasms (210-239)	1	—	—	1	—	2	—	2	—	—
Diabetes Mellitus (250)	2	—	1	1	—	21	5	8	2	6
Meningitis (320-322)	3	—	—	1	2	—	—	—	—	—
Diseases of Heart (390-398, 402, 404-429)	125	38	25	34	28	340	126	139	39	36
Rheumatic Fever and Chr Rheu Heart Dis. (390-398)	—	—	—	—	—	1	—	1	—	—
Hypertensive Heart, Hyper Heart-Renal (402, 404)	1	—	—	1	—	7	1	2	3	1
Ischemic Heart Disease (410-414)	65	28	9	17	11	250	97	103	26	24
Chr. Dis. of Endocardium & Other Myocard. Insuf. (424-428)	28	4	5	7	12	14	3	7	1	3
All Other Forms of Heart Disease (415-423, 425-427, 429)	31	6	11	9	5	68	25	26	9	8
Hypertension (401, 403)	1	—	—	—	1	4	—	1	2	1
Cerebrovascular Disease (430-438)	38	10	7	11	10	87	26	41	4	16
Arteriosclerosis (440)	1	—	—	—	1	19	2	10	3	4
Other Diseases Of The Circulatory System (441-459)	6	1	1	2	2	11	8	2	1	—
Acute Bronchitis and Bronchiolitis (466)	—	—	—	—	—	—	—	—	—	—
Pneumonia (480-486)	3	1	1	1	—	14	3	6	1	4
Influenza (487)	—	—	—	—	—	4	1	1	—	2
Chr Obstructive Pulmonary Dis. & Allied Cond. (490-496)	6	5	—	1	—	32	18	8	3	3
Chronic and Unqualified Bronchitis (490, 491)	—	—	—	—	—	2	—	1	—	1
Emphysema (492)	1	1	—	—	—	3	2	1	—	—
Asthma (493)	—	—	—	—	—	6	3	1	1	1
Other Chr. Obstructive Pulm. Diseases (494-496)	5	4	—	1	—	21	13	5	2	1
Ulcer of Stomach and Duodenum (531-533)	1	—	1	—	—	2	2	—	—	—
Hernia and Intestinal Obstruction (550-553, 560)	—	—	—	—	—	2	—	2	—	—
Chronic Liver Disease and Cirrhosis (571)	2	1	—	—	1	14	6	3	4	1
Other Disease of the Respiratory System (510-519)	1	—	—	1	—	7	—	2	2	3
Nephritis, Nephrotic Syndrome and Nephrosis (580-589)	2	—	1	—	1	12	4	2	4	2
Infections of Kidney (590)	—	—	—	—	—	—	—	—	—	—
Congenital Anomalies (740-759)	6	1	1	2	2	5	2	2	—	1
Certain Conditions Originating in the Perinatal Period (760-779)	4	—	—	2	2	11	2	4	5	—
Symptoms and Ill Defined Conditions (780-799)	3	—	—	3	—	3	1	1	—	1
All Other Diseases (001-799)	14	—	4	8	2	59	26	22	5	6
Accidents (E800-E949)	33	3	2	22	6	57	28	20	7	2
Motor Vehicle Traffic (E810-E819)	16	2	—	11	3	30	15	13	2	—
Motor Vehicle Non-Traffic (E820-E825)	—	—	—	—	—	—	—	—	—	—
Railway (E800-E807)	—	—	—	—	—	—	—	—	—	—
Poisoning By Drugs & Medicaments (E850-E858)	—	—	—	—	—	1	—	1	—	—
Falls (E880-E888)	3	1	1	1	—	4	1	3	—	—
Fire and Flames (E890-E899)	6	—	—	5	1	—	—	—	—	—
Drowning (E910)	1	—	—	1	—	3	2	1	—	—
Firearms (E922)	—	—	—	—	—	1	1	—	—	—
Residual (E800-E949)	7	—	1	4	2	18	9	2	5	2
Suicide (E950-E959)	7	5	—	2	—	8	6	1	1	—
Firearms (E955)	6	5	—	1	—	7	5	1	1	—
Hanging, Strangulation & Suffocation (E953)	1	—	—	1	—	—	—	—	—	—
Poisoning (E950-E952)	—	—	—	—	—	1	1	—	—	—
Residual (E950-E959)	—	—	—	—	—	—	—	—	—	—
Homicide and Legal Intervention (E960-E978)	4	—	—	4	—	12	5	1	6	—
Assault by Firearms (E965)	2	—	—	2	—	8	4	—	4	—
Assault by Cutting and Piercing (E966)	—	—	—	—	—	4	1	1	2	—
Residual (E960-E978)	2	—	—	2	—	—	—	—	—	—
Other External Causes (E980-E999)	—	—	—	—	—	—	—	—	—	—

TABLE 53.

South Carolina Deaths by Cause, Age, Race, and Sex, 1985

(Residence Data)

CAUSE OF DEATH	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
ALL CAUSES	Total	27,077	735	117	69	85	240	384	785	1,168	1,994	4,357	6,923	10,220	-
	WM	9,950	154	36	18	35	117	198	328	429	815	1,837	2,841	3,142	-
	WF	8,440	147	21	15	21	50	56	109	206	407	1,014	1,764	4,630	-
	NWM	4,694	235	31	18	15	49	93	238	350	483	880	1,278	1,024	-
	NWF	3,990	196	29	18	14	24	37	110	183	289	626	1,040	1,424	-
INFECTIOUS & PARASITIC DISEASES (001-139)	Total	381	22	11	4	3	2	7	23	32	27	57	90	103	-
	WM	100	4	6	1	-	1	4	5	9	8	17	25	20	-
	WF	87	2	-	1	1	-	1	2	4	6	12	16	42	-
	NWM	92	9	2	1	-	-	-	8	14	9	14	23	12	-
	NWF	102	7	3	1	2	1	2	8	5	4	14	26	29	-
1. Enteritis & other intestinal diseases (008-009)	Total	9	6	-	1	-	-	-	-	-	-	1	-	1	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	2	-	-	1	-	-	-	-	-	-	-	-	1	-
	NWM	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	NWF	4	3	-	-	-	-	-	-	-	-	1	-	-	-
2. Tuberculosis, all forms (010-018)	Total	30	-	1	-	1	-	-	3	4	6	5	7	3	-
	WM	2	-	-	-	-	-	-	-	-	-	-	1	1	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NWM	16	-	-	-	-	-	-	-	3	5	3	4	1	-
	NWF	12	-	1	-	1	-	-	3	1	1	2	2	1	-
3. Tetanus (037)	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NWM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NWF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Septicemia (038)	Total	219	7	1	2	-	1	1	6	10	10	37	63	81	-
	WM	62	1	1	1	-	1	1	2	3	4	10	22	16	-
	WF	56	2	-	-	-	-	-	-	1	2	10	10	31	-
	NWM	43	3	-	-	-	-	-	2	4	2	11	12	9	-
	NWF	58	1	-	1	-	-	-	2	2	2	6	19	25	-

TABLE 53. (continued)

CAUSE OF DEATH	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
5. Measles (055)	Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NWM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NWF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Syphilis & its sequelae (090-097)	Total	2	-	-	-	-	-	-	-	-	-	-	2	-	-
	WM	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NWM	2	-	-	-	-	-	-	-	-	-	-	2	-	-
	NWF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7. Remainder of (001-139)	Total	121	9	9	1	2	1	6	14	18	11	14	18	18	-
	WM	36	3	5	-	-	-	3	3	6	4	7	2	3	-
	WF	29	-	-	-	1	-	1	2	3	4	2	6	10	-
	NWM	28	3	2	1	-	-	-	6	7	2	-	5	2	-
	NWF	28	3	2	-	1	1	2	3	2	1	5	5	3	-
MALIGNANT NEOPLASMS (140-208)	Total	5,643	-	7	12	7	7	25	71	220	573	1,358	1,836	1,527	-
	WM	2,221	-	1	3	3	2	9	25	64	215	539	785	575	-
	WF	1,748	-	2	4	1	2	5	23	73	182	404	498	554	-
	NWM	992	-	2	1	1	2	6	11	43	98	255	362	211	-
	NWF	682	-	2	4	2	1	5	12	40	78	160	191	187	-
1. Of lip, oral cavity & pharynx (140-149)	Total	137	-	-	-	-	1	-	3	9	19	42	34	29	-
	WM	60	-	-	-	-	-	-	-	-	10	19	23	8	-
	WF	25	-	-	-	-	1	-	1	-	1	5	4	13	-
	NWM	35	-	-	-	-	-	-	1	6	6	14	5	3	-
	NWF	17	-	-	-	-	-	-	1	3	2	4	2	5	-
2. Of digestive organs & peritoneum (150-159)	Total	1,361	-	-	-	-	-	4	9	46	105	306	435	456	-
	WM	459	-	-	-	-	-	-	2	17	42	107	151	140	-
	WF	430	-	-	-	-	-	-	2	12	22	74	127	193	-
	NWM	287	-	-	-	-	-	3	2	13	27	85	103	54	-
	NWF	185	-	-	-	-	-	1	3	4	14	40	54	69	-

TABLE 53. (continued)

CAUSE OF DEATH	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
3. Of respiratory system (160-165)	Total	1,600	-	-	-	-	-	-	3	45	186	488	585	293	-
	WM	913	-	-	-	-	-	-	-	20	88	268	354	183	-
	WF	310	-	-	-	-	-	-	-	10	38	106	97	59	-
	NWM	304	-	-	-	-	-	-	3	12	45	92	112	40	-
	NWF	73	-	-	-	-	-	-	-	3	15	22	22	11	-
4. Of breast (174-175)	Total	452	-	-	-	-	-	-	8	41	64	118	138	83	-
	WM	3	-	-	-	-	-	-	-	-	-	1	-	2	-
	WF	341	-	-	-	-	-	-	5	24	55	84	109	64	-
	NWM	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	NWF	107	-	-	-	-	-	-	3	17	9	33	28	17	-
5. Of genital organs (179-187)	Total	737	-	-	-	-	1	2	11	14	52	135	246	276	-
	WM	217	-	-	-	-	-	-	3	-	4	24	76	110	-
	WF	203	-	-	-	-	-	2	5	10	22	49	59	56	-
	NWM	198	-	-	-	-	-	-	1	-	3	37	77	80	-
	NWF	119	-	-	-	-	1	-	2	4	23	25	34	30	-
6. Of urinary organs (188-189)	Total	232	-	1	1	-	-	-	1	5	19	50	85	70	-
	WM	105	-	-	-	-	-	-	1	-	9	24	44	27	-
	WF	62	-	-	-	-	-	-	-	2	6	12	18	24	-
	NWM	39	-	1	-	-	-	-	-	3	3	7	15	10	-
	NWF	26	-	-	1	-	-	-	-	-	1	7	8	9	-
7. Leukemia (204-208)	Total	206	-	3	6	3	2	7	6	7	20	36	61	55	-
	WM	87	-	1	1	2	1	3	4	3	8	18	27	19	-
	WF	68	-	1	1	1	1	1	2	2	6	10	20	23	-
	NWM	26	-	-	1	-	-	1	-	1	3	3	11	6	-
	NWF	25	-	1	3	-	-	2	-	1	3	5	3	7	-
8. Of other & unspecified sites (170-173, 190-199)	Total	635	-	3	5	2	3	8	23	38	77	128	171	177	-
	WM	265	-	-	2	1	1	3	11	18	39	58	77	55	-
	WF	214	-	1	3	-	-	2	7	10	21	45	42	83	-
	NWM	75	-	1	-	-	2	2	3	4	10	12	26	15	-
	NWF	81	-	1	-	1	-	1	2	6	7	13	26	24	-

TABLE 53. (continued)

CAUSE OF DEATH	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
9. Of lymphatic & hematopoietic tissues (200-203)	Total	283	-	-	-	2	-	4	7	15	31	55	81	88	-
	WM	112	-	-	-	-	-	3	4	6	15	20	33	31	-
	WF	95	-	-	-	-	-	-	1	3	11	19	22	39	-
	NWM	27	-	-	-	1	-	-	1	4	1	5	12	3	-
	NWF	49	-	-	-	1	-	1	1	2	4	11	14	15	-
BENIGN & UNSPECIFIED NEOPLASMS (210-239)	Total	64	3	-	-	1	-	-	3	1	8	6	17	25	-
	WM	16	-	-	-	-	-	-	2	-	1	2	5	6	-
	WF	23	3	-	-	1	-	-	-	-	1	1	5	12	-
	NWM	12	-	-	-	-	-	-	-	-	1	1	4	6	-
	NWF	13	-	-	-	-	-	-	1	1	5	2	3	1	-
DIABETES MELLITUS (250)	Total	506	-	-	-	1	-	1	8	18	47	88	160	183	-
	WM	127	-	-	-	-	-	-	3	5	15	24	47	33	-
	WF	156	-	-	-	-	-	-	1	5	9	22	40	79	-
	NWM	68	-	-	-	1	-	-	3	1	10	13	18	22	-
	NWF	155	-	-	-	-	-	1	1	7	13	29	55	49	-
MENINGITIS (320-322)	Total	24	6	5	-	2	-	-	2	1	1	1	1	5	-
	WM	7	-	2	-	-	-	-	1	-	1	1	-	2	-
	WF	4	-	1	-	1	-	-	-	-	-	-	-	2	-
	NWM	8	3	1	-	1	-	-	1	1	-	-	1	-	-
	NWF	5	3	1		-	-	-	-	-	-	-	-	1	-
DISEASES OF THE HEART (390-398,402, 404-429)	Total	9,524	12	8	2	3	5	12	55	250	592	1,555	2,712	4,318	-
	WM	3,652	6	2	-	1	1	3	23	118	304	734	1,143	1,317	-
	WF	3,127	2	3	1	-	1	-	6	29	71	291	676	2,047	-
	NWM	1,381	-	-	-	1	2	6	12	67	149	300	464	380	-
	NWF	1,364	4	3	1	1	1	3	14	36	68	230	429	574	-
1. Rheumatic fever & chr. rheumatic heart dis. (390-398)	Total	50	-	-	-	1	-	-	1	3	3	8	14	20	-
	WM	8	-	-	-	1	-	-	1	-	1	1	1	3	-
	WF	37	-	-	-	-	-	-	-	-	1	6	13	17	-
	NWM	2	-	-	-	-	-	-	-	1	1	-	-	-	-
	NWF	3	-	-	-	-	-	-	-	2	-	1	-	-	-

TABLE 53. (continued)

CAUSE OF DEATH	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
2. Hypertensive heart & hypertensive heart renal (402-404)	Total	382	-	-	-	-	-	1	2	8	33	58	91	189	-
	WM	54	-	-	-	-	-	1	-	1	-	13	17	22	-
	WF	116	-	-	-	-	-	-	-	-	5	6	22	83	-
	NWM	96	-	-	-	-	-	-	1	5	15	23	22	30	-
	NWF	116	-	-	-	-	-	-	1	2	13	16	30	54	-
3. Ischemic heart disease (410-414)	Total	6,271	-	-	-	-	-	-	20	161	391	1,069	1,849	2,781	-
	WM	2,739	-	-	-	-	-	-	13	94	244	558	873	957	-
	WF	2,071	-	-	-	-	-	-	3	17	42	199	467	1,343	-
	NWM	752	-	-	-	-	-	-	2	39	72	168	272	199	-
	NWF	709	-	-	-	-	-	-	2	11	33	144	237	282	-
4. Chronic dis. of endocardium & other myocard. insuff.(424-428)	Total	717	1	-	-	-	-	-	4	9	35	87	189	392	-
	WM	193	1	-	-	-	-	-	2	2	11	27	55	95	-
	WF	245	-	-	-	-	-	-	-	2	4	16	35	188	-
	NWM	131	-	-	-	-	-	-	1	2	14	21	46	47	-
	NWF	148	-	-	-	-	-	-	1	3	6	23	53	62	-
5. All other forms of heart dis. (415-423, 425-427, 429)	Total	2,104	11	8	2	2	5	11	28	69	130	333	569	936	-
	WM	658	5	2	-	-	1	2	7	21	48	135	197	240	-
	WF	658	2	3	1	-	1	-	3	10	19	64	139	416	-
	NWM	400	-	-	-	1	2	6	8	20	47	88	124	104	-
	NWF	388	4	3	1	1	1	3	10	18	16	46	109	176	-
HYPERTENSION (401,403)	Total	174	-	-	-	-	-	-	1	7	19	38	48	61	-
	WM	37	-	-	-	-	-	-	-	1	5	6	11	14	-
	WF	36	-	-	-	-	-	-	1	-	1	4	9	21	-
	NWM	49	-	-	-	-	-	-	-	5	8	18	9	9	-
	NWF	52	-	-	-	-	-	-	-	1	5	10	19	17	-
CEREBROVASCULAR DISEASES (430-438)	Total	2,433	2	1	2	-	2	4	20	50	118	263	597	1,374	-
	WM	643	-	-	-	-	1	2	3	5	32	77	198	325	-
	WF	893	-	-	-	-	-	-	2	11	24	43	139	674	-
	NWM	394	2	1	-	-	-	2	7	18	36	74	126	128	-
	NWF	503	-	-	2	-	1	-	8	16	26	69	134	247	-

TABLE 53. (continued)

CAUSE OF DEATH	Sex/ Race	All Ages	Under 1 Year	1–4 Years	5–9 Years	10–14 Years	15–19 Years	20–24 Years	25–34 Years	35–44 Years	45–54 Years	55–64 Years	65–74 Years	75+ Years	Unk.
ARTERIOSCLEROSIS (440)	Total	224	–	–	–	–	–	–	–	1	3	8	38	174	–
	WM	51	–	–	–	–	–	–	–	1	1	4	12	33	–
	WF	114	–	–	–	–	–	–	–	–	2	1	8	103	–
	NWM	22	–	–	–	–	–	–	–	–	–	2	9	11	–
	NWF	37	–	–	–	–	–	–	–	–	–	1	9	27	–
OTHER DISEASES OF CIRCULATORY SYSTEM (441–459)	Total	374	1	1	–	–	–	1	1	11	27	64	124	144	–
	WM	171	–	–	–	–	–	–	1	4	11	32	76	47	–
	WF	92	–	1	–	–	–	–	–	1	4	11	18	57	–
	NWM	55	–	–	–	–	–	1	–	4	4	15	14	17	–
	NWF	56	1	–	–	–	–	–	–	2	8	6	16	23	–
ACUTE BRONCHITIS & BRONCHIOLITIS (466)	Total	3	1	–	–	–	–	–	–	–	–	–	1	1	–
	WM	1	–	–	–	–	–	–	–	–	–	–	1	–	–
	WF	1	–	–	–	–	–	–	–	–	–	–	–	1	–
	NWM	1	1	–	–	–	–	–	–	–	–	–	–	–	–
	NWF	–	–	–	–	–	–	–	–	–	–	–	–	–	–
PNEUMONIA (480–486)	Total	743	9	5	–	–	1	1	7	15	33	59	136	477	–
	WM	278	2	1	–	–	–	–	1	3	8	24	67	172	–
	WF	298	4	1	–	–	–	–	1	3	11	9	35	234	–
	NWM	94	2	1	–	–	–	1	4	7	8	16	18	37	–
	NWF	73	1	2	–	–	1	–	1	2	6	10	16	34	–
INFLUENZA (487)	Total	38	–	–	–	–	–	–	–	1	2	6	9	20	–
	WM	9	–	–	–	–	–	–	–	–	–	3	2	4	–
	WF	18	–	–	–	–	–	–	–	–	–	1	3	14	–
	NWM	6	–	–	–	–	–	–	–	1	1	–	3	1	–
	NWF	5	–	–	–	–	–	–	–	–	1	2	1	1	–
CHRONIC OBSTRUCT. PULMONARY DIS. & ALLIED CONDITIONS (490–496)	Total	787	1	–	–	1	1	1	3	13	34	136	308	289	–
	WM	417	–	–	–	–	–	–	–	4	13	68	175	157	–
	WF	244	1	–	–	–	–	–	1	5	9	42	87	99	–
	NWM	88	–	–	–	–	–	1	1	2	3	21	33	27	–
	NWF	38	–	–	–	1	1	–	1	2	9	5	13	6	–

TABLE 53. (continued)

CAUSE OF DEATH	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
1. Chronic & unqualified bronchitis (490-491)	Total	25	1	-	-	-	-	-	-	-	-	2	9	13	-
	WM	14	-	-	-	-	-	-	-	-	-	1	4	9	-
	WF	7	1	-	-	-	-	-	-	-	-	1	2	3	-
	NWM	1	-	-	-	-	-	-	-	-	-	-	1	-	-
	NWF	3	-	-	-	-	-	-	-	-	-	-	2	1	-
2. Emphysema (492)	Total	138	-	-	-	-	-	-	-	-	4	33	58	43	-
	WM	83	-	-	-	-	-	-	-	-	2	17	39	25	-
	WF	38	-	-	-	-	-	-	-	-	1	10	13	14	-
	NWM	14	-	-	-	-	-	-	-	-	1	6	3	4	-
	NWF	3	-	-	-	-	-	-	-	-	-	-	3	-	-
3. Asthma (493)	Total	60	-	-	-	1	-	1	3	7	6	13	9	20	-
	WM	18	-	-	-	-	-	-	-	1	1	6	1	9	-
	WF	20	-	-	-	-	-	-	1	3	2	3	3	8	-
	NWM	11	-	-	-	-	-	1	1	2	-	3	2	2	-
	NWF	11	-	-	-	1	-	-	1	1	3	1	3	1	-
4. Other chronic obstructive pulmonary dis. (494-496)	Total	564	-	-	-	-	1	-	-	6	24	88	232	213	-
	WM	302	-	-	-	-	-	-	-	3	10	44	131	114	-
	WF	179	-	-	-	-	-	-	-	2	6	28	69	74	-
	NWM	62	-	-	-	-	-	-	-	-	2	12	27	21	-
	NWF	21	-	-	-	-	1	-	-	1	6	4	5	4	-
ULCER OF STOMACH & DUODENUM (531-533)	Total	79	-	-	-	-	1	1	1	3	7	15	16	35	-
	WM	34	-	-	-	-	-	-	1	1	3	9	5	15	-
	WF	25	-	-	-	-	-	-	-	2	2	3	6	12	-
	NWM	13	-	-	-	-	-	1	-	-	2	3	2	5	-
	NWF	7	-	-	-	-	1	-	-	-	-	-	3	3	-
HERNIA & INTESTINAL OBSTRUCTION (550-553, 560)	Total	60	2	-	1	1	-	-	-	1	1	6	11	37	-
	WM	15	1	-	1	-	-	-	-	-	1	1	2	9	-
	WF	31	-	-	-	-	-	-	-	-	-	3	6	22	-
	NWM	8	1	-	-	-	-	-	-	1	-	2	2	2	-
	NWF	6	-	-	-	1	-	-	-	-	-	-	1	4	-

TABLE 53. (continued)

CAUSE OF DEATH	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
CHRONIC LIVER DISEASE & CIRRHOSIS (571)	Total	324	-	-	-	-	1	-	16	39	72	94	66	36	-
	WM	146	-	-	-	-	-	-	4	12	32	53	35	10	-
	WF	88	-	-	-	-	1	-	4	8	16	20	19	20	-
	NWM	55	-	-	-	-	-	-	4	14	13	13	8	3	-
	NWF	35	-	-	-	-	-	-	4	5	11	8	4	3	-
OTHER DISEASES OF RESPIRATORY SYSTEM (510-519)	Total	202	12	1	-	2	-	2	2	8	20	28	41	86	-
	WM	68	2	-	-	2	-	2	-	3	6	9	20	24	-
	WF	70	5	-	-	-	-	-	2	1	3	8	9	42	-
	NWM	34	1	-	-	-	-	-	-	2	6	7	9	9	-
	NWF	30	4	1	-	-	-	-	-	2	5	4	3	11	-
NEPHRITIS, NEPHROTIC SYNDROME, & NEPHROSIS (580-589)	Total	271	4	1	-	-	-	2	2	7	12	34	75	134	-
	WM	63	3	-	-	-	-	-	-	2	5	6	18	29	-
	WF	60	-	1	-	-	-	1	-	1	1	5	8	43	-
	NWM	66	1	-	-	-	-	-	1	4	2	8	26	24	-
	NWF	82	-	-	-	-	-	1	1	-	4	15	23	38	-
INFECTIONS OF KIDNEY (590)	Total	30	-	-	-	-	-	-	-	1	-	3	6	20	-
	WM	9	-	-	-	-	-	-	-	1	-	1	2	5	-
	WF	14	-	-	-	-	-	-	-	-	-	2	1	11	-
	NWM	4	-	-	-	-	-	-	-	-	-	-	2	2	-
	NWF	3	-	-	-	-	-	-	-	-	-	-	1	2	-
CONGENITAL ANOMALIES (740-759)	Total	198	132	11	4	5	7	3	8	10	3	6	5	4	-
	WM	53	33	2	-	3	2	1	3	3	1	3	2	-	-
	WF	51	35	-	2	1	2	-	2	2	-	2	2	3	-
	NWM	45	33	3	2	-	2	1	2	1	-	1	-	-	-
	NWF	49	31	6	-	1	1	1	1	4	2	-	1	1	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	Total	406	403	3	-	-	-	-	-	-	-	-	-	-	-
	WM	78	77	1	-	-	-	-	-	-	-	-	-	-	-
	WF	67	66	1	-	-	-	-	-	-	-	-	-	-	-
	NWM	146	145	1	-	-	-	-	-	-	-	-	-	-	-
	NWF	112	112	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 53. (continued)

CAUSE OF DEATH	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
SYMPTOMS & ILL-DEFINED CONDITIONS (780-799)	Total	215	63	4	-	1	4	5	6	8	15	19	34	56	-
	WM	61	10	1	-	-	1	2	4	2	6	9	11	15	-
	WF	58	14	-	-	-	1	2	1	1	3	2	9	25	-
	NWM	55	20	2	-	-	1	-	1	4	6	5	9	7	-
	NWF	41	19	1	-	1	1	1	-	1	-	3	5	9	-
ALL OTHER DISEASES (001-799)	Total	1,966	29	12	12	10	10	16	74	122	152	262	387	880	-
	WM	591	12	5	4	5	5	3	22	26	50	100	110	249	-
	WF	669	5	2	3	3	1	1	9	13	23	66	116	427	-
	NWM	379	7	4	1	1	3	7	29	54	48	55	95	75	-
	NWF	327	5	1	4	1	1	5	14	29	31	41	66	129	-
ACCIDENTS (E800-E949)	Total	1,668	25	37	31	43	136	214	307	208	143	181	149	194	-
	WM	744	4	11	9	19	75	127	155	93	58	77	58	58	-
	WF	345	6	8	3	11	33	34	32	28	21	42	45	82	-
	NWM	425	6	14	13	10	22	41	90	67	54	48	32	28	-
	NWF	154	9	4	6	3	6	12	30	20	10	14	14	26	-
1. Motor vehicle traffic (E810-E819)	Total	906	6	10	18	20	107	168	206	128	73	76	51	43	-
	WM	446	2	3	6	8	64	97	110	59	26	33	22	16	-
	WF	195	1	3	2	7	27	33	24	22	17	24	16	19	-
	NWM	200	1	4	6	4	12	29	53	36	25	13	11	6	-
	NWF	65	2	-	4	1	4	9	19	11	5	6	2	2	-
2. Motor vehicle non-traffic (E820-E825)	Total	14	-	2	-	2	1	-	4	-	-	2	3	-	-
	WM	8	-	1	-	1	1	-	2	-	-	1	2	-	-
	WF	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	NWM	4	-	1	-	-	-	-	1	-	-	1	1	-	-
	NWF	1	-	-	-	-	-	-	1	-	-	-	-	-	-
3. Railway (E800-E807)	Total	8	-	-	-	-	1	4	1	-	2	-	-	-	-
	WM	5	-	-	-	-	1	3	-	-	1	-	-	-	-
	WF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NWM	2	-	-	-	-	-	1	-	-	1	-	-	-	-
	NWF	1	-	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 53. (continued)

CAUSE OF DEATH	Sex/ Race	All Ages	Under 1 Year	1–4 Years	5–9 Years	10–14 Years	15–19 Years	20–24 Years	25–34 Years	35–44 Years	45–54 Years	55–64 Years	65–74 Years	75+ Years	Unk.
4. Poisoning by drugs & medicaments (E850–E858)	Total	41	–	–	–	–	2	2	12	4	5	9	3	4	–
	WM	20	–	–	–	–	1	2	5	2	1	4	3	2	–
	WF	11	–	–	–	–	1	–	3	1	2	3	–	1	–
	NWM	6	–	–	–	–	–	–	3	–	1	1	–	1	–
	NWF	4	–	–	–	–	–	–	1	1	1	1	–	–	–
5. Falls (E880–E888)	Total	137	1	1	–	2	1	2	2	9	9	18	14	78	–
	WM	46	–	–	–	1	–	1	2	3	5	6	6	22	–
	WF	57	–	–	–	–	1	–	–	–	–	5	5	46	–
	NWM	26	1	1	–	1	–	1	–	6	4	6	2	4	–
	NWF	8	–	–	–	–	–	–	–	–	–	1	1	6	–
6. Fire & Flames (E890–E899)	Total	118	3	8	6	3	2	4	13	12	11	18	19	19	–
	WM	35	–	–	1	1	–	2	4	6	4	7	6	4	–
	WF	20	2	1	1	–	1	1	1	1	–	3	6	3	–
	NWM	46	1	5	4	2	1	1	5	3	7	7	4	6	–
	NWF	17	–	2	–	–	–	–	3	2	–	1	3	6	–
7. Drowning (E910)	Total	64	2	4	2	8	9	13	11	4	6	1	2	2	–
	WM	20	–	3	1	1	2	6	3	1	1	–	1	1	–
	WF	7	–	–	–	2	–	–	1	1	1	–	1	1	–
	NWM	31	2	1	1	3	6	5	6	2	4	1	–	–	–
	NWF	6	–	–	–	2	1	2	1	–	–	–	–	–	–
8. Firearms (E922)	Total	37	–	2	–	5	3	4	9	5	2	5	2	–	–
	WM	28	–	1	–	4	2	3	6	5	2	3	2	–	–
	WF	3	–	–	–	1	1	–	1	–	–	–	–	–	–
	NWM	4	–	1	–	–	–	1	1	–	–	1	–	–	–
	NWF	2	–	–	–	–	–	–	1	–	–	1	–	–	–
9. Residual (E800–E949)	Total	343	13	10	5	3	10	17	49	46	35	52	55	48	–
	WM	136	2	3	1	3	4	13	23	17	18	23	16	13	–
	WF	51	3	4	–	–	2	–	2	3	1	7	17	12	–
	NWM	106	1	1	2	–	3	3	21	20	12	18	14	11	–
	NWF	50	7	2	2	–	1	1	3	6	4	4	8	12	–

TABLE 53. (continued)

CAUSE OF DEATH	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
SUICIDE (E950-E959)	Total	391	-	-	-	1	29	47	78	68	53	52	35	28	-
	WM	247	-	-	-	-	21	29	44	42	33	32	26	20	-
	WF	78	-	-	-	1	5	8	15	12	15	14	5	3	-
	NWM	55	-	-	-	-	3	9	17	9	5	5	3	4	-
	NWF	11	-	-	-	-	-	1	2	5	-	1	1	1	-
1. Firearms (E955)	Total	297	-	-	-	-	21	34	57	49	41	41	29	25	-
	WM	193	-	-	-	-	15	22	33	29	28	26	22	18	-
	WF	54	-	-	-	-	4	5	10	9	10	10	3	3	-
	NWM	43	-	-	-	-	2	7	13	8	3	4	3	3	-
	NWF	7	-	-	-	-	-	-	1	3	-	1	1	1	-
2. Hanging, strangulation, & suffocation (E953)	Total	32	-	-	-	1	1	5	11	1	3	5	3	2	-
	WM	18	-	-	-	-	1	3	6	1	1	3	2	1	-
	WF	5	-	-	-	1	-	-	1	-	1	1	1	-	-
	NWM	9	-	-	-	-	-	2	4	-	1	1	-	1	-
	NWF	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Poisoning (E950-E952)	Total	46	-	-	-	-	6	4	8	15	7	5	1	-	-
	WM	28	-	-	-	-	4	1	5	10	4	3	1	-	-
	WF	14	-	-	-	-	1	3	3	3	2	2	-	-	-
	NWM	2	-	-	-	-	1	-	-	-	1	-	-	-	-
	NWF	2	-	-	-	-	-	-	-	2	-	-	-	-	-
4. Residual (E950-E959)	Total	16	-	-	-	-	1	4	2	3	2	1	2	1	-
	WM	8	-	-	-	-	1	3	-	2	-	-	1	1	-
	WF	5	-	-	-	-	-	-	1	-	2	1	1	-	-
	NWM	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	NWF	2	-	-	-	-	-	1	1	-	-	-	-	-	-
HOMICIDE & LEGAL INTERVENTION (E960-E978)	Total	323	8	9	1	3	33	39	91	70	27	17	17	8	-
	WM	103	-	4	-	2	7	15	27	28	6	6	5	3	-
	WF	38	4	1	1	-	4	4	7	7	1	5	3	1	-
	NWM	139	4	-	-	-	14	15	46	30	18	4	5	3	-
	NWF	43	-	4	-	1	8	5	11	5	2	2	4	1	-

TABLE 53. (continued)

CAUSE OF DEATH	Sex/ Race	All Ages	Under 1 Year	1-4 Years	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75+ Years	Unk.
1. Assault by firearms (E965)	Total	199	-	3	-	1	19	27	62	54	15	9	7	2	-
	WM	75	-	2	-	-	5	12	21	24	5	3	2	1	-
	WF	14	-	-	-	-	-	1	4	4	-	3	2	-	-
	NWM	86	-	-	-	-	11	10	28	22	9	2	3	1	-
	NWF	24	-	1	-	1	3	4	9	4	1	1	-	-	-
2. Assault by cutting & piercing (E966)	Total	59	1	-	-	1	3	10	17	11	5	3	6	2	-
	WM	8	-	-	-	1	-	2	1	3	-	-	1	-	-
	WF	12	1	-	-	-	1	2	3	1	-	2	1	1	-
	NWM	33	-	-	-	-	2	5	12	7	4	1	2	-	-
	NWF	6	-	-	-	-	-	1	1	-	1	-	2	1	-
3. Residual (E960-E978)	Total	65	7	6	1	1	11	2	12	5	7	5	4	4	-
	WM	20	-	2	-	1	2	1	5	1	1	3	2	2	-
	WF	12	3	1	1	-	3	1	-	2	1	-	-	-	-
	NWM	20	4	-	-	-	1	-	6	1	5	1	-	2	-
	NWF	13	-	3	-	-	5	-	1	1	-	1	2	-	-
OTHER EXTERNAL CAUSES (E980-E999)	Total	26	-	1	-	1	1	3	6	3	5	1	4	1	-
	WM	8	-	-	-	-	1	1	4	2	-	-	-	-	-
	WF	5	-	-	-	1	-	-	-	-	2	1	1	-	-
	NWM	8	-	-	-	-	-	2	1	1	2	-	1	1	-
	NWF	5	-	1	-	-	-	-	1	-	1	-	2	-	-

•Totals include 3 unknown sex

Table 54.
Deaths by Certifier*
South Carolina and Each County, 1985
(Occurrence Data)

County of Occurrence	Total	TOTAL		
		Coroner	Physician	Medical Examiner
SOUTH CAROLINA	26,115	3,981	21,319	815
Abbeville	148	64	84	-
Aiken	616	139	477	-
Allendale	94	16	78	-
Anderson	1,069	144	923	2
Bamberg	155	36	119	-
Barnwell	136	43	93	-
Beaufort	447	87	360	-
Berkeley	241	169	72	-
Calhoun	43	26	17	-
Charleston	3,158	36	2,768	354
Cherokee	274	5	269	-
Chester	228	66	162	-
Chesterfield	231	63	168	-
Clarendon	204	58	146	-
Colleton	280	64	216	-
Darlington	479	94	385	-
Dillon	232	67	165	-
Dorchester	182	71	111	-
Edgefield	68	19	49	-
Fairfield	160	76	84	-
Florence	1,403	227	1,176	-
Georgetown	312	45	267	-
Greenville	2,649	22	2,169	458
Greenwood	658	37	621	-
Hampton	120	20	100	-
Horry	962	280	682	-
Jasper	109	54	55	-
Kershaw	226	68	158	-
Lancaster	347	81	266	-
Laurens	378	105	273	-
Lee	98	30	68	-
Lexington	795	190	605	-
McCormick	23	19	4	-
Marion	332	87	245	-
Marlboro	231	13	218	-
Newberry	230	73	157	-
Oconee	409	16	393	-
Orangeburg	801	275	526	-
Pickens	437	71	365	1
Richland	3,286	309	2,977	-
Saluda	79	3	76	-
Spartanburg	1,908	176	1,732	-
Sumter	647	162	485	-
Union	236	32	204	-
Williamsburg	218	79	139	-
York	776	164	612	-

* Person certifying the original death certificate

Table 54-A.
Deaths by Certifier* by Race
South Carolina and Each County, 1985
(Occurrence Data)

County of Occurrence	Total	WHITE		
		Coroner	Physician	Medical Examiner
SOUTH CAROLINA	17,677	2,247	14,913	517
Abbeville	89	36	53	-
Aiken	444	91	353	-
Allendale	40	3	37	-
Anderson	869	108	759	2
Bamberg	69	12	57	-
Barnwell	79	26	53	-
Beaufort	272	47	225	-
Berkeley	159	101	58	-
Calhoun	17	7	10	-
Charleston	1,949	23	1,744	182
Cherokee	214	2	212	-
Chester	143	42	101	-
Chesterfield	137	34	103	-
Clarendon	83	18	65	-
Colleton	153	27	126	-
Darlington	296	49	247	-
Dillon	142	30	112	-
Dorchester	124	47	77	-
Edgefield	34	11	23	-
Fairfield	70	29	41	-
Florence	816	110	706	-
Georgetown	177	20	157	-
Greenville	2,153	12	1,808	333
Greenwood	451	18	433	-
Hampton	52	12	40	-
Horry	791	223	568	-
Jasper	53	26	27	-
Kershaw	147	43	104	-
Lancaster	244	47	197	-
Laurens	266	71	195	-
Lee	31	6	25	-
Lexington	667	155	512	-
McCormick	9	8	1	-
Marion	162	30	132	-
Marlboro	128	10	118	-
Newberry	150	34	116	-
Oconee	359	16	343	-
Orangeburg	393	98	295	-
Pickens	390	62	328	-
Richland	2,131	155	1,976	-
Saluda	56	3	53	-
Spartanburg	1,509	143	1,366	-
Sumter	318	45	273	-
Union	179	19	160	-
Williamsburg	86	19	67	-
York	576	119	457	-

* Person certifying the original death certificate

Table 54-A.
Deaths by Certifier* BY Race
South Carolina and Each County, 1985
(Occurrence Data)

		NONWHITE		
County of Occurrence	Total	Coroner	Physician	Medical Examiner
SOUTH CAROLINA	8,438	1,734	6,406	298
Abbeville	59	28	31	-
Aiken	172	48	124	-
Allendale	54	13	41	-
Anderson	200	36	164	-
Bamberg	86	24	62	-
Barnwell	57	17	40	-
Beaufort	175	40	135	-
Berkeley	82	68	14	-
Calhoun	26	19	7	-
Charleston	1,209	13	1,024	172
Cherokee	60	3	57	-
Chester	85	24	61	-
Chesterfield	94	29	65	-
Clarendon	121	40	81	-
Colleton	127	37	90	-
Darlington	183	45	138	-
Dillon	90	37	53	-
Dorchester	58	24	34	-
Edgefield	34	8	26	-
Fairfield	90	47	43	-
Florence	587	117	470	-
Georgetown	135	25	110	-
Greenville	496	10	361	125
Greenwood	207	19	188	-
Hampton	68	8	60	-
Horry	171	57	114	-
Jasper	56	28	28	-
Kershaw	79	25	54	-
Lancaster	103	34	69	-
Laurens	112	34	78	-
Lee	67	24	43	-
Lexington	128	35	93	-
McCormick	14	11	3	-
Marion	170	57	113	-
Marlboro	103	3	100	-
Newberry	80	39	41	-
Oconee	50	-	50	-
Orangeburg	408	177	231	-
Pickens	47	9	37	1
Richland	1,155	154	1,001	-
Saluda	23	-	23	-
Spartanburg	399	33	366	-
Sumter	329	117	212	-
Union	57	13	44	-
Williamsburg	132	60	72	-
York	200	45	155	-

* Person certifying the original certificate

Table 55.
Death by Burial Disposition:
South Carolina and Each County, 1985
(Occurrence Data)

County of Occurrence	Total				
	Total	Burial	Cremation	Removal	Other
South Carolina	26,115	24,452	967	397	299
Abbeville	148	146	1	-	1
Aiken	616	577	32	1	6
Allendale	94	93	1	-	-
Anderson	1,069	1,036	27	3	3
Bamberg	155	153	1	-	1
Barnwell	136	133	1	2	-
Beaufort	447	359	74	10	4
Berkeley	241	202	17	21	1
Calhoun	43	43	-	-	-
Charleston	3,158	2,701	215	174	68
Cherokee	274	271	2	-	1
Chester	228	225	1	-	2
Chesterfield	231	228	-	1	2
Clarendon	204	197	6	1	-
Colleton	280	265	3	10	2
Darlington	479	472	4	-	3
Dillon	232	227	3	1	1
Dorchester	182	172	10	-	-
Edgefield	68	67	1	-	-
Fairfield	160	156	3	-	1
Florence	1,403	1,344	23	21	15
Georgetown	312	284	14	9	5
Greenville	2,649	2,520	90	6	33
Greenwood	658	641	16	1	-
Hampton	120	116	3	-	1
Horry	962	837	104	3	18
Jasper	109	96	5	8	-
Kershaw	226	219	4	1	2
Lancaster	347	338	5	1	3
Laurens	378	371	7	-	-
Lee	98	96	1	1	-
Lexington	795	728	39	18	10
McCormick	23	23	-	-	-
Marion	332	324	3	1	4
Marlboro	231	226	4	-	1
Newberry	230	228	-	-	2
Oconee	409	402	6	-	1
Orangeburg	801	782	13	4	2
Pickens	437	419	16	1	1
Richland	3,286	3,008	119	83	76
Saluda	79	79	-	-	-
Spartanburg	1,908	1,829	54	13	12
Sumter	647	625	11	-	11
Union	236	233	2	1	-
Williamsburg	218	217	-	-	1
York	776	744	26	1	5

* by county where death occurred

Table 55-A.
Death by Burial Disposition by Race: South Carolina and Each County, 1985 (Occurrence Data)

County of Occurrence	White					Nonwhite				
	Total	Burial	Cre- mation	Re- moval	Other	Total	Burial	Cre- mation	Re- moval	Other
South Carolina	17,677	16,209	922	378	168	8,438	8,243	45	19	131
Abbeville	89	88	1	-	-	59	58	-	-	1
Aiken	444	408	30	1	5	172	169	2	-	1
Allendale	40	39	1	-	-	54	54	-	-	-
Anderson	869	842	25	2	-	200	194	2	1	3
Bamberg	69	67	1	-	1	86	86	-	-	-
Barnwell	79	76	1	2	-	57	57	-	-	-
Beaufort	272	186	73	9	4	175	173	1	1	-
Berkeley	159	121	17	21	-	82	81	-	-	1
Calhoun	17	17	-	-	-	26	26	-	-	-
Charleston	1,949	1,536	205	166	42	1,209	1,165	10	8	26
Cherokee	214	211	2	-	1	60	60	-	-	-
Chester	143	143	-	-	-	85	82	1	-	2
Chesterfield	137	134	-	1	2	94	94	-	-	-
Clarendon	83	76	6	1	-	121	121	-	-	-
Colleton	153	140	3	8	2	127	125	-	2	-
Darlington	296	291	4	-	1	183	181	-	-	2
Dillon	142	138	2	1	1	90	89	1	-	-
Dorchester	124	114	10	-	-	58	58	-	-	-
Edgefield	34	33	1	-	-	34	34	-	-	-
Fairfield	70	67	3	-	-	90	89	-	-	1
Florence	816	770	22	20	4	587	574	1	1	11
Georgetown	177	153	14	9	1	135	131	-	-	4
Greenville	2,153	2,047	86	6	14	496	473	4	-	19
Greenwood	451	438	13	-	-	207	203	3	1	-
Hampton	52	49	2	-	1	68	67	1	-	-
Horry	791	669	104	3	15	171	168	-	-	3
Jasper	53	40	5	8	-	56	56	-	-	-
Kershaw	147	140	4	1	2	79	79	-	-	-
Lancaster	244	238	3	1	2	103	100	2	-	1
Laurens	266	259	7	-	-	112	112	-	-	-
Lee	31	29	1	1	-	67	67	-	-	-
Lexington	667	601	38	18	10	128	127	1	-	-
McCormick	9	9	-	-	-	14	14	-	-	-
Marion	162	156	3	1	2	170	168	-	-	2
Marlboro	128	123	4	-	1	103	103	-	-	-
Newberry	150	149	-	-	1	80	79	-	-	1
Oconee	359	353	6	-	-	50	49	-	-	1
Orangeburg	393	375	12	4	2	408	407	1	-	-
Pickens	390	373	16	1	-	47	46	-	-	1
Richland	2,131	1,904	106	81	40	1,155	1,104	13	2	36
Saluda	56	56	-	-	-	23	23	-	-	-
Spartanburg	1,509	1,440	52	11	6	399	389	2	2	6
Sumter	318	304	11	-	3	329	321	-	-	8
Union	179	176	2	1	-	57	57	-	-	-
Williamsburg	86	86	-	-	-	132	131	-	-	1
York	576	545	26	-	5	200	199	-	1	-

* by county where death occurred

Table 56.
Major Causes of Accidental Death: South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total	Cause of Accidental Death						
		Transportation	Poison	Falls	Fire & Flames	Firearms	Drowning	Residual of
	E800-E949	E800-E848	E850-E869	E880-E888	E890-E899	E922	E910	E800-E949
SOUTH CAROLINA	1,668	956	71	137	118	37	64	285
Abbeville	13	8	-	1	1	-	-	3
Aiken	56	32	4	5	4	3	3	5
Allendale	6	4	1	-	1	-	-	-
Anderson	71	43	1	4	3	1	2	17
Bamberg	10	4	-	1	1	-	-	4
Barnwell	10	6	-	1	1	-	2	-
Beaufort	42	28	-	4	-	-	4	6
Berkeley	51	40	3	2	3	-	1	2
Calhoun	6	3	-	-	1	-	-	2
Charleston	115	56	9	13	9	1	12	15
Cherokee	24	14	-	1	2	1	-	6
Chester	25	10	1	2	3	-	2	7
Chesterfield	14	7	-	4	1	-	-	2
Clarendon	23	14	1	1	3	-	1	3
Colleton	21	12	1	1	3	1	-	3
Darlington	39	18	2	2	2	3	2	10
Dillon	21	13	2	-	1	1	1	3
Dorchester	34	23	-	2	3	-	1	5
Edgefield	9	3	-	-	2	1	-	3
Fairfield	21	12	3	-	1	-	1	4
Florence	62	31	4	5	8	1	1	12
Georgetown	26	12	1	2	-	2	2	7
Greenville	128	74	9	14	7	5	1	18
Greenwood	22	10	1	8	1	-	-	2
Hampton	18	10	1	1	-	-	1	5
Horry	66	43	1	3	5	4	-	10
Jasper	6	4	-	1	1	-	-	-
Kershaw	23	14	1	1	3	1	-	3
Lancaster	27	19	1	2	-	2	2	1
Laurens	37	23	3	3	3	-	-	5
Lee	11	6	-	-	1	-	3	1
Lexington	49	32	1	4	3	-	1	8
McCormick	5	3	-	-	-	-	-	2
Marion	21	11	-	1	1	1	2	5
Marlboro	17	8	-	1	1	1	1	5
Newberry	20	14	-	2	-	-	-	4
Oconee	24	14	1	1	2	1	-	5
Orangeburg	64	34	3	6	8	1	1	11
Pickens	34	25	-	1	3	-	-	5
Richland	119	69	4	19	4	2	4	17
Saluda	13	6	-	-	1	-	-	6
Spartanburg	104	58	3	5	9	2	5	22
Sumter	55	26	1	4	6	1	4	13
Union	16	10	1	2	-	-	-	3
Williamsburg	33	17	-	3	6	-	1	6
York	57	33	7	4	-	1	3	9

Table 57.
Major Causes of Accidental Death: South Carolina and Each County, 1985
(Occurrence Data)

County of Occurrence	Total	Cause of Accidental Death						
	Total E800-E949	Transportation E800-E848	Poison E850-E869	Falls E880-E888	Fire & Flames E890-E899	Firearms E922	Drowning E910	Residual of E800-E949
SOUTH CAROLINA	1,652	979	72	128	107	33	71	262
Abbeville	12	7	-	1	1	-	-	3
Aiken	38	20	3	2	3	1	2	7
Allendale	5	3	1	-	1	-	-	-
Anderson	66	44	-	4	2	2	3	11
Bamberg	8	5	-	-	1	-	-	2
Barnwell	11	7	-	1	1	-	2	-
Beaufort	36	24	-	2	-	-	6	4
Berkeley	43	34	2	2	3	1	-	1
Calhoun	8	6	-	-	1	-	-	1
Charleston	182	96	10	23	14	-	14	25
Cherokee	17	12	-	1	2	-	-	2
Chester	17	9	1	-	2	-	1	4
Chesterfield	7	3	-	3	1	-	-	-
Clarendon	17	11	1	-	2	-	-	3
Colleton	18	12	1	-	3	1	-	1
Darlington	32	12	2	2	2	3	1	10
Dillon	13	8	3	-	1	-	1	-
Dorchester	24	18	1	-	1	-	-	4
Edgefield	4	3	-	-	1	-	-	-
Fairfield	27	18	3	-	1	-	2	3
Florence	87	49	4	7	8	3	2	14
Georgetown	19	9	1	-	-	2	3	4
Greenville	146	90	9	17	5	6	-	19
Greenwood	18	6	-	7	1	-	-	4
Hampton	14	8	-	1	-	-	1	4
Horry	83	56	2	3	5	4	4	9
Jasper	17	14	2	-	1	-	-	-
Kershaw	13	9	-	-	2	1	-	1
Lancaster	20	13	-	2	1	2	2	-
Laurens	37	25	2	2	3	-	-	5
Lee	8	4	-	-	1	-	3	-
Lexington	46	33	1	1	2	-	2	7
McCormick	5	4	-	-	-	-	-	1
Marion	23	13	-	1	1	1	2	5
Marlboro	14	6	-	1	1	1	1	4
Newberry	17	13	-	1	-	-	-	3
Oconee	18	8	1	1	1	-	-	7
Orangeburg	52	30	2	3	6	1	1	9
Pickens	21	14	-	1	1	-	-	5
Richland	156	80	6	30	4	1	5	30
Saluda	10	5	-	-	1	-	1	3
Spartanburg	111	63	5	3	9	1	5	25
Sumter	40	19	1	1	6	1	3	9
Union	11	8	-	1	-	-	-	2
Williamsburg	26	15	-	-	5	-	1	5
York	55	33	8	4	-	1	3	6

Table 58.
Deaths From Suicide by Method: South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total (E950-E959)	Firearms (E955)	Hanging, Strangulation & Suffocation (E953)	Poisoning (E950-E952)	Residual (E950-E959)
SOUTH CAROLINA	391	297	32	46	16
Abbeville	4	4	-	-	-
Aiken	17	15	-	2	-
Allendale	2	1	-	1	-
Anderson	19	12	3	3	1
Bamberg	2	2	-	-	-
Barnwell	-	-	-	-	-
Beaufort	9	7	1	1	-
Berkeley	9	3	1	2	3
Calhoun	2	1	-	1	-
Charleston	33	25	2	3	3
Cherokee	7	7	-	-	-
Chester	6	4	1	1	-
Chesterfield	5	4	-	-	1
Clarendon	2	2	-	-	-
Colleton	-	-	-	-	-
Darlington	6	5	1	-	-
Dillon	3	3	-	-	-
Dorchester	9	6	-	2	1
Edgefield	1	1	-	-	-
Fairfield	2	2	-	-	-
Florence	11	9	-	1	1
Georgetown	1	-	1	-	-
Greenville	38	27	2	6	3
Greenwood	11	9	-	2	-
Hampton	3	2	1	-	-
Horry	10	8	-	2	-
Jasper	2	2	-	-	-
Kershaw	7	7	-	-	-
Lancaster	7	5	1	-	1
Laurens	7	6	-	1	-
Lee	1	1	-	-	-
Lexington	16	12	1	3	-
McCormick	-	-	-	-	-
Marion	5	2	1	2	-
Marlboro	6	6	-	-	-
Newberry	1	1	-	-	-
Oconee	10	8	1	1	-
Orangeburg	7	5	2	-	-
Pickens	11	8	-	2	1
Richland	41	28	6	6	1
Saluda	3	3	-	-	-
Spartanburg	33	26	4	3	-
Sumter	6	4	2	-	-
Union	1	1	-	-	-
Williamsburg	7	6	1	-	-
York	8	7	-	1	-

Table 59.
Deaths From Homicide by Method:
South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total (E960-E978)	Firearms (E965)	Assault by Cutting and Piercing (E966)	Residual (E960-E978)
SOUTH CAROLINA	323	199	59	65
Abbeville	2	1	1	-
Aiken	11	7	1	3
Allendale	2	1	1	-
Anderson	12	6	2	4
Bamberg	2	2	-	-
Barnwell	4	3	-	1
Beaufort	9	5	2	2
Berkeley	10	6	2	2
Calhoun	-	-	-	-
Charleston	30	17	4	9
Cherokee	5	3	1	1
Chester	4	3	1	-
Chesterfield	5	3	1	1
Clarendon	3	2	-	1
Colleton	8	7	1	-
Darlington	14	7	4	3
Dillon	3	3	-	-
Dorchester	8	5	1	2
Edgefield	4	3	1	-
Fairfield	1	-	-	1
Florence	10	4	1	5
Georgetown	5	2	2	1
Greenville	23	14	5	4
Greenwood	4	3	1	-
Hampton	1	1	-	-
Horry	12	9	1	2
Jasper	5	4	-	1
Kershaw	1	1	-	-
Lancaster	3	2	-	1
Laurens	2	1	1	-
Lee	2	2	-	-
Lexington	11	6	-	5
McCormick	1	-	1	-
Marion	10	7	3	-
Marlboro	4	4	-	-
Newberry	-	-	-	-
Oconee	-	-	-	-
Orangeburg	6	2	2	2
Pickens	2	2	-	-
Richland	35	21	8	6
Saluda	2	2	-	-
Spartanburg	19	9	4	6
Sumter	10	7	3	-
Union	2	2	-	-
Williamsburg	4	2	-	2
York	12	8	4	-

Table 60 .
Infant Mortality and Infant Mortality Rates by Race: South Carolina and Each County and Places of 2,500 or More Population, 1985
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
South Carolina........	735	14.2	301	9.5	434	21.4
Abbeville............	2	6.3	1	5.7	1	7.2
Abbeville............	1	9.7	1	22.2	-	0
Honea Path (Part)....	-	0	-	0	-	0
Balance of County....	1	4.8	-	0	1	12.7
Aiken................	39	21.2	19	15.2	20	34.0
New Ellenton.........	-	0	-	0	-	0
Aiken................	8	29.4	4	31.0	4	28.0
N. Augusta...........	6	21.1	2	10.1	4	46.5
Balance of County....	25	20.1	13	14.6	12	34.3
Allendale............	3	17.5	1	28.6	2	14.7
Allendale............	3	38.0	1	62.5	2	31.7
Balance of County....	-	0	-	0	-	0
Anderson.............	24	12.8	15	10.3	9	21.1
Belton...............	2	31.2	1	20.4	1	66.7
Honea Path (Part)....	1	22.2	-	0	1	125.0
Williamston..........	2	52.6	2	64.5	-	0
Clemson Vill (Part)..	-	0	-	0	-	0
Pendleton............	-	0	-	0	-	0
Anderson.............	5	13.1	2	10.1	3	16.3
Balance of County....	14	10.6	10	9.0	4	20.1
Bamberg..............	3	12.1	1	14.7	2	11.1
Bamberg..............	-	0	-	0	-	0
Denmark..............	-	0	-	0	-	0
Balance of County....	3	26.3	1	26.3	2	26.3
Barnwell.............	6	18.6	2	13.1	4	23.5
Barnwell.............	3	34.1	1	24.4	2	42.6
Williston............	-	0	-	0	-	0
Blackville...........	1	21.7	-	0	1	26.3
Balance of County....	2	13.8	1	11.5	1	17.2
Beaufort.............	18	11.9	11	11.8	7	12.0
Beaufort.............	4	17.8	2	12.7	2	29.4
Port Royal...........	-	0	-	0	-	0
Hilton Head..........	2	10.3	2	11.7	-	0
Balance of County....	12	11.8	7	12.6	5	10.8
Berkeley.............	28	12.5	15	9.3	13	20.9
Goose Creek..........	5	14.0	2	6.7	3	50.8
Hanahan..............	3	16.3	2	13.2	1	30.3
Moncks Corner........	2	19.6	1	15.4	1	27.0
Balance of County....	18	11.3	10	9.1	8	16.2
Calhoun..............	2	10.9	-	0	2	17.9
Balance of County....	2	10.9	-	0	2	17.9
Charleston...........	67	12.0	30	9.8	37	14.8
Mt. Pleasant.........	5	11.4	5	13.9	-	0
Summerville (Part)...	-	0	-	0	-	0
Isle of Palms........	-	0	-	0	-	0
Charleston...........	24	12.7	5	6.2	19	17.4
N. Charleston........	9	8.1	2	3.3	7	13.9
Balance of County....	29	13.9	18	14.4	11	13.2

Table 60. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Cherokee..............	8	13.4	3	7.6	5	24.9
Gaffney..............	4	15.7	2	17.1	2	14.5
Balance of County....	4	11.7	1	3.6	3	47.6
Chester...............	13	26.0	3	12.4	10	38.8
Chester..............	7	45.5	1	18.2	6	60.6
Great Falls..........	-	0	-	0	-	0
Balance of County....	6	19.6	2	12.2	4	28.2
Chesterfield..........	11	19.5	3	9.2	8	33.5
Cheraw...............	6	68.2	2	54.1	4	78.4
Pageland.............	-	0	-	0	-	0
Balance of County....	5	11.7	1	3.8	4	24.0
Clarendon.............	6	13.1	4	25.0	2	6.7
Manning..............	1	9.8	1	27.8	-	0
Balance of County....	5	14.0	3	24.2	2	8.6
Colleton..............	7	12.5	2	8.5	5	15.4
Walterboro...........	1	6.8	-	0	1	14.1
Balance of County....	6	14.5	2	12.4	4	15.8
Darlington............	10	11.8	1	2.5	9	20.4
Darlington...........	1	7.5	-	0	1	11.6
Hartsville...........	-	0	-	0	-	0
Balance of County....	9	15.2	1	3.3	8	27.9
Dillon................	8	15.1	1	4.3	7	23.7
Dillon...............	3	19.0	-	0	3	30.9
Balance of County....	5	13.4	1	5.7	4	20.2
Dorchester............	13	9.8	8	8.2	5	14.2
Summerville (Part)...	7	15.4	5	14.2	2	19.4
Balance of County....	6	6.9	3	4.8	3	12.0
Edgefield.............	9	31.7	1	8.6	8	47.6
Edgefield............	3	62.5	1	58.8	2	64.5
Johnston.............	1	23.8	-	0	1	35.7
Balance of County....	5	25.8	-	0	5	45.9
Fairfield.............	5	16.1	-	0	5	22.4
Winnsboro............	-	0	-	0	-	0
Balance of County....	5	22.4	-	0	5	32.1
Florence..............	33	18.8	7	7.8	26	30.4
Lake City............	3	26.8	1	30.3	2	25.3
Florence.............	16	33.0	1	5.1	15	51.7
Balance of County....	14	12.1	5	7.5	9	18.5
Georgetown............	15	20.1	1	3.6	14	30.0
Andrews (Part).......	2	37.7	-	0	2	54.1
Georgetown...........	3	15.6	1	16.4	2	15.3
Balance of County....	10	19.9	-	0	10	33.4
Greenville............	66	15.2	40	12.0	26	25.5
Travelers Rest.......	1	62.5	1	66.7	-	0
Simpsonville.........	1	13.6	-	0	1	62.5
Fountain Inn (Part)..	1	29.4	-	0	1	76.9
Mauldin.............	-	0	-	0	-	0
Greenville...........	30	24.7	14	20.0	16	31.2
Greer (Part).........	2	40.8	1	25.0	1	111.1
Balance of County....	31	10.6	24	9.8	7	15.1

Table 60. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Greenwood.............	16	19.4	7	14.3	9	27.0
Greenwood............	10	28.2	2	12.9	8	40.2
Balance of County....	6	12.8	5	14.9	1	7.5
Hampton..............	7	21.2	–	0	7	30.3
Hampton.............	1	24.4	–	0	1	41.7
Balance of County....	6	20.8	–	0	6	29.0
Horry.................	14	6.6	7	4.5	7	12.0
Conway..............	2	8.9	–	0	2	19.4
Myrtle Beach.........	3	5.7	2	4.6	1	11.4
N. Myrtle Beach......	–	0	–	0	–	0
Surfside Beach.......	1	19.6	1	20.0	–	0
Balance of County....	8	6.6	4	4.7	4	10.7
Jasper................	3	10.7	–	0	3	16.0
Balance of County....	3	10.7	–	0	3	16.0
Kershaw...............	2	3.4	1	2.5	1	5.0
Camden..............	1	9.7	–	0	1	17.9
Balance of County....	1	2.0	1	2.9	–	0
Lancaster.............	6	8.1	1	2.1	5	18.8
Lancaster...........	3	16.1	–	0	3	25.9
Balance of County....	3	5.4	1	2.5	2	13.3
Laurens...............	8	10.8	3	6.5	5	17.9
Clinton.............	1	8.1	–	0	1	16.4
Fountain Inn (Part)..	–	0	–	0	–	0
Laurens.............	2	13.7	–	0	2	24.4
Balance of County....	5	10.8	3	9.0	2	15.6
Lee...................	8	26.9	2	30.3	6	26.0
Bishopville..........	4	69.0	2	142.9	2	45.5
Balance of County....	4	16.7	–	0	4	21.4
Lexington.............	29	12.8	18	9.4	11	31.1
Batesburg (Part).....	1	17.2	–	0	1	28.6
Cayce...............	3	19.4	3	27.3	–	0
Springdale..........	–	0	–	0	–	0
W. Columbia..........	2	5.3	2	6.4	–	0
Irmo (Part)..........	–	0	–	0	–	0
Balance of County....	23	14.2	13	9.2	10	49.0
McCormick.............	1	9.3	–	0	1	13.2
Balance of County....	1	9.3	–	0	1	13.2
Marion................	11	22.0	3	15.7	8	26.0
Marion..............	2	19.8	1	34.5	1	13.9
Mullins.............	3	30.9	1	34.5	2	29.4
Balance of County....	6	19.9	1	7.5	5	29.8
Marlboro..............	12	22.9	1	4.7	11	35.7
Bennettsville........	4	18.5	–	0	4	26.7
McColl..............	1	26.3	–	0	1	111.1
Balance of County....	7	26.0	1	8.3	6	40.3
Newberry..............	13	29.4	7	30.2	6	28.6
Newberry............	6	35.7	2	30.8	4	38.8
Balance of County....	7	25.5	5	29.9	2	18.7

Table 60. (Cont.)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
Oconee................	4	6.0	3	5.1	1	11.6
Seneca...............	1	8.8	-	0	1	20.0
Walhalla.............	-	0	-	0	-	0
Westminster..........	-	0	-	0	-	0
Balance of County....	3	6.5	3	6.8	-	0
Orangeburg............	20	14.3	7	14.3	13	14.3
Orangeburg...........	3	9.4	-	0	3	12.4
Balance of County....	17	15.8	7	17.0	10	15.0
Pickens..............	7	7.0	5	5.5	2	21.1
Liberty..............	-	0	-	0	-	0
Pickens..............	1	26.3	1	30.3	-	0
Clemson Vill (Part)..	-	0	-	0	-	0
Easley...............	1	4.0	-	0	1	27.0
Balance of County....	5	7.9	4	6.7	1	28.6
Richland..............	67	15.8	17	8.1	50	23.3
Forest Acres.........	-	0	-	0	-	0
Irmo (Part)..........	-	0	-	0	-	0
Columbia.............	39	18.9	9	10.8	30	24.3
Balance of County....	28	13.7	8	7.0	20	22.3
Saluda................	3	12.8	1	7.5	2	19.8
Batesburg (Part).....	-	0	-	0	-	0
Saluda...............	1	19.2	-	0	1	31.2
Balance of County....	2	11.4	1	9.0	1	15.4
Spartanburg...........	38	12.7	23	10.7	15	17.5
Woodruff.............	1	52.6	1	66.7	-	0
Spartanburg..........	10	13.7	5	15.6	5	12.1
Greer (Part).........	-	0	-	0	-	0
Balance of County....	27	12.1	17	9.4	10	23.0
Sumter................	37	21.8	14	16.5	23	27.0
Sumter...............	14	24.7	2	9.6	12	33.4
Balance of County....	23	20.3	12	18.8	11	22.4
Union.................	4	11.3	1	4.5	3	22.4
Union................	1	9.4	-	0	1	16.9
Balance of County....	3	12.0	1	5.7	2	26.7
Williamsburg..........	11	18.3	1	6.6	10	22.3
Andrews (Part).......	-	0	-	0	-	0
Kingstree............	3	30.6	-	0	3	37.5
Balance of County....	8	16.0	1	7.5	7	19.1
York..................	18	10.2	10	7.8	8	16.2
Clover...............	2	37.0	-	0	2	111.1
Fort Mill............	2	29.8	2	35.7	-	0
York.................	-	0	-	0	-	0
Rock Hill............	10	16.1	4	11.9	6	21.1
Balance of County....	4	4.4	4	5.2	-	0

Rate per 1,000 live births

Table 61.
Infant Mortality and Infant Mortality Rates by Race South Carolina and Each County, 1985 (Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	735	14.2	301	9.5	434	21.4
Abbeville	2	6.3	1	5.7	1	7.2
Aiken	39	21.2	19	15.2	20	34.0
Allendale	3	17.5	1	28.6	2	14.7
Anderson	24	12.8	15	10.3	9	21.1
Bamberg	3	12.1	1	14.7	2	11.1
Barnwell	6	18.6	2	13.1	4	23.5
Beaufort	18	11.9	11	11.8	7	12.0
Berkeley	28	12.5	15	9.3	13	20.9
Calhoun	2	10.9	-	0	2	17.9
Charleston	67	12.0	30	9.8	37	14.8
Cherokee	8	13.4	3	7.6	5	24.9
Chester	13	26.0	3	12.4	10	38.8
Chesterfield	11	19.5	3	9.2	8	33.5
Clarendon	6	13.1	4	25.0	2	6.7
Colleton	7	12.5	2	8.5	5	15.4
Darlington	10	11.8	1	2.5	9	20.4
Dillon	8	15.1	1	4.3	7	23.7
Dorchester	13	9.8	8	8.2	5	14.2
Edgefield	9	31.7	1	8.6	8	47.6
Fairfield	5	16.1	-	0	5	22.4
Florence	33	18.8	7	7.8	26	30.4
Georgetown	15	20.1	1	3.6	14	30.0
Greenville	66	15.2	40	12.0	26	25.5
Greenwood	16	19.4	7	14.3	9	27.0
Hampton	7	21.2	-	0	7	30.3
Horry	14	6.6	7	4.5	7	12.0
Jasper	3	10.7	-	0	3	16.0
Kershaw	2	3.4	1	2.5	1	5.0
Lancaster	6	8.1	1	2.1	5	18.8
Laurens	8	10.8	3	6.5	5	17.9
Lee	8	26.9	2	30.3	6	26.0
Lexington	29	12.8	18	9.4	11	31.1
McCormick	1	9.3	-	0	1	13.2
Marion	11	22.0	3	15.7	8	26.0
Marlboro	12	22.9	1	4.7	11	35.7
Newberry	13	29.4	7	30.2	6	28.6
Oconee	4	6.0	3	5.1	1	11.6
Orangeburg	20	14.3	7	14.3	13	14.3
Pickens	7	7.0	5	5.5	2	21.1
Richland	67	15.8	17	8.1	50	23.3
Saluda	3	12.8	1	7.5	2	19.8
Spartanburg	38	12.7	23	10.7	15	17.5
Sumter	37	21.8	14	16.5	23	27.0
Union	4	11.3	1	4.5	3	22.4
Williamsburg	11	18.3	1	6.6	10	22.3
York	18	10.2	10	7.8	8	16.2

Rate per 1,000 live births

Table 62.
Neonatal Mortality and Neonatal Mortality Rates by Race
South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	516	10.0	205	6.5	311	15.3
Abbeville	2	6.3	1	5.7	1	7.2
Aiken	28	15.2	13	10.4	15	25.5
Allendale	3	17.5	1	28.6	2	14.7
Anderson	18	9.6	10	6.9	8	18.7
Bamberg	-	0	-	0	-	0
Barnwell	5	15.5	2	13.1	3	17.6
Beaufort	9	6.0	5	5.4	4	6.9
Berkeley	20	8.9	9	5.6	11	17.7
Calhoun	2	10.9	-	0	2	17.9
Charleston	47	8.4	22	7.2	25	10.0
Cherokee	5	8.4	2	5.1	3	14.9
Chester	10	20.0	3	12.4	7	27.1
Chesterfield	10	17.7	3	9.2	7	29.3
Clarendon	4	8.7	3	18.8	1	3.4
Colleton	6	10.7	2	8.5	4	12.3
Darlington	4	4.7	-	0	4	9.0
Dillon	4	7.5	-	0	4	13.6
Dorchester	9	6.8	4	4.1	5	14.2
Edgefield	4	14.1	-	0	4	23.8
Fairfield	4	12.9	-	0	4	17.9
Florence	25	14.3	4	4.5	21	24.5
Georgetown	8	10.7	-	0	8	17.1
Greenville	54	12.4	29	8.7	25	24.5
Greenwood	12	14.6	5	10.2	7	21.0
Hampton	5	15.2	-	0	5	21.6
Horry	11	5.2	5	3.2	6	10.3
Jasper	1	3.6	-	0	1	5.3
Kershaw	1	1.7	1	2.5	-	0
Lancaster	6	8.1	1	2.1	5	18.8
Laurens	5	6.8	2	4.3	3	10.7
Lee	5	16.8	1	15.2	4	17.3
Lexington	24	10.6	14	7.3	10	28.2
McCormick	1	9.3	-	0	1	13.2
Marion	9	18.0	3	15.7	6	19.5
Marlboro	10	19.1	1	4.7	9	29.2
Newberry	10	22.6	5	21.6	5	23.8
Oconee	2	3.0	1	1.7	1	11.6
Orangeburg	13	9.3	4	8.2	9	9.9
Pickens	6	6.0	4	4.4	2	21.1
Richland	40	9.4	12	5.8	28	13.0
Saluda	3	12.8	1	7.5	2	19.8
Spartanburg	24	8.0	14	6.5	10	11.7
Sumter	28	16.5	10	11.8	18	21.2
Union	2	5.6	-	0	2	14.9
Williamsburg	6	10.0	1	6.6	5	11.2
York	11	6.2	7	5.5	4	8.1

Rate per 1,000 live births

Table 63.
Postneonatal Mortality and Postneonatal Mortality Rates by Race
South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	219	4.2	96	3.0	123	6.1
Abbeville	-	0	-	0	-	0
Aiken	11	6.0	6	4.8	5	8.5
Allendale	-	0	-	0	-	0
Anderson	6	3.2	5	3.4	1	2.3
Bamberg	3	12.1	1	14.7	2	11.1
Barnwell	1	3.1	-	0	1	5.9
Beaufort	9	6.0	6	6.5	3	5.2
Berkeley	8	3.6	6	3.7	2	3.2
Calhoun	-	0	-	0	-	0
Charleston	20	3.6	8	2.6	12	4.8
Cherokee	3	5.0	1	2.5	2	10.0
Chester	3	6.0	-	0	3	11.6
Chesterfield	1	1.8	-	0	1	4.2
Clarendon	2	4.4	1	6.2	1	3.3
Colleton	1	1.8	-	0	1	3.1
Darlington	6	7.1	1	2.5	5	11.3
Dillon	4	7.5	1	4.3	3	10.2
Dorchester	4	3.0	4	4.1	-	0
Edgefield	5	17.6	1	8.6	4	23.8
Fairfield	1	3.2	-	0	1	4.5
Florence	8	4.6	3	3.4	5	5.8
Georgetown	7	9.4	1	3.6	6	12.8
Greenville	12	2.8	11	3.3	1	1.0
Greenwood	4	4.9	2	4.1	2	6.0
Hampton	2	6.1	-	0	2	8.7
Horry	3	1.4	2	1.3	1	1.7
Jasper	2	7.1	-	0	2	10.6
Kershaw	1	1.7	-	0	1	5.0
Lancaster	-	0	-	0	-	0
Laurens	3	4.1	1	2.2	2	7.1
Lee	3	10.1	1	15.2	2	8.7
Lexington	5	2.2	4	2.1	1	2.8
McCormick	-	0	-	0	-	0
Marion	2	4.0	-	0	2	6.5
Marlboro	2	3.8	-	0	2	6.5
Newberry	3	6.8	2	8.6	1	4.8
Oconee	2	3.0	2	3.4	-	0
Orangeburg	7	5.0	3	6.1	4	4.4
Pickens	1	1.0	1	1.1	-	0
Richland	27	6.4	5	2.4	22	10.2
Saluda	-	0	-	0	-	0
Spartanburg	14	4.7	9	4.2	5	5.8
Sumter	9	5.3	4	4.7	5	5.9
Union	2	5.6	1	4.5	1	7.5
Williamsburg	5	8.3	-	0	5	11.2
York	7	4.0	3	2.4	4	8.1

Rate per 1,000 live births

Table 64.
Fetal Mortality and Fetal Mortality Rates by Race
South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	588	11.3	259	8.2	329	16.2
Abbeville	1	3.2	-	0	1	7.2
Aiken	20	10.9	14	11.2	6	10.2
Allendale	2	11.7	-	0	2	14.7
Anderson	15	8.0	11	7.6	4	9.4
Bamberg	-	0	-	0	-	0
Barnwell	8	24.8	2	13.1	6	35.3
Beaufort	20	13.2	10	10.8	10	17.2
Berkeley	22	9.8	15	9.3	7	11.3
Calhoun	4	21.9	1	14.1	3	26.8
Charleston	53	9.5	20	6.5	33	13.2
Cherokee	5	8.4	2	5.1	3	14.9
Chester	11	22.0	6	24.8	5	19.4
Chesterfield	7	12.4	1	3.1	6	25.1
Clarendon	5	10.9	-	0	5	16.8
Colleton	4	7.1	1	4.2	3	9.3
Darlington	16	18.9	6	14.9	10	22.6
Dillon	9	17.0	2	8.5	7	23.7
Dorchester	8	6.0	4	4.1	4	11.4
Edgefield	5	17.6	2	17.2	3	17.9
Fairfield	5	16.1	-	0	5	22.4
Florence	24	13.7	5	5.6	19	22.2
Georgetown	6	8.0	3	10.7	3	6.4
Greenville	31	7.1	19	5.7	12	11.8
Greenwood	8	9.7	7	14.3	1	3.0
Hampton	7	21.2	2	20.2	5	21.6
Horry	23	10.8	11	7.1	12	20.5
Jasper	3	10.7	-	0	3	16.0
Kershaw	9	15.2	2	5.1	7	35.2
Lancaster	10	13.5	4	8.4	6	22.6
Laurens	9	12.2	3	6.5	6	21.4
Lee	2	6.7	-	0	2	8.7
Lexington	26	11.5	19	9.9	7	19.8
McCormick	4	37.4	1	32.3	3	39.5
Marion	8	16.0	1	5.2	7	22.7
Marlboro	4	7.6	2	9.3	2	6.5
Newberry	5	11.3	3	12.9	2	9.5
Oconee	8	12.0	8	13.7	-	0
Orangeburg	20	14.3	6	12.2	14	15.4
Pickens	12	11.9	10	11.0	2	21.1
Richland	57	13.5	19	9.1	38	17.7
Saluda	2	8.5	-	0	2	19.8
Spartanburg	28	9.3	14	6.5	14	16.3
Sumter	23	13.5	8	9.4	15	17.5
Union	5	14.1	3	13.6	2	14.9
Williamsburg	10	16.7	1	6.6	9	20.1
York	24	13.6	11	8.6	13	26.3

Rate per 1,000 live births

Table 65.
Fetal Deaths by Age of Mother: South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total All Ages	Age of Mother							
		Under 15 Yrs	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45+ Yrs.
South Carolina	588	4	113	185	152	95	31	7	1
Abbeville	1	-	-	1	-	-	-	-	-
Aiken	20	-	1	8	5	4	1	-	1
Allendale	2	-	-	1	-	1	-	-	-
Anderson	15	-	2	6	4	3	-	-	-
Bamberg	-	-	-	-	-	-	-	-	-
Barnwell	8	-	2	2	2	1	-	1	-
Beaufort	20	-	4	9	5	1	1	-	-
Berkeley	22	-	3	6	5	4	3	1	-
Calhoun	4	-	-	3	-	1	-	-	-
Charleston	53	1	8	18	16	8	2	-	-
Cherokee	5	1	1	2	1	-	-	-	-
Chester	11	-	4	2	2	1	-	2	-
Chesterfield	7	-	2	1	1	3	-	-	-
Clarendon	5	-	3	2	-	-	-	-	-
Colleton	4	-	2	-	2	-	-	-	-
Darlington	16	-	4	6	4	1	1	-	-
Dillon	9	1	2	2	3	-	1	-	-
Dorchester	8	-	2	2	3	1	-	-	-
Edgefield	5	-	-	5	-	-	-	-	-
Fairfield	5	-	1	2	1	-	1	-	-
Florence	24	-	1	10	8	4	-	1	-
Georgetown	6	-	1	1	3	-	1	-	-
Greenville	31	-	5	10	12	3	1	-	-
Greenwood	8	-	2	1	1	3	1	-	-
Hampton	7	-	1	1	2	3	-	-	-
Horry	23	-	6	6	6	3	2	-	-
Jasper	3	-	-	1	-	1	1	-	-
Kershaw	9	-	2	3	2	-	2	-	-
Lancaster	10	-	3	4	2	1	-	-	-
Laurens	9	-	2	3	2	2	-	-	-
Lee	2	-	-	-	1	-	1	-	-
Lexington	26	-	6	7	5	5	3	-	-
McCormick	4	-	2	-	1	-	1	-	-
Marion	8	-	1	3	2	-	2	-	-
Marlboro	4	1	1	-	1	1	-	-	-
Newberry	5	-	1	1	-	1	2	-	-
Oconee	8	-	1	3	3	1	-	-	-
Orangeburg	20	-	4	5	6	4	-	1	-
Pickens	12	-	1	3	5	3	-	-	-
Richland	57	-	11	15	13	15	3	-	-
Saluda	2	-	1	1	-	-	-	-	-
Spartanburg	28	-	4	15	4	4	-	1	-
Sumter	23	-	8	5	8	2	-	-	-
Union	5	-	-	-	2	3	-	-	-
Williamsburg	10	-	3	2	3	1	1	-	-
York	24	-	5	7	6	6	-	-	-

Table 66.

Perinatal Mortality and Perinatal Mortality Rates by Race South Carolina and Each County, 1985 (Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
South Carolina	1,104	21.1	464	14.6	640	31.0
Abbeville	3	9.5	1	5.7	2	14.3
Aiken	48	25.8	27	21.4	21	35.3
Allendale	5	28.9	1	28.6	4	29.0
Anderson	33	17.4	21	14.3	12	27.8
Bamberg	-	0	-	0	-	0
Barnwell	13	39.3	4	25.8	9	51.1
Beaufort	29	18.9	15	16.0	14	23.6
Berkeley	42	18.6	24	14.7	18	28.6
Calhoun	6	32.1	1	13.9	5	43.5
Charleston	100	17.7	42	13.6	58	22.8
Cherokee	10	16.6	4	10.0	6	29.4
Chester	21	41.1	9	36.3	12	45.6
Chesterfield	17	29.8	4	12.3	13	53.1
Clarendon	9	19.4	3	18.8	6	19.7
Colleton	10	17.7	3	12.7	7	21.4
Darlington	20	23.2	6	14.6	14	31.0
Dillon	13	24.1	2	8.4	11	36.4
Dorchester	17	12.7	8	8.2	9	25.3
Edgefield	9	31.1	2	16.9	7	40.9
Fairfield	9	28.5	-	0	9	39.5
Florence	49	27.6	9	10.0	40	45.7
Georgetown	14	18.6	3	10.6	11	23.4
Greenville	85	19.4	48	14.4	37	35.8
Greenwood	20	24.0	12	24.1	8	24.0
Hampton	12	35.6	2	19.8	10	42.4
Horry	34	15.8	16	10.3	18	30.2
Jasper	4	14.1	-	0	4	20.9
Kershaw	10	16.6	3	7.6	7	34.0
Lancaster	16	21.3	5	10.4	11	40.4
Laurens	14	18.7	5	10.8	9	31.5
Lee	7	23.4	1	15.2	6	25.8
Lexington	50	21.8	33	17.1	17	47.1
McCormick	5	45.0	1	31.2	4	50.6
Marion	17	33.5	4	20.8	13	41.3
Marlboro	14	26.6	3	13.8	11	35.5
Newberry	15	33.6	8	34.0	7	33.0
Oconee	10	14.8	9	15.2	1	11.6
Orangeburg	33	23.3	10	20.2	23	25.0
Pickens	18	17.7	14	15.2	4	41.2
Richland	97	22.6	31	14.7	66	30.2
Saluda	5	21.1	1	7.5	4	38.8
Spartanburg	52	17.2	28	13.0	24	27.6
Sumter	51	29.6	18	21.0	33	38.1
Union	7	19.4	3	13.4	4	29.4
Williamsburg	16	26.2	2	13.1	14	30.6
York	35	19.5	18	14.0	17	33.5

Rate per 1,000 deliveries

Table 67.
Maternal Mortality and Maternal Mortality Rates by Race: South Carolina and Each County, 1985
(Residence Data)

County of Residence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	3	0.6	-	0	3	1.5
Berkeley	1	4.5	-	0	1	16.1
Chesterfield	1	17.7	-	0	1	41.8
Spartanburg	1	3.3	-	0	1	11.7

Rate per 10,000 live births

Table 68.
Maternal Mortality and Mortality Rates by Race: South Carolina and Each County, 1985
(Occurrence Data)

County of Occurrence	Total		White		Nonwhite	
	Number	Rate	Number	Rate	Number	Rate
SOUTH CAROLINA	3	0.6	-	0	3	1.5
Charleston	1	1.1	-	0	1	2.7
Chesterfield	1	22.3	-	0	1	35.0
Spartanburg	1	3.2	-	0	1	11.5

Rate per 10,000 live births

MARRIAGES AND DIVORCES

SUMMARY OF MARRIAGES, DIVORCES, AND ANNULMENTS

MARRIAGES

In 1985, there were 52,805 marriages recorded in South Carolina at a rate of 15.7 per 1,000 population. This is a decrease of 6.5 percent from the rate recorded in 1984.

As shown in Figure 10, of all marriage licenses issued in South Carolina in 1972, 50.3 percent were to residents. This was the first time in over two decades that a greater percentage of marriage licenses were issued to residents than non-residents. The decrease in non-residents obtaining licenses continued through 1985, when the percentage of marriages where neither the bride nor the groom was a resident fell to 37.7 percent.

Figure 10.
Percentage of Marriage Licenses Issued to
Non-Residents in South Carolina, 1970-1985



Table 71 shows that 57.0 percent (30,074) of total marriages were those in which both the bride and the groom were residents of South Carolina. In 37.7 percent of the marriages, neither the bride nor the groom were residents of this state. Over twice as many marriages occurred between resident brides and non-resident grooms as compared to resident grooms and non-resident brides.

As in previous years, the greatest number of marriages occurred between brides within the 20-24 year age group and grooms within the 20-24 year age group. There were 14,492 persons under the age of twenty who married in South Carolina in 1985. Therefore, teenagers represent 13.7 percent of all persons married in this state in 1985. This percentage is lower than that for 1984, when 14.5 percent of all persons marrying were teenagers.

There were 1,088 marriages between persons of different races in South Carolina in 1985. Table 69 shows a cross-classification of race of bride by race of groom for South Carolina, 1985.

Table 69.
Marriages by Race of Bride by Race of Groom
South Carolina, 1985

Race of Bride	Race of Groom							
	White	Black	Indian	Chinese	Japanese	Other	Unknown	Total
White	39,977	364	132	3	4	62	-	40,542
Black	172	11,409	6	1	-	6	1	11,595
Indian	104	18	241	-	-	3	-	366
Chinese	10	-	-	13	-	-	-	23
Japanese	11	2	-	-	3	1	-	17
Other	157	29	-	1	1	74	-	262
Total	40,431	11,822	379	18	8	146	1	52,805

"Other" includes Hawaiian, Filipino, other Asian and Pacific Islander and other nonwhite.

DIVORCES AND ANNULMENTS

In 1985, South Carolina recorded 13,456 divorces and annulments. The rate of divorces and annulments was 4.0 per 1,000 estimated population. This is a decrease of 2.4 percent from the rate of 4.1 recorded in 1984.

The divorce rate for the white population has been consistently higher than the nonwhite divorce rate since 1962, the year divorces were first required to be registered with the Office of Vital Records and Public Health Statistics. In 1985 the white rate was 4.8 and the nonwhite rate was 2.3.

There were 11,598 children involved in divorces and annulments in 1985, which averaged less than one child per divorce decree. The most frequently cited grounds for divorce were one year separation, which accounted for 71.5 percent of all grounds for divorce, followed by adultery, cruelty, and drunkenness. Table 76 shows divorces by legal grounds for decree, for South Carolina and each county, 1985.

Out of the total 26,912 persons in 1985 who were granted divorces, 37.5 percent were between the ages of 20 and 29.

Table 70.

Marriages by County in Which License Was Issued by Residential Status: South Carolina and Each County, 1985

County License Issued	Total	Residence of Bride				Residence of Groom			
		S.C. Resident		Non-Resident		S.C. Resident		Non-Resident	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent
South Carolina	52,805	31,963	60.5	20,842	39.5	31,034	58.8	21,771	41.2
Abbeville	202	157	77.7	45	22.3	150	74.3	52	25.7
Aiken	3,187	1,162	36.5	2,025	63.5	1,131	35.5	2,056	64.5
Allendale	227	88	38.8	139	61.2	84	37.0	143	63.0
Anderson	1,308	1,134	86.7	174	13.3	1,089	83.3	219	16.7
Bamberg	150	146	97.3	4	2.7	147	98.0	3	2.0
Barnwell	183	171	93.4	12	6.6	167	91.3	16	8.7
Beaufort	1,067	806	75.5	261	24.5	770	72.2	297	27.8
Berkeley	792	755	95.3	37	4.7	730	92.2	62	7.8
Calhoun	95	89	93.7	6	6.3	84	88.4	11	11.6
Charleston	4,145	3,730	90.0	415	10.0	3,636	87.7	509	12.3
Cherokee	2,199	474	21.6	1,725	78.4	466	21.2	1,733	78.8
Chester	264	227	86.0	37	14.0	217	82.2	47	17.8
Chesterfield	859	254	29.6	605	70.4	264	30.7	595	69.3
Clarendon	231	205	88.7	26	11.3	200	86.6	31	13.4
Colleton	310	292	94.2	18	5.8	281	90.6	29	9.4
Darlington	508	479	94.3	29	5.7	451	88.8	57	11.2
Dillon	6,319	453	7.2	5,866	92.8	438	6.9	5,881	93.1
Dorchester	682	643	94.3	39	5.7	625	91.6	57	8.4
Edgefield	155	130	83.9	25	16.1	120	77.4	35	22.6
Fairfield	185	173	93.5	12	6.5	167	90.3	18	9.7
Florence	1,145	1,066	93.1	79	6.9	1,020	89.1	125	10.9
Georgetown	569	528	92.8	41	7.2	518	91.0	51	9.0
Greenville	3,605	3,098	85.9	507	14.1	2,993	83.0	612	17.0
Greenwood	620	599	96.6	21	3.4	585	94.4	35	5.6
Hampton	210	199	94.8	11	5.2	191	91.0	19	9.0
Horry	2,207	1,423	64.5	784	35.5	1,376	62.3	831	37.7
Jasper	1,355	182	13.4	1,173	86.6	183	13.5	1,172	86.5
Kershaw	501	466	93.0	35	7.0	453	90.4	48	9.6
Lancaster	880	545	61.9	335	38.1	522	59.3	358	40.7
Laurens	506	483	95.5	23	4.5	471	93.1	35	6.9
Lee	124	113	91.1	11	8.9	111	89.5	13	10.5
Lexington	1,183	1,151	97.3	32	2.7	1,132	95.7	51	4.3
McCormick	135	61	45.2	74	54.8	59	43.7	76	56.3
Marion	275	236	85.8	39	14.2	235	85.5	40	14.5
Marlboro	1,078	246	22.8	832	77.2	239	22.2	839	77.8
Newberry	282	267	94.7	15	5.3	268	95.0	14	5.0
Oconee	1,620	520	32.1	1,100	67.9	517	31.9	1,103	68.1
Orangeburg	736	681	92.5	55	7.5	669	90.9	67	9.1
Pickens	826	692	83.8	134	16.2	671	81.2	155	18.8
Richland	3,351	3,149	94.0	202	6.0	3,064	91.4	287	8.6
Saluda	102	100	98.0	2	2.0	100	98.0	2	2.0
Spartanburg	2,274	2,030	89.3	244	10.7	1,976	86.9	298	13.1
Sumter	992	913	92.0	79	8.0	877	88.4	115	11.6
Union	241	238	98.8	3	1.2	231	95.9	10	4.1
Williamsburg	311	292	93.9	19	6.1	281	90.4	30	9.6
York	4,609	1,117	24.2	3,492	75.8	1,075	23.3	3,534	76.7

Table 71.
Marriages by Residential Status, by County of Marriage
South Carolina, 1985
(Occurrence Data)

County of Occurrence	Total Marriages	Residential Status			
		Resident Bride and Groom	Resident Groom Only	Resident Bride Only	Neither Res. Bride nor Groom
SOUTH CAROLINA	52,805	30,074	960	1,889	19,882
Abbeville	215	158	3	13	41
Aiken	3,147	1,001	107	146	1,893
Allendale	229	80	7	8	134
Anderson	1,402	1,162	17	62	161
Bamberg	175	166	3	3	3
Barnwell	197	174	3	6	14
Beaufort	1,094	750	33	68	243
Berkeley	914	825	12	46	31
Calhoun	105	92	3	6	4
Charleston	3,995	3,380	100	181	334
Cherokee	2,199	442	23	37	1,697
Chester	304	249	5	14	36
Chesterfield	872	250	25	21	576
Clarendon	256	219	3	12	22
Colleton	333	297	6	15	15
Darlington	529	469	4	32	24
Dillon	6,369	451	45	56	5,817
Dorchester	689	613	12	36	28
Edgefield	178	136	7	17	18
Fairfield	209	186	-	10	13
Florence	1,082	940	16	63	63
Georgetown	544	475	7	21	41
Greenville	3,567	2,909	52	149	457
Greenwood	583	538	8	20	17
Hampton	164	144	1	10	9
Horry	2,268	1,370	54	94	750
Jasper	1,341	160	15	13	1,153
Kershaw	512	462	6	15	29
Lancaster	842	469	17	42	314
Laurens	534	490	5	23	16
Lee	147	125	3	10	9
Lexington	1,348	1,268	18	34	28
McCormick	139	61	4	4	70
Marion	280	230	8	11	31
Marlboro	1,080	239	11	16	814
Newberry	280	260	7	6	7
Oconee	1,601	489	20	25	1,067
Orangeburg	744	658	13	29	44
Pickens	864	693	15	37	119
Richland	2,960	2,591	86	165	118
Saluda	99	95	1	1	2
Sumter	992	855	28	63	46
Spartanburg	2,267	1,916	48	102	201
Union	271	257	2	8	4
Williamsburg	324	292	3	12	17
York	4,551	985	94	125	3,347
Unknown	10	3	-	2	5

Table 72.
Marriages by Race, by Residential Status, by Age Groups of Bride
South Carolina, 1985

Years of Age	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Residents						
All Ages	31,963	100.0	24,233	100.0	7,730	100.0
Under 15 Yrs	78	0.2	72	0.3	6	0.1
15 - 19	6,158	19.3	5,004	20.6	1,154	14.9
20 - 24	10,929	34.2	7,874	32.5	3,055	39.5
25 - 29	6,138	19.2	4,453	18.4	1,685	21.8
30 - 34	3,375	10.6	2,529	10.4	846	10.9
35 - 39	2,123	6.6	1,683	6.9	440	5.7
40 - 44	1,240	3.9	1,034	4.3	206	2.7
45 - 49	696	2.2	573	2.4	123	1.6
50 - 54	459	1.4	384	1.6	75	1.0
55 - 59	267	0.8	214	0.9	53	0.7
60 - 64	235	0.7	201	0.8	34	0.4
65 - 69	146	0.5	123	0.5	23	0.3
70 - 74	70	0.2	54	0.2	16	0.2
75 Yrs & Over	49	0.2	35	0.1	14	0.2
Non-Residents						
All Ages	20,842	100.0	16,140	100.0	4,702	100.0
Under 15 Yrs	155	0.7	150	0.9	5	0.1
15 - 19	3,808	18.3	3,199	19.8	609	13.0
20 - 24	5,404	25.9	3,962	24.5	1,442	30.7
25 - 29	3,869	18.6	2,830	17.5	1,039	22.1
30 - 34	2,596	12.5	1,970	12.2	626	13.3
35 - 39	1,853	8.9	1,443	8.9	410	8.7
40 - 44	1,219	5.8	994	6.2	225	4.8
45 - 49	792	3.8	653	4.0	139	3.0
50 - 54	438	2.1	354	2.2	84	1.8
55 - 59	301	1.4	245	1.5	56	1.2
60 - 64	206	1.0	168	1.0	38	0.8
65 - 69	138	0.7	119	0.7	19	0.4
70 - 74	37	0.2	31	0.2	6	0.1
75 Yrs & Over	26	0.1	22	0.1	4	0.1

Table 73.
Marriages by Race, by Residential Status, by Age Groups of Groom
South Carolina, 1985

Years of Age	Total		White		Nonwhite	
	Number	Percent	Number	Percent	Number	Percent
Residents						
All Ages	31,034	100.0	23,546	100.0	7,488	100.0
Under 15 Yrs	1	0.0	1	0.0	-	0
15 - 19	2,446	7.9	2,100	8.9	346	4.6
20 - 24	10,540	34.0	7,788	33.1	2,752	36.8
25 - 29	7,169	23.1	5,172	22.0	1,997	26.7
30 - 34	4,007	12.9	2,957	12.6	1,050	14.0
35 - 39	2,510	8.1	1,998	8.5	512	6.8
40 - 44	1,531	4.9	1,239	5.3	292	3.9
45 - 49	887	2.9	737	3.1	150	2.0
50 - 54	646	2.1	531	2.3	115	1.5
55 - 59	440	1.4	343	1.5	97	1.3
60 - 64	355	1.1	279	1.2	76	1.0
65 - 69	236	0.8	181	0.8	55	0.7
70 - 74	155	0.5	131	0.6	24	0.3
75 Yrs & Over	111	0.4	89	0.4	22	0.3
Non-Residents						
All Ages	21,771	100.0	16,769	100.0	5,002	100.0
Under 15 Yrs	-	0	-	0	-	0
15 - 19	1,846	8.5	1,587	9.5	259	5.2
20 - 24	6,092	28.0	4,470	26.7	1,622	32.4
25 - 29	4,361	20.0	3,207	19.1	1,154	23.1
30 - 34	2,913	13.4	2,213	13.2	700	14.0
35 - 39	2,099	9.6	1,666	9.9	433	8.7
40 - 44	1,456	6.7	1,199	7.2	257	5.1
45 - 49	1,011	4.6	806	4.8	205	4.1
50 - 54	712	3.3	597	3.6	115	2.3
55 - 59	507	2.3	418	2.5	89	1.8
60 - 64	357	1.6	280	1.7	77	1.5
65 - 69	208	1.0	160	1.0	48	1.0
70 - 74	116	0.5	94	0.6	22	0.4
75 Yrs & Over	93	0.4	72	0.4	21	0.4

Table 74.
Marriages by Age of Bride, by Age of Groom
South Carolina, 1985

Age of Groom	Total	Age of Bride										
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64
Total	52,805	233	9,966	16,333	10,007	5,971	3,976	2,459	1,488	897	568	441
Under 15	1	-	1	-	-	-	-	-	-	-	-	-
15 - 19	4,292	131	3,167	807	134	35	12	3	2	1	-	-
20 - 24	16,632	76	5,440	8,478	1,918	468	195	38	15	2	1	-
25 - 29	11,530	17	1,010	4,840	3,843	1,257	412	109	33	5	1	2
30 - 34	6,920	2	220	1,467	2,380	1,866	694	212	56	17	3	1
35 - 39	4,609	5	81	489	1,048	1,304	1,052	446	134	40	6	2
40 - 44	2,987	2	27	153	438	625	808	617	232	60	20	2
45 - 49	1,898	-	9	61	137	237	438	477	346	141	38	9
50 - 54	1,358	-	6	25	65	104	212	282	334	218	68	30
55 - 59	947	-	3	9	23	54	97	166	170	201	141	59
60 - 64	712	-	1	2	15	14	36	72	108	123	147	143
65 - 69	444	-	1	-	4	7	11	24	38	58	85	110
70 - 74	271	-	-	2	1	-	6	10	15	20	39	55
75 & Over	204	-	-	-	1	-	3	3	5	11	19	28

Table 75.
Divorces and Annulments by Number of Children Involved, by Race: South Carolina and Each County, 1985

County of Decree	Divorces and Annulments			Children		
	Total	White	Nonwhite	Total	White	Nonwhite
SOUTH CAROLINA	13,456	11,045	2,411	11,598	8,979	2,619
Abbeville	81	65	16	74	59	15
Aiken	505	421	84	466	398	68
Allendale	35	19	16	25	12	13
Anderson	684	636	48	582	534	48
Bamberg	46	30	16	38	20	18
Barnwell	48	38	10	43	33	10
Beaufort	227	169	58	174	104	70
Berkeley	496	450	46	436	385	51
Calhoun	32	17	15	24	10	14
Charleston	1,303	1,040	263	1,056	798	258
Cherokee	233	205	28	209	177	32
Chester	104	76	28	84	60	24
Chesterfield	70	52	18	81	45	36
Clarendon	54	32	22	38	18	20
Colleton	125	92	33	140	100	40
Darlington	122	100	22	103	74	29
Dillon	68	47	21	69	46	23
Dorchester	223	201	22	199	171	28
Edgefield	42	28	14	42	28	14
Fairfield	72	45	27	70	43	27
Florence	344	286	58	291	224	67
Georgetown	134	100	34	142	103	39
Greenville	1,480	1,333	147	1,172	1,024	148
Greenwood	334	263	71	301	216	85
Hampton	71	55	16	64	46	18
Horry	578	511	67	486	377	109
Jasper	21	16	5	17	14	3
Kershaw	208	166	42	202	155	47
Lancaster	243	205	38	205	164	41
Laurens	264	212	52	259	200	59
Lee	29	17	12	43	26	17
Lexington	820	773	47	694	650	44
McCormick	6	4	2	7	3	4
Marion	186	92	94	212	88	124
Marlboro	74	53	21	74	49	25
Newberry	111	94	17	118	97	21
Oconee	207	195	12	167	153	14
Orangeburg	305	192	113	267	140	127
Pickens	196	179	17	161	152	9
Richland	1,106	758	348	831	492	339
Saluda	40	34	6	42	29	13
Spartanburg	1,208	1,029	179	977	791	186
Sumter	387	288	99	375	263	112
Union	115	90	25	133	92	41
Williamsburg	56	27	29	66	26	40
York	363	310	53	339	290	49

Table 76.

Divorces by Plaintiff, by Legal Grounds of Decree
South Carolina and Each County, 1985

County of Decree	Plaintiff		Legal Grounds for Divorce*							Annul-ment	Unk
	Husband	Wife	Deser-tion	Physical Cruelty	Drunk-enness	Habitual Drug Use	Adul-tery	Separated 1-Year	Multiple Grounds		
SOUTH CAROLINA	4,576	8,875	34	1,009	721	17	1,715	9,616	142	194	8
Abbeville	28	53	-	8	7	-	11	53	1	1	-
Aiken	186	319	1	38	23	1	52	379	3	8	-
Allendale	12	23	1	1	2	-	2	29	-	-	-
Anderson	216	468	4	92	63	1	117	375	15	17	-
Bamberg	14	32	-	1	1	-	3	39	-	2	-
Barnwell	15	33	-	1	1	-	1	44	1	-	-
Beaufort	89	137	2	10	5	-	19	187	2	2	-
Berkeley	195	301	-	28	18	-	72	372	1	5	-
Calhoun	8	24	-	5	3	-	1	22	-	1	-
Charleston	500	802	-	52	36	-	119	1,075	11	10	-
Cherokee	77	156	1	30	12	-	27	157	3	3	-
Chester	23	81	-	13	10	-	7	72	-	1	1
Chesterfield	18	52	-	5	6	1	7	47	1	3	-
Clarendon	18	36	-	4	-	-	7	42	-	1	-
Colleton	36	89	1	7	8	-	11	93	2	3	-
Darlington	43	79	-	16	3	1	15	82	2	3	-
Dillon	17	51	-	4	6	-	6	51	-	1	-
Dorchester	78	145	-	12	9	3	38	156	2	3	-
Edgefield	16	26	-	2	2	-	6	32	-	-	-
Fairfield	19	53	-	5	6	-	5	51	1	4	-
Florence	125	219	-	21	19	1	51	246	1	5	-
Georgetown	45	89	-	7	8	-	10	107	2	-	-
Greenville	506	974	3	140	103	5	208	972	13	35	1
Greenwood	110	224	-	25	20	-	55	229	1	4	-
Hampton	23	48	1	1	2	-	6	56	4	1	-
Horry	195	382	1	30	25	-	69	434	11	7	1
Jasper	8	13	-	2	-	-	2	17	-	-	-
Kershaw	69	139	-	13	11	-	29	152	2	1	-
Lancaster	73	170	1	21	20	-	32	166	1	2	-
Laurens	85	179	-	32	22	-	47	158	2	3	-
Lee	12	17	-	3	3	-	2	21	-	-	-
Lexington	267	553	3	52	42	-	143	561	7	12	-
McCormick	1	5	-	1	-	-	-	5	-	-	-
Marion	60	126	1	13	5	-	7	158	-	2	-
Marlboro	22	52	-	7	1	-	7	57	-	2	-
Newberry	37	74	-	16	7	-	18	68	2	-	-
Oconee	78	129	-	11	13	-	46	133	2	2	-
Orangeburg	109	196	4	27	13	-	33	220	5	2	1
Pickens	61	135	1	11	16	1	31	133	-	3	-
Richland	392	713	5	73	30	1	109	860	6	19	3
Saluda	12	28	-	2	4	-	5	28	1	-	-
Spartanburg	375	833	3	95	92	2	137	839	23	17	-
Sumter	156	230	-	29	16	-	80	253	7	2	-
Union	23	92	1	15	8	-	15	74	1	-	1
Williamsburg	16	40	-	4	2	-	6	39	4	1	-
York	108	255	-	24	18	-	41	272	2	6	-

*Frequencies may not agree due to multiple grounds and incomplete reporting

Table 77.
Divorces by Age Groups, by Race*:
South Carolina, 1985

YEARS OF AGE	TOTAL	WHITE	NONWHITE
* by age and race of husband			
All Ages	13,456	11,045	2,411
Under 15	9	9	-
15 - 19	71	61	10
20 - 24	1,602	1,432	170
25 - 29	2,853	2,348	505
30 - 34	2,835	2,217	618
35 - 39	2,302	1,869	433
40 - 44	1,578	1,314	264
45 - 49	863	725	138
50 - 54	565	460	105
55 - 59	345	276	69
60 - 64	205	157	48
65 - 69	126	94	32
70 - 74	44	36	8
75+	45	36	9
Unknown	13	11	2
* by age and race of wife			
All Ages	13,456	11,019	2,437
Under 15	14	11	3
15 - 19	330	308	22
20 - 24	2,429	2,110	319
25 - 29	3,203	2,585	618
30 - 34	2,623	2,035	588
35 - 39	2,040	1,654	386
40 - 44	1,289	1,062	227
45 - 49	658	554	104
50 - 54	381	307	74
55 - 59	228	186	42
60 - 64	139	112	27
65 - 69	64	48	16
70 - 74	37	29	8
75+	16	13	3
Unknown	5	5	-

Table 78.
Divorces by Duration of Marriage, by Plaintiff by Legal Grounds for Decree*
South Carolina, 1985

Duration of Marriage	Plaintiff		Legal Grounds for Decree*								
	Husband	Wife	Deser-tion	Cruelty	Drunk-enness	Habitual Drug Use	Adul-tery	Separated 1 Year	Multiple Grounds	Annul-ment	Unk
Total	4,576	8,875	34	1,009	721	17	1,715	9,616	142	194	8
Under 1 Year	41	69	-	15	11	-	18	16	-	50	-
1 - 4 Years	1,307	2,701	7	478	272	10	490	2,580	66	104	2
1 Year	167	398	-	128	73	4	113	173	15	60	-
2 Years	380	758	4	151	59	2	131	754	18	18	1
3 Years	410	718	2	101	65	4	110	819	15	18	-
4 Years	354	817	1	98	75	-	136	834	18	8	1
5 - 9 Years	1,363	2,563	6	244	190	4	504	2,929	33	14	3
5 Years	377	709	4	96	57	1	130	790	6	2	-
6 Years	323	578	1	48	35	1	121	681	10	3	1
7 Years	262	499	-	39	40	1	101	569	7	3	1
8 Years	225	428	1	33	30	-	89	490	6	3	1
9 Years	176	349	-	28	28	1	63	399	4	3	-
10 - 14 Years	686	1,512	7	123	102	3	253	1,683	14	14	1
15 - 19 Years	473	904	4	77	61	-	200	1,018	11	6	-
20 - 24 Years	279	555	5	40	34	-	125	621	6	2	1
25 - 29 Years	192	277	2	19	26	-	70	343	7	2	1
30 & Over	218	272	3	9	24	-	48	401	4	1	-
Unknown	17	22	-	4	1	-	7	25	1	1	-

* Frequencies may not agree due to multiple grounds and incomplete reporting.

MORBIDITY

Table 79.
Reported Cases of Selected Communicable Diseases: South Carolina and Each County, 1985
(Occurrence Data)

County of Occurrence	German Measles (Rubella)	Tetanus	Tuberculosis	Tularemia	Typhoid Fever	Rocky Mountain Spotted Fever	Influenza	Salmonella	Shigella	Rabies in Animals	Aseptic Meningitis
1984	-	1	544	-	1	80	506	677	136	59	59
1985	3	2	566	-	2	72	1008	820	63	62	56
Abbeville	-	-	1	-	-	-	-	6	1	1	-
Aiken	-	-	10	-	-	1	-	24	-	1	2
Allendale	-	-	1	-	-	-	-	1	-	1	2
Anderson	1	-	8	-	-	11	2	68	2	3	15
Bamberg	-	-	-	-	-	-	3	1	-	-	-
Barnwell	-	-	4	-	-	-	10	-	-	1	-
Beaufort	-	-	6	-	-	-	260	14	2	2	-
Berkeley	-	-	11	-	-	-	-	8	-	5	2
Calhoun	-	-	5	-	-	-	-	-	-	2	1
Charleston	-	-	41	-	-	3	12	159	5	12	16
Cherokee	-	-	30	-	1	1	-	11	-	-	-
Chester	-	-	6	-	-	1	-	-	-	-	-
Chesterfield	-	-	5	-	-	-	5	7	-	-	-
Clarendon	-	-	7	-	-	-	-	1	-	-	-
Colleton	-	-	21	-	-	-	53	4	5	3	-
Darlington	-	-	30	-	-	1	1	17	-	-	1
Dillon	-	-	19	-	-	-	1	26	21	-	-
Dorchester	-	-	11	-	-	-	3	8	-	-	-
Edgefield	-	-	10	-	-	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	1	-	-	-
Florence	-	-	51	-	-	1	1	34	-	-	-
Georgetown	-	-	4	-	-	-	2	17	-	-	-
Greenville	2	-	20	-	-	-	59	47	1	-	2
Greenwood	-	-	4	-	-	8	5	13	-	1	-
Hampton	-	-	11	-	-	3	-	4	-	-	-
Horry	-	-	48	-	-	-	20	28	1	-	-
Jasper	-	-	3	-	-	-	-	-	-	-	-
Kershaw	-	-	3	-	-	-	-	54	2	6	-
Lancaster	-	-	3	-	-	1	-	24	7	-	-
Laurens	-	-	3	-	-	2	2	2	-	-	-
Lee	-	-	4	-	-	-	-	1	-	-	-
Lexington	-	1	9	-	-	1	16	55	3	1	2
McCormick	-	-	-	-	-	1	-	-	-	1	-
Marion	-	-	26	-	-	1	-	8	-	-	-
Marlboro	-	-	10	-	-	-	-	9	-	-	-
Newberry	-	-	1	-	-	1	-	-	-	-	-
Oconee	-	-	1	-	-	-	26	3	-	3	-
Orangeburg	-	-	19	-	-	1	353	2	-	-	-
Pickens	-	-	5	-	-	3	2	7	-	2	1
Richland	-	-	37	-	-	1	27	83	6	8	3
Saluda	-	-	1	-	-	1	-	1	-	-	-
Spartanburg	-	-	28	-	-	18	145	43	2	3	1
Sumter	-	-	23	-	1	1	-	7	-	2	-
Union	-	-	1	-	-	1	-	2	-	-	-
Williamsburg	-	1	18	-	-	-	-	6	-	-	-
York	-	-	7	-	-	9	-	14	-	4	5
Unknown	-	-	-	-	-	-	-	-	5	-	3

Table 79 . (Cont)

County of Occurrence	Unspecified Hepatitis	Measles (Rubeola)	Meningococcal Infections	Mumps	Pertussis	Malaria	Brucellosis	Primary Encephalitis	Infectious Hepatitis-A	Serum Hepatitis-B	Hepatitis Non A - Non B
1984	37	1	58	6	2	2	-	6	236	628	24
1985	24	3	35	14	3	-	2	5	40	654	36
Abbeville	-	-	-	2	-	-	-	-	-	-	-
Aiken	1	-	-	-	-	-	-	2	-	15	-
Allendale	-	-	1	-	-	-	-	-	-	-	1
Anderson	-	-	4	-	-	-	-	1	-	35	-
Bamberg	-	-	1	-	-	-	-	-	-	3	4
Barnwell	1	-	-	-	-	-	-	-	-	4	2
Beaufort	2	-	1	-	-	-	-	-	-	18	-
Berkeley	-	-	1	2	-	-	-	-	1	6	1
Calhoun	-	-	-	-	-	-	-	-	-	-	-
Charleston	1	-	11	1	-	-	-	-	7	73	5
Cherokee	-	-	-	-	-	-	-	-	1	16	-
Chester	-	-	-	-	-	-	-	-	-	8	-
Chesterfield	-	-	-	-	-	-	-	-	1	2	-
Clarendon	-	-	-	-	-	-	-	-	-	-	-
Colleton	-	-	-	-	-	-	-	-	-	2	-
Darlington	-	-	-	-	-	-	1	-	-	15	-
Dillon	-	-	-	-	-	-	-	-	-	9	1
Dorchester	-	-	-	-	-	-	-	-	-	5	-
Edgefield	-	-	-	-	-	-	-	-	-	-	-
Fairfield	-	-	-	-	-	-	-	-	-	1	-
Florence	1	-	1	-	-	-	-	1	-	6	-
Georgetown	-	-	-	-	-	-	-	-	1	3	3
Greenville	-	3	5	2	-	-	-	-	-	135	3
Greenwood	5	-	-	-	-	-	1	-	7	18	1
Hampton	-	-	-	-	-	-	-	-	1	2	-
Horry	-	-	-	-	-	-	-	-	-	16	-
Jasper	1	-	-	-	-	-	-	-	2	4	-
Kershaw	-	-	-	3	-	-	-	-	-	3	-
Lancaster	-	-	2	-	-	-	-	-	-	3	3
Laurens	-	-	-	-	-	-	-	-	-	19	-
Lee	-	-	-	-	-	-	-	-	-	1	-
Lexington	1	-	-	-	-	-	-	-	1	22	1
McCormick	-	-	-	-	1	-	-	-	-	1	-
Marion	-	-	-	-	-	-	-	-	-	3	-
Marlboro	-	-	-	-	-	-	-	-	-	5	-
Newberry	-	-	1	-	-	-	-	-	-	1	-
Oconee	1	-	1	-	-	-	-	-	-	5	1
Orangeburg	-	-	-	-	-	-	-	-	1	6	-
Pickens	1	-	2	3	-	-	-	-	1	11	2
Richland	-	-	3	-	-	-	-	-	8	104	-
Saluda	-	-	-	-	-	-	-	-	-	-	-
Spartanburg	9	-	-	1	-	-	-	1	1	31	2
Sumter	-	-	1	-	-	-	-	-	1	6	2
Union	-	-	-	-	-	-	-	-	2	8	2
Williamsburg	-	-	-	-	-	-	-	-	1	5	1
York	-	-	-	-	-	-	-	-	3	18	1
Unknown	-	-	-	-	2	-	-	-	-	6	-

Table 80.
Reported Cases of Venereal Disease
South Carolina and Each County, 1985
(Occurrence Data)

County of Occurrence	Gonorrhea	Syphilis		Total1/ V. D.
		Infectious	Other2/	
SOUTH CAROLINA 1984	21,522	772	837	23,131
1985	21,229	789	655	22,673
Abbeville	40	3	-	43
Aiken	535	25	18	578
Allendale	120	5	-	125
Anderson	853	28	22	903
Bamberg	151	2	6	159
Barnwell	140	-	-	140
Beaufort	263	6	3	272
Berkeley	148	4	10	162
Calhoun	80	1	6	87
Charleston	2,788	43	70	2,901
Cherokee	82	1	2	85
Chester	206	26	12	244
Chesterfield	86	1	-	87
Clarendon	273	8	8	289
Colleton	152	1	-	153
Darlington	189	5	9	203
Dillon	131	3	4	138
Dorchester	133	14	6	153
Edgefield	86	5	6	97
Fairfield	78	3	4	85
Florence	653	15	18	686
Georgetown	352	18	11	381
Greenville	3,320	49	45	3,414
Greenwood	380	18	8	406
Hampton	51	7	1	59
Horry	733	54	53	840
Jasper	48	5	1	54
Kershaw	324	10	9	343
Lancaster	207	19	15	241
Laurens	167	38	17	222
Lee	111	6	9	126
Lexington	338	9	5	352
McCormick	32	1	1	34
Marion	166	10	9	185
Marlboro	189	2	3	194
Newberry	166	1	-	167
Oconee	61	-	1	62
Orangeburg	1,231	35	26	1,292
Pickens	85	8	7	100
Richland	3,094	187	115	3,396
Saluda	84	4	3	91
Spartanburg	872	46	32	950
Sumter	1,058	14	2	1074
Union	82	1	1	84
Williamsburg	325	12	30	367
York	539	25	7	571
Institutions	27	11	40	78

1/ Excludes Military
2/ Includes early latent, under 1 year, congenital, and all other Syphilis

APPENDIX



TYPE
OR PRINT
IN
PERMANENT
INK
FOR
INSTRUCTIONS
SEE
HANDBOOK

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

139-

CERTIFICATE OF LIVE BIRTH

BIRTH NUMBER

DHEC-609 Rev. 1978

CHILD

1. CHILD—NAME FIRST MIDDLE LAST
2. SEX
3a. DATE OF BIRTH
3b. HOUR M
4a. HOSPITAL—NAME *(If not in hospital, give street and number)*
4b. CITY, TOWN OR LOCATION OF BIRTH
4c. COUNTY OF BIRTH

CERTIFIER

5a. I certify that the stated information concerning this child is true to the best of my knowledge and belief. *(Signature)* ▶
5b. DATE SIGNED
5c. NAME AND TITLE OF ATTENDANT AT BIRTH IF OTHER THAN CERTIFIER *(Type or print)*
5d. CERTIFIER—NAME AND TITLE *(Type or print)*
5e. MAILING ADDRESS *(Street or R.F.D. No., City or Town, State, Zip)*
6a. REGISTRAR *(Signature)* ▶
6b. DATE RECEIVED BY REGISTRAR *(Month Day Year)*

MOTHER

7a. MOTHER—MAIDEN NAME FIRST MIDDLE LAST
7b. AGE *(at time of this birth)*
7c. STATE OF BIRTH *(If not in U.S.A., name country)*
8a. RESIDENCE—STATE
8b. COUNTY
8c. CITY, TOWN OR LOCATION
8d. STREET AND NUMBER OF RESIDENCE
8e. INSIDE CITY LIMITS *(Specify yes or no)*
9. MOTHER'S MAILING ADDRESS—*If same as above, enter Zip Code only*

FATHER

10a. FATHER—NAME FIRST MIDDLE LAST
10b. AGE *(at time of this birth)*
10c. STATE OF BIRTH *(If not in U.S.A., name country)*
11a. I certify that the personal information provided on this certificate is correct to the best of my knowledge and belief. *(Signature of Parent or other Informant)* ▶
11b. RELATION TO CHILD

INFORMATION FOR MEDICAL AND HEALTH USE ONLY

12. RACE—MOTHER *(e.g., White, Black, American Indian, etc.) (Specify)*
13. RACE—FATHER *(e.g., White, Black, American Indian, etc.) (Specify)*
14. BIRTH WEIGHT
15a. THIS BIRTH—*Single, twin, triplet, etc. (Specify)*
15b. IF NOT SINGLE BIRTH—*Born first, second, third, etc. (Specify)*
16. IS MOTHER MARRIED? *(Specify yes or no)*

PREGNANCY HISTORY
(Complete each section)

LIVE BIRTHS *(Do not include this Child)*

17a. Now living Number___ None ☐
17b. Now dead Number___ None ☐
17c. DATE OF LAST LIVE BIRTH *(Month, Year)*

OTHER TERMINATIONS *(Spontaneous and induced)*

17d. Before 20 wks. Number___ None ☐
17e. After 20 wks. Number___ None ☐
17f. DATE OF LAST OTHER TERMINATION *(as indicated in d or e above) (Month, Year)*

EDUCATION—MOTHER *(Specify only highest grade completed)*

18a. Elementary or Secondary (0-12) | College (1-4 or 5+)
18b. Usual Occupation
18c. Business or Industry

EDUCATION—FATHER *(Specify only highest grade completed)*

19a. Elementary or Secondary (0-12) | College (1-4 or 5+)
19b. Usual Occupation
19c. Business or Industry

20. DATE LAST NORMAL MENSES BEGAN *(Month Day Year)*
21a. MONTH OF PREGNANCY PRENATAL CARE BEGAN *First, second, etc. (Specify)*
21b. PRENATAL VISITS *Total number (If none, so state)*
APGAR SCORE
22a. 1 min.
22b. 5 min.
23. COMPLICATIONS OF PREGNANCY *(Describe or write "none")*
24. CONCURRENT ILLNESSES OR CONDITIONS AFFECTING THE PREGNANCY *(Describe or write "none")*
25. COMPLICATIONS OF LABOR AND/OR DELIVERY *(Describe or write "none")*
26. CONGENITAL MALFORMATIONS OR ANOMALIES OF CHILD *(Describe or write "none")*
27a. MOTHER'S BLOOD TESTED FOR SYPHILIS? (SPECIFY YES OR NO) MONTH DAY YEAR DATE
27b. LABORATORY
28. WHAT PROPHYLACTIC USED IN EYES? *(Specify)* TIME USED M

DEATH UNDER ONE YEAR OF AGE
Enter State File Number of death certificate for this child

MULTIPLE BIRTHS
Enter State File Number for Mate(s)

LIVE BIRTH(S)

FETAL DEATH(S)

SAMPLE

STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

CERTIFICATE OF DEATH

STATE BIRTH NUMBER

STATE FILE NUMBER

TYPE OR PRINT IN PERMANENT INK FOR INSTRUCTIONS SEE HANDBOOK

DECEDENT

1 DECEDENT—NAME FIRST MIDDLE LAST

2 SEX

3 DATE OF DEATH (Mo., Day, Yr.)

4 RACE—(e.g., White, Black, American Indian, etc.) (Specify)

5a AGE—Last Birthday (Yrs.)

5b UNDER 1 YEAR MOS. DAYS

5c UNDER 1 DAY HOURS MINS.

6 DATE OF BIRTH (Mo., Day, Yr.)

7a COUNTY OF DEATH

7b CITY, TOWN OR LOCATION OF DEATH

7c HOSPITAL OR OTHER INSTITUTION—Name (If not in either, give street and number)

7d IF HOSP. OR INST. Indicate DOA, OP/Emer. Rm., Inpatient (Specify)

8 STATE OF BIRTH (If not in U.S.A., name country)

9 CITIZEN OF WHAT COUNTRY

10 MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (Specify)

11 SURVIVING SPOUSE (If wife, give maiden name)

12 WAS DECEDENT EVER IN U.S. ARMED FORCES? (Specify Yes or No)

13 SOCIAL SECURITY NUMBER

14a USUAL OCCUPATION (Give kind of work done during most of work[illegible] life, even if retired)

14b KIND OF BUSINESS OR INDUSTRY

IF DEATH [illegible]CURRED IN [illegible]TITUTION SEE HANDBOOK REGARDING COMPLETION OF RESIDENCE ITEMS.

15a RESIDENCE—STATE

15b COUNTY

15c CITY, TOWN OR LOCATIO[illegible]

15d STREET AND NUMBER

15e INSIDE CITY LIMITS (Specify Yes or No)

PARENTS

16 FATHER—NAME FIRST MIDDLE LAST

17 MOTHER[illegible]N NAME FIRST MIDDLE LAST

18a INFORMANT—NAME (Type or Print)

18b MAILING ADDRE[illegible]EET O[illegible] F.D. NO. CITY OR TOWN STATE Zip

DISPOSITION

19a BURIAL, CREMATION, REMOVAL, Other (Specify)

19b CEMETERY OR CREMATORY—NAME

19c LOCATION CITY OR TOWN STATE

20a FUNERAL DIRECTOR OR PERSON ACTING AS SUCH (Signature) ▶

20b LIC. NO.

20c EMBALMER'S SIGNATURE

20d LIC. NO.

20e NAME OF FACILITY

LIC. NO[illegible]

20g ADDRESS OF FACILITY

CERTIFIER

To be Completed by CERTIFYING PHYSICIAN Only

21a. To the best of my knowledge, death occurre[illegible] date and place and due to the cause(s) stated.
(Signature and Title) ▶

21b DATE SIGNED (Mo., Day, Yr.)

[illegible]UR OF DEA[illegible] M

21d NAME OF ATTENDING PHYSICIAN IF OTHER THAN CE[illegible]FIER (Type or Print)

To be Completed by MEDICAL EXAMINER or CORONER Only

22a On the basis of examination and/or investigation, in my opinion death occurred at the time, date and place and due to the cause(s) stated.
(Signature and Title) ▶

22b DATE SIGNED (Mo., Day, Yr.)

22c HOUR OF DEATH M

22d PRONOUNCED DEAD (Mo., Day, Yr.) ON

22e PRONOUNCED DEAD (Hour) AT M

23a NAME AND ADDRESS OF CERTIFIER (PHYSICIAN, MEDICAL EXAMINER OR CORONER) (Type or Print)

23b LIC. NO.

24a REGISTRAR (Signature) ▶

24b DATE RECEIVED BY REGISTRAR (Mo., Day, Yr.)

CAUSE OF DEATH

CONDITIONS IF ANY WHICH GAVE RISE TO IMMEDIATE CAUSE STATING THE UNDERLYING CAUSE LAST

25. PART I IMMEDIATE CAUSE [ENTER ONLY ONE CAUSE PER LINE FOR (a), (b), AND (c).]

(a) Interval between onset and death

DUE TO, OR AS A CONSEQUENCE OF:

(b) Interval between onset and death

DUE TO, OR AS A CONSEQUENCE OF:

(c) Interval between onset and death

PART II OTHER SIGNIFICANT CONDITIONS—Conditions contributing to death but not related to cause given in PART I (a)

26 AUTOPSY (Specify Yes or No)

27 WAS CASE REFERRED TO MEDICAL EXAMINER OR CORONER (Specify Yes or No)

28a ACC., SUICIDE, HOM., UNDET., OR PENDING INVEST. (Specify)

28b DATE OF INJURY (Mo., Day, Yr.)

28c HOUR OF INJURY M

28d DESCRIBE HOW INJURY OCCURRED

28e INJURY AT WORK (Specify Yes or No)

28f PLACE OF INJURY—At home, farm, street, factory, office building, etc. (Specify)

28g LOCATION STREET OR R.F.D. NO. CITY OR TOWN STATE

DHEC-670
Rev. 1978

SAMPLE



STATE OF SOUTH CAROLINA
DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

REPORT OF FETAL DEATH

STATE FILE NUMBER

TYPE OR PRINT IN PERMANENT INK SEE HANDBOOK FOR INSTRUCTIONS

HOSPITAL—NAME *(If not in hospital, give street and number)* 1a.
CITY, TOWN OR LOCATION OF DELIVERY 1b.
COUNTY OF DELIVERY 1c.
DATE OF DELIVERY *(Month, Day, Year)* 2a.
HOUR OF DELIVERY 2b. M
SEX OF FETUS 3.
WEIGHT OF FETUS 4.

MOTHER

MOTHER—MAIDEN NAME FIRST MIDDLE LAST 5a.
AGE *(At time of this delivery)* 5b.
RESIDENCE—STATE 6a.
COUNTY 6b.
CITY, TOWN OR LOCATION 6c.
STREET AND NUMBER 6d.
INSIDE CITY LIMITS *(Specify Yes or No)*
RACE— (e.g., White, Black, American Indian, etc.) (Specify) 7.
EDUCATION (Specify only highest grade completed) Elementary or Secondary (0-12) College (1-4 or 5+) 8.
DATE LAST NO[illegible]AL MENSES BE[illegible] (Month, Day, Year)
IS MOTHER [illegible] 10.
PREGNANCY HISTORY (Complete each section)
LIVE BIRTHS
11a. Now living Number___ None ☐
11b. Now dead Number___ None ☐
OTHER TERMINATIONS (Spontaneous and induced)
11d. Before 20 wks. Number___ None ☐
11e. After 20 wks. Number___ (Do not include this fetus) None ☐
DATE OF LAST LIVE BIRTH (Month, Year) 11c.
DATE OF LAST OTHER TERMINATION (as indicated in d or e above) (Month, Year) 11f.
MONTH OF PREGNANCY PRENATAL CARE BEGAN First, second, etc. (Specify) 12a.
PRENATAL VISITS—Total number (If none, so state) 12b.
THIS BIRTH—[illegible] twin, triplet, [illegible] 13a.
IF NO[illegible]GLE BIRTH—Born fi[illegible] second, third, etc. (Specify) 13b.

FATHER

FATHER—NAME FIRST MIDDL[illegible] 14a.
[illegible] (at time of [illegible] delivery) 14b.
RACE— (e.g., White, Black, American Indian, etc.) (Specify) 14c.
EDUCATION (Specify only highest grade completed) Elementary or Secondary (0-12) College (1-4 or 5+) 14d.

CAUSE OF FETAL DEATH

15 PART I Fetal or maternal condition directly causing fetal death
IMMEDIATE CAUSE [ENTER ONLY ONE CAUSE PER LINE (a), (b), AND (c).] Specify Fetal or Maternal
(a)___
DUE TO, O[illegible] CONSEQUE[illegible] OF: Specify Fetal or Maternal
Fetal and/or maternal conditions, if any, giving rise to the immediate cause (a), stating the underlying cause last
(b)___
DUE TO, OR AS A [illegible]UENCE OF: Specify Fetal or Maternal
(c)___
PART II OTHER SIGNIFICANT CONDITIONS OF FETUS OR MOTHER: Conditions contributing to fetal death but not related to cause given in (a)
FETUS DIED BEFORE LABOR, DURING LABOR OR DELIVERY, UNKNOWN (Specify) 16.
PHYSICIAN'S ESTIMATE OF GESTATION 17. Weeks
AUTOPSY (Specify yes or no) 18.

MULTIPLE BIRTHS Enter State File Number for mate(s)
LIVE BIRTH(S)
FETAL DEATH(S)

COMPLICATIONS OF PREGNANCY (Describe or write "none") 19.
COMPLICATIONS OF LABOR AND/OR DELIVERY (Describe or write "none") 20.
CONCURRENT ILLNESSES OR CONDITIONS AFFECTING THE PREGNANCY (Describe or write "none") 21.
CONGENITAL MALFORMATIONS OR ANOMALIES OF FETUS (Describe or write "none") 22.
NAME OF PHYSICIAN OR ATTENDANT (Type or print) 23.
NAME OF PERSON COMPLETING REPORT (Type or print) TITLE 24.
DATE REPORT COMPLETED 25.
DATE RECEIVED BY HEALTH DEPARTMENT 26.

DHEC-665
Rev. 1978

SAMPLE



LICENSE AND CERTIFICATE FOR MARRIAGE

STATE OF SOUTH CAROLINA

SAMPLE

LICENSE NUMBER ____________

COUNTY ____________

GROOM—NAME (FIRST) (MIDDLE) (LAST) (1)				BIRTHDATE (MONTH, DAY, YEAR) (2a)	AGE (2b)
BIRTHPLACE (State or foreign country) (3)	RACE (4)	RESIDENCE (Street and Number) (5a)			
CITY, TOWN OR LOCATION (5b)	COUNTY (5c)		STATE (5d)		NO. OF THIS MARRIAGE (1st, 2nd, etc.) (6)
BRIDE—NAME (FIRST) (MIDDLE) (LAST) (7)				BIRTHDATE (MONTH, DAY, YEAR) (8a)	AGE (8b)
BIRTHPLACE (State or foreign country) (9)	RACE (10)	RESIDENCE (Street and Number) (11a)			
CITY, TOWN OR LOCATION (11b)	COUNTY (11c)		STATE (11d)		NO. OF THIS MARRIAGE (1st, 2nd, etc.) (12)
MAIDEN NAME OF BRIDE (If Different From Above) (13)					

Application for a license was filed with this court at ______ M. on the ______ day of ______________, 19___. These are, therefore, to authorize any person qualified to perform marriage ceremonies to perform the marriage ceremony for the persons above named, and for the so doing this shall be sufficient warrant. Given under my hand and seal at ________ M. this the ________ day of ______________, A.D. 19________.

Signature of Issuing Officer ____________ Title of Issuing Officer ____________

GROOM—Signature (14)	BRIDE—Signature (15)
I certify that the above named persons were married on (MONTH) (DAY) (YEAR) (16)	Place of Marriage COUNTY (17) SOUTH CAROLINA
OFFICIANT—Signature (18a)	OFFICIANT—Title (18b)
OFFICIANT—Mailing Address (18c)	

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

OFFICE OF VITAL RECORDS AND PUBLIC HEALTH STATISTICS
Columbia, South Carolina

REPORT OF DIVORCE OR ANNULMENT OF MARRIAGE

State File No.

SAMPLE

SCDHEC—682—Rev. 4-1979 15M

ADDRESS

ATTORNEY FOR PLAINTIFF

HUSBAND—NAME (first) (middle) (last) 1	DATE OF BIRTH 2	STATE OF BIRTH 3
RESIDENCE (state) (county) (city) 4	NUMBER OF THIS MARRIAGE 5	RACE OR COLOR (specify) 6
WIFE—MAIDEN NAME (first) (middle) (last) 7	DATE OF BIRTH	STATE OF BIRTH 9
RESIDENCE (state) (county) (city) 10	NUMBER OF THIS MARRIAGE	RACE OR COLOR (specify) 12
PLACE OF THIS MARRIAGE (state) [illegible] 13	DATE OF MARRIAGE (month) (day) (year)	NUMBER OF CHILDREN UNDER 18 15
PLAINTIFF (specify) 16 — DECREE GRANTED TO (specify) 17	WAS DIVORCE CONTESTED (specify yes or no) 18	LEGAL GROUNDS 19
DATE DECREE SIGNED (month) (day) (year) 20	TYPE OF DECREE absolute divorce or annulment (specify) 21	
MAIDEN NAME RESUMED BY DECREE 22a Yes ☐ No ☐	SUPPLEMENTAL ORDER (if any) (month-day-year) 22b	
COUNTY 23	DOCKET NUMBER 24	

I CERTIFY THAT THE ABOVE IS CORRECT ACCORDING TO THE RECORDS OF THIS COURT FILED ON:
signature of clerk of court month day year
25

AUTHORITY FOR THIS REPORT IS FOUND IN SECTION 20-3-230 CODE OF LAWS OF SOUTH CAROLINA

INSTRUCTIONS: To the Clerk of Court: When a petition for divorce or annulment is filed, please hand a copy of this form to the attorney for completion of items No. 1 through No. 19. When the decree is signed, check completeness of these items, execute the bottom section and mail to South Carolina Department of Health and Environmental Control, Office of Vital Records and Public Health Statistics, Columbia, South Carolina, on or before the 10th of the month next succeeding the divorce or annulment.

To the Attorney: Please complete items No. 1 through No. 19 of the Report of Divorce of Annulment of Marriage and ask your client to verify the information. WHEN THE DECREE IS SIGNED, RETURN THE FORM TO THE CLERK OF COURT FOR CERTIFICATION.

COMPARABLE CATEGORY NUMBERS AND *ESTIMATED* COMPARABILITY RATIOS FOR 72 SELECTED CAUSES OF DEATH ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Disease, 1975	Category Numbers According to:		Estimated compara-bility ratio[1] (3)	Standard Error of the Estimate in Column (3) (4)	95 Percent confidence limits[2]	
	ICD-9 Revision (1)	ICDA-8 Revision (2)			Upper (5)	Lower (6)
Shigellosis and amebiasis	004,006	004,006	0.9818	0.0378	1.0559	0.9077
Certain other intestinal infections	007-009	008,009	0.1821	0.0207	0.2227	0.1415
Tuberculosis	010-018	010-019	0.7668	0.0119	0.7901	0.7435
Tuberculosis of respiratory system	010-012	010-012	0.8429	0.0146	0.8715	0.8143
Other tuberculosis	013-018	013-019	0.5077	0.0167	0.5404	0.4750
Whooping cough	033	033	0.8571	0.0000	0.8571	0.8571
Streptococcal sore throat, scarlatina, and erysipelas	034-035	034	1.4286	0.0000	1.4286	1.4286
Meningococcal infection	036	036	0.9788	0.0124	1.0030	0.9546
Septicemia	038	038	0.8500	0.0180	0.8853	0.8147
Acute poliomyelitis	045	040-043	0.5000	0.0000	0.5000	0.5000
Measles	055	055	0.9167	0.0000	0.9167	0.9167
Viral hepatitis	070	070	1.3986	0.0820	1.5593	1.2379
Syphilis	090-097	090-097	1.0089	0.0259	1.0596	0.9582
All other infectious and parasitic diseases	001-003,005,020-032, 037,039-041,046-054, 056-066,071-088,095-139	Remainder of 000-136	1.0321	0.0634	1.1563	0.9079
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-208	140-209	1.0026	0.0017	1.0059	0.9993
Malignant neoplasms of lip, oral cavity, and pharynx	140-149	140-149	1.0117	0.0087	1.0286	0.9948
Malignant neoplasms of digestive organs and peritoneum	150-159	150-159	1.0330	0.0035	1.0398	1.0262
Malignant neoplasms of respiratory and intrathoracic organs	160-165	160-163	1.0007	0.0033	1.0071	0.9943
Malignant neoplasm of breast	174-175	174	1.0089	0.0022	1.0131	1.0047
Malignant neoplasms of genital organs	179-187	180-187	1.0111	0.0031	1.0171	1.0051
Malignant neoplasms of urinary organs	188-189	188,189	0.9924	0.0045	1.0011	0.9837
Malignant neoplasms of all other and unspecified sites	170-173,190-199	170-173,190-199	0.9557	0.0082	0.9718	0.9396
Leukemia	204-208	204-207	1.0070	0.0056	1.0180	0.9960
Other malignant neoplasms of lymphatic and hematopoietic tissues	200-203	200-203,208,209	0.9385	0.0069	0.9519	0.9251
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature	210-239	210-239	1.2085	0.0261	1.2595	1.1575
Diabetes mellitus	250	250	0.9991	0.0087	1.0162	0.9820
Nutritional deficiencies	260-269	260-269	0.7167	0.0262	0.7680	0.6654
Anemias	280-285	280-285	0.9296	0.0124	0.9538	0.9054
Meningitis	320-322	320	0.9459	0.0163	0.9777	0.9141
Major cardiovascular diseases	390-448	390-448	1.0069	0.0004	1.0076	1.0062
Diseases of heart	390-398,402,404-429	390-398,402,404, 410-429	1.0126	0.0039	1.0202	1.0050
Rheumatic fever and rheumatic heart disease	390-398	390-398	0.6648	0.0080	0.6804	0.6492
Hypertensive heart disease	402	402	3.3022	0.0557	3.4114	3.1930
Hypertensive heart and renal disease	404	404	1.2119	0.0438	1.2978	1.1260
Ischemic heart disease	410-414	410-413	0.8784	0.0038	0.8859	0.8709
Acute myocardial infarction	410	410	1.0003	0.0054	1.0108	0.9898
Other acute and subacute forms of ischemic heart disease	411	411	1.2224	0.0661	1.3519	1.0929
Angina pectoris	413	413	1.0484	0.0666	1.1789	0.9179
Old myocardial infarction and other forms of chronic ischemic heart disease	412,414	412	0.7533	0.0055	0.7640	0.7426
Other diseases of endocardium	424	424,428	1.2286	0.0227	1.2731	1.1841
All other forms of heart disease	415-423,425-429	420-423,425-427,429	2.5035	0.0257	2.5539	2.4531
Hypertension with or without renal disease	401,403	400,401,403	1.2703	0.0294	1.3280	1.2126
Cerebrovascular diseases	430-438	430-438	1.0049	0.0066	1.0178	0.9920
Intracerebral and other intracranial hemorrhage	431-432	431	0.9969	0.0068	1.0102	0.9836
Cerebral thrombosis and unspecified occlusion of cerebral arteries	434.0,434.9	433	1.0340	0.0222	1.0774	0.9906
Cerebral embolism	434.1	434	1.1211	0.0924	1.3022	0.9400
All other and late effects of cerebrovascular diseases	430,433,435-438	430,432,435-438	0.9948	0.0061	1.0067	0.9829
Atherosclerosis	440	440	1.0649	0.0246	1.1130	1.0168
Other diseases of arteries, arterioles, and capillaries	441-448	441-448	0.7409	0.0098	0.7600	0.7218

COMPARABLE CATEGORY NUMBERS AND *ESTIMATED* COMPARABILITY RATIOS FOR 72 SELECTED CAUSES OF DEATH ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Disease, 1975	Category Numbers According to:		Estimated compara-bility ratio[1] (3)	Standard Error of the Estimate in Column (3) (4)	95 Percent confidence limits[2]	
	ICD-9 Revision (1)	ICDA-8 Revision (2)			Upper (5)	Lower (6)
Acute bronchitis and bronchiolitis	466	466	0.8888	0.0274	0.9425	0.8351
Pneumonia and influenza	480-487	470-474,480-486	0.9264	0.0067	0.9394	0.9134
Pneumonia	480-486	480-486	0.9199	0.0076	0.9347	0.9051
Influenza	487	470-474	0.9714	0.0078	0.9866	0.9562
Chronic obstructive pulmonary diseases and allied conditions	490-496	490-493	1.8846	0.0150	1.9141	1.8551
Bronchitis, chronic and unspecified	490-491	490-491	0.9383	0.0134	0.9646	0.9120
Emphysema	492	492	0.9770	0.0127	1.0018	0.9522
Asthma	493	493	1.3544	0.0636	1.4790	1.2298
Other chronic obstructive pulmonary diseases and allied conditions	494-496	...[2]	...[3]	...[3]	...[3]	...[3]
Ulcer of stomach and duodenum	531-533	531-533	1.1192	0.0247	1.1675	1.0709
Appendicitis	540-543	540-543	1.0080	0.0264	1.0597	0.9563
Hernia of abdominal cavity and intestinal obstruction without mention of hernia	550-553,560	550-553,560	0.9432	0.0169	0.9762	0.9102
Chronic liver disease and cirrhosis	571	571	1.0110	0.0069	1.0245	0.9975
Cholelithiasis and other disorders of gallbladder	574-575	574,575	1.0494	0.0445	1.1366	0.9622
Nephritis, nephrotic syndrome, and nephrosis	580-589	580-584	1.7397	0.0777	1.8920	1.5874
Acute glomerulonephritis and nephrotic syndrome	580-581	580,581	0.2422	0.0185	0.2783	0.2061
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	582-583,587	582-584	0.4954	0.0195	0.5335	0.4573
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	584-586,588-589	582-584	1.6327	0.0958	1.8205	1.4449
Infections of kidney	590	590	0.9878	0.0091	1.0056	0.9700
Hyperplasia of prostate	600	600	1.0232	0.0226	1.0674	0.9790
Complications of pregnancy, childbirth, and the puerperium	630-676	630-678	1.1000	0.0435	1.1853	1.0147
Pregnancy with abortive outcome	630-638	640-645	3.8125	0.0000	3.8125	3.8125
Other complications of pregnancy, childbirth and the puerperium	640-676	630-639,650-678	0.9840	0.0454	1.0729	0.8951
Congenital anomalies	740-759	740-759	0.9984	0.0100	1.0179	0.9789
Certain conditions originating in the perinatal period	760-779	760-769.2,769.4-772, 774-778	1.0765	0.0238	1.1230	1.0300
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome	767-769	764-768,772,776	0.7483	0.0306	0.8083	0.6883
Other conditions originating in the perinatal period	760-766,770-779	Remainder of 760-778	1.4639	0.0371	1.5367	1.3911
Symptoms, signs, and ill-defined conditions	780-799	780-796	0.9102	0.0121	0.9338	0.8866
All other diseases	Residual	Residual	0.7786	0.0082	0.7947	0.7625
Accidents and adverse effects	E800-E949	E800-E949	0.9970	0.0030	1.0029	0.9911
Motor vehicle accidents	E810-E825	E810-E823	1.0117	0.0027	1.0169	1.0065
All other accidents and adverse effects	E800-E807,E826-E949	E800-E807,E825-E949	0.9841	0.0051	0.9941	0.9741
Suicide	E950-E959	E950-E959	1.0032	0.0042	1.0114	0.9950
Homicide and legal intervention	E960-E978	E960-E978	1.0057	0.0030	1.0115	0.9999
All other external causes	E980-E999	E980-E999	0.9675	0.0144	0.9957	0.9393

COMPARABLE CATEGORY NUMBERS AND *ESTIMATED* COMPARABILITY RATIOS FOR 10 SELECTED CAUSES OF INFANT DEATHS ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Disease, 1975	Category Numbers According to:		Estimated compara-bility ratio[1] (3)	Standard Error of the Estimate in Column (3) (4)	95 Percent confidence limits[2]	
	ICD-9 Revision (1)	ICDA-8 Revision (2)			Upper (5)	Lower (6)
All causes	....	....	1.0000	....	....	....
Certain gastrointestinal diseases	008-009,535,555-558	004,006-009,535, 561,563	0.4678	0.0228	0.5125	0.4231
Pneumonia and influenza	480-487	470-474,480-486	0.7471	0.0200	0.7862	0.7078
Congenital anomalies	740-759	740-759	1.0071	0.0062	1.0191	0.9949
Disorders relating to short gestation and unspecified low birthweight	765	777	0.9630	0.0107	0.9839	0.9421
Birth trauma	767	764-768(.0-.3),772	0.7154	0.0337	0.7813	0.6493
Intrauterine hypoxia and birth asphyxia	768	776.9	0.3270	0.0212	0.3684	0.2856
Respiratory distress syndrome	769	...	...	...	...	...
Other conditions originating in the perinatal period	760-764,766,770-779	Remainder of 760-778	0.8492	0.0098	0.8683	0.8301
Sudden infant death syndrome	798.0	...	...	...	...	...
All other causes	Residual	Residual	0.5455	0,0061	0.5573	0.5335

---

[1] Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[2] The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

[3] Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (No. *519.3), introduced by NCHS to be used with the Eighth Revision, is comparable to Other chronic obstructive pulmonary diseases and allied conditions (ICD Nos. 494-496) of the Ninth Revision. The comparability ratio for this set of titles is 1.0054, with a standard error of 0.0118, a relative error of 1.2 percent, and 95 percent confidence limits of 1.0285 and 0.9823. These data are not shown in this table because there are no sample data for *519.3.

Source: *MONTHLY VITAL STATISTICS REPORT*, National Center for Health Statistics, DHEW Publication No. (PHS) 80-1120, Vol. 28, No. 11 Supplement, February 29, 1980, pp. 3-4, 12-13.

OFFICE OF VITAL RECORDS AND
PUBLIC HEALTH STATISTICS
S. C. DEPARTMENT OF HEALTH AND
ENVIRONMENTAL CONTROL
2600 BULL STREET
COLUMBIA, S. C. 29201

[illegible]
[illegible]
[illegible]
Bethesda, MD 20814